

Wild Flower Key 2<sup>nd</sup> Edition: corrigenda and addenda  
March 2006

CLARE O'REILLY (previously Coleman) 78 Woodside, Barnard Castle, County Durham DL12 8AP clare@ptyxis.com

Details of important corrections to the *Wild Flower Key* are set out below. These were omitted by the publisher in order to meet the deadline for publication. Please send any additional corrections to Clare O'Reilly.

<p>Page 7 Flora of London – replace with Flora of <u>the</u> London <u>Area</u></p> <p>Page 94 couplet 6 <i>Spartina <del>angelica</del></i> – replace with <i>anglica</i></p> <p>Page 106 Add text: <u>The shape of the <b>nectary</b> (found on the inside base of a petal) is often used for identification. However, this character is sometimes unreliable and therefore is <b>not</b> used in this book.</u></p> <p>Page 119 Sepals on illustrations Ea, B and Ca should be whitish tinged green, as in illustration H.</p> <p>Page 132 C Sharp-toothed lvs (<b>A</b>) – replace with (<b>C</b>) Add text: and seed shape (<u>see <i>New Flora</i></u>)</p> <p>Page 156 A Add text: stamens (or staminodes) <b>10</b> Add text: seeds (<b>Ab</b>) <u>usually</u> with</p> <p>Page 156 B Add text: stamens <b>2–7</b> (-10)</p> <p>Page 172 C (<i>R. × neumanii</i>) – replace with <i>L.</i></p> <p>Page 243 C WO(NI) <b>**Ire (<del>NI</del>)</b> – Delete extra NI</p>	<p>Page 259 E.1 and is <del>nearly</del> sterile – replace with partly</p> <p>Page 363 A Add text and bold font: Nutlets black-<u>brown</u>, <b>shiny, smooth</b></p> <p>Page 364 E Add text: <u>Nutlets with <b>minute bumps, dull</b></u></p> <p>Page 384 Water-starwort Family Add text: <u>Plant classification and names in this book follow the <i>BSBI Callitriche Handbook</i>, rather than the <i>New Flora</i>.</u></p> <p>Page 410 B Add text: spur (<b>Ba</b>)</p> <p>Page 410 D <b>Common Bladderwort</b> – replace with <b>Greater</b></p> <p>Page 433 Daisy Family Flower Head Add text: <u>7</u> (to label achene)</p> <p>Page 434 couplet 7 <del>Hypochaeris</del> – replace with <i>Hypochaeris</i></p> <p>Page 450 D <b>Shaggy Soldier</b> replace with <b>Shaggy-soldier</b></p>	<p>Page 472 E <b>Common <del>Blue-sowthistle</del></b> – replace with <b>Blue-sow-thistle</b></p> <p>Page 472 E <b>Alpine <del>Blue-sowthistle</del></b> – replace with <b>Blue-sow-thistle</b></p> <p>Page 476 ID Tips Hawk's-beards Add text: Smooth <u>and Marsh</u> Hawk's-beards <u>are</u> the only common <i>Crepis</i> spp that <u>are ±</u> hairless (except on the involucre bracts <u>and sometimes on the lf underside midrib</u>)</p> <p>Page 480 D sticky gland tipped hairs (<del>Da</del>) – replace with (<b>Db</b>)</p> <p>Page 497 ID Tips Duckweeds Common duckweed (<i>L. minor</i>) is bright green and <del>oval</del> – replace with obovate</p> <p>Page 497 Key couplet 5 green, <del>ovate</del> – replace with obovate</p> <p>Page 525 ID Tips Helleborines Add text: Green-flowered, Narrow-lipped, <u>Dune</u> and Young's</p> <p>Page 552 <b>Lamina<del>r</del></b> – replace with <b>Lamina</b></p> <p>Page 561 <i>Rhamnus-catharticus</i> – replace with <i>cathartica</i></p>
--	--	--

Wild Flower Key 2<sup>nd</sup> Edition: corrigenda and addenda  
 Sept 2007  
 Clare O'Reilly 3 Railway Cottages Lambley Northumberland CA8 7LL

Details of important corrections to the *Wild Flower Key* are set out below, **in addition to** corrections appearing in *BSBI News* 102 p71. Many of these are corrections to the original edition. The publishers have now agreed to make corrections on a forthcoming reprint. **Apologies:** to those whose contributions to the book were edited and the result not sent to them for checking – as already explained to them individually and in my note in *BSBI News* 102, in line with modern digital publishing procedures, this checking had been agreed to take place alongside proof-reading; in fact neither were permitted in order to meet the publishing deadline. **Acknowledgements:** many thanks to Mary Smith, for proof reading the entire text, and to all of those who have sent corrections – keep them coming as together we can make the book even better for beginners .

<p>p7 Illustrations Acknowledgements  <del>BSBI Water starworts Handbook</del> – replace with <i>Water-starworts of Europe</i>          Add text: <u>copyright BSBI.</u></p> <p>p13 para 4  <del>2</del> Petals 5 – lvs alt .... – delete 2</p> <p>p24 couplet 6 line 5  <del>yellow</del> or white fls – replace with coloured</p> <p>p46 couplet 3 line 3          stamens <del>ff</del> 10 – replace with &lt; or equal to</p> <p>p47 para 3 line 9  <del>(IV)</del> – replace with V</p> <p>p50 Master Key couplet 3 line 5          Insert <u>4</u> at end of line</p> <p>p109 Table 2          Add text: There is no reliable character to distinguish <i>Ranunculus penicillatus</i> ssp <i>pseudofluitans</i> from ssp <i>penicillatus</i> when both lack laminar lvs.</p> <p>p118 I line 3  <del>three</del>-seeded – replace with 2-3</p>	<p>p253 couplet 6 lines 1 &amp; 4; p254 couplet 9 lines 1 &amp; 3; p254 couplet 10 lines 1 &amp; 3; p254 couplet 13 lines 1 &amp; 2; p254 couplet 14 lines 1 &amp; 2; p254 couplet 15 lines 1 &amp; 3; and p254 couplet 16 lines 1 &amp; 3  <del>fr</del>-stalks – replace with hip, to read hip-stalks</p> <p>p253 couplet 8 line 2          Delete text: with <del>an unpleasant</del> resinous scent</p> <p>p254 couplet 10 line 3          shrub with <del>winding</del> stems – replace with flexuous</p> <p>p256 B line 5          segments than in <del>379</del> and <del>381</del> – replace with A and C</p> <p>p258 couplet 1 line 3          fls <del>yellow (rarely white)</del> – replace with coloured or white          Line 4: replace <del>5</del> with 4</p> <p>p258 1 fls “deep red or” .... 4 (not 5); in genus description replace purple with “deep red”</p>	<p>p368 couplet 13 line 6          (p376 <del>E</del>) – replace with F</p> <p>p371 illustration D – re-label E          illustration E – re-label D</p> <p>p390 C line 2          Add text: lanceolate <u>lvs</u> minutely hairy 1<sup>st</sup> year twigs</p> <p>p390 C.1 line 2          Add text: has oval <u>lvs</u>; hairless 1<sup>st</sup> year twigs</p> <p>p394 A line 2          Add text: but <math>\pm</math> without (<u>or &lt; 1mm</u>) wings</p> <p>p394 B line 3          staminode rounded as in <del>F</del> – replace with C</p> <p>p402 D line 2          lower lips as in <del>716</del> – replace with B</p> <p>p428 D line 4          Add text: pale mauve <u>to blue</u></p> <p>p436 couplet 9 line 2  <del>440-1</del> – replace with 440-2</p>
---	---	--

<p>p118 K line 1 like <del>L</del> – replace with J</p> <p>p135 ID Tips Oraches bullet 3 <del>causal</del> introd spp – replace with casual</p> <p>p156 C.1 <del>fl</del>-stalks shorter than <del>sepals</del> – replace with fr-stalks shorter than fr</p> <p>p158 A line 6 gd by <del>ponds</del> – replace with ponds</p> <p>p163 couplet 11 <i>Persicaria amphibia</i> (p168 <del>F</del>) – replace with H</p> <p>p163 couplet 12 <i>P. vivipara</i> (p168 <del>E</del>) – replace with G <i>P. bistorta</i> (p168 <del>D</del>) – replace with F</p> <p>p163 couplet 16 <i>P. lapathifolia</i> (p168 <del>B</del>) – replace with D <i>P. maculosa</i> (p168 <del>A</del>) – replace with C</p> <p>P163 couplet 17 <i>P. hydropiper</i> (p168 <del>H</del>) – replace with A <i>P. minor</i> (p168 <del>C</del>) – replace with E <i>P. mitis</i> (p168 <del>I</del>) – replace with J</p> <p>p164 I line 5 habitat as for <del>I</del> – replace with H</p> <p>p185 <i>Viola</i> key couplet 5 line 1 (vr, <del>Teesdale</del>) – replace with N Eng</p> <p>p186 A.1 line 4 N Eng; vr on limestone <del>rocks in Teesdale</del> – replace with gslds</p> <p>p198 couplet 5 line 1 <i>Arabis petraea</i> (p21 A.1) – replace with p212</p>	<p>p264 C line 2 8-20 pairs of <del>larger</del> lfts – replace with smaller</p> <p>p265 illustration <del>Ba</del> – replace with Bb Insert Ba beside illustration of lower leaf</p> <p>p267 couplet 14 line 1 (p286 <del>F</del>) – replace with p284</p> <p>p268 E line 3 Delete text: bracteoles (<del>Ea</del>)</p> <p>p268 F line 4 Delete text: bracteoles (<del>Fa</del>)</p> <p>p270 para 3 line 2 Delete text: solitary in lf-axils, pink <del>or yellow</del></p> <p>p277 illustration D Insert Da next to illustration of fruit-head</p> <p>p278 B line 3 only 4-6 together – replace with 3-6</p> <p>p280 couplet 7 line 2 (p284 <del>D</del>) – replace with p282</p> <p>p292 A line 8 Delete text: (<del>actually 3 lfts and 2 stipules</del>)</p> <p>p300 A line 2 Add text: lvs opp, oval, <u>truncate</u>-rounded</p> <p>p310 E line 8 Replace <del>scattered</del> with scattered</p> <p>p312 A line 2 Add text: lvs <u>alt or ±</u> opp</p> <p>p317 C line 2 Add text: fls in umbel-<u>like cymes</u></p>	<p>p446 F Insert upwards pointing triangle to left of text (illustration for this species on previous plate)</p> <p>p448 G line 5 habitat as for <del>911</del> – replace with F</p> <p>p453 B line 3 fewer than in <del>920</del> – replace with A</p> <p>p454 couplet 6 line 1 oil glands ( <del>Aa</del> below) – replace with B</p> <p>p454 couplet 6 line 3 oil glands (<del>B</del> below) replace with Aa</p> <p>p455 E.1 line 3 Delete text: Br Isles, <del>r in wa</del>, r; on ar ....</p> <p>P459 A line 1 50-30 cm – delete 0</p> <p>p468 D.1 line 4 narrow as in <del>950</del> – replace with D</p> <p>p489 couplet 12 line 2 (p492 <del>E</del>) – replace with D</p> <p>p493 I line 1 with a <del>leaf sheath</del> structure like H – replace with stipule</p> <p>p495 illustration on left – add label B and scale bar 5mm long</p> <p>p505 B line 4 Add text: habitat as A. Fl 5–6.</p> <p>p510 B line 5 to perianth-<del>lobes</del> – replace with segments middle of the <del>lobe</del> – replace with segment</p>
---	---	---

<p>p226 F.1 line 1 <i>Phyllodoce <del>caerulea</del></i> – replace with <i>caerulea</i></p> <p>p242 couplet 7 <i>S. stellaris</i> (p244 G.1) Line 2 – replace 9 with 8</p> <p>p242 couplet 8 line 2 Replace 8 with 9</p> <p>p242 couplet 9 line 2 Add text: lf-stalk <u>hairy or</u> hairless</p> <p>p246 couplet 7 line 2 Insert <u>11</u> at end of line</p> <p>p249 D line 3 as in <del>B</del> – replace with A</p> <p>p252 L line 4 Add text: panicle of pink fls (<u>La</u>)</p> <p>p253 ID Tips line 3 lvs or <del>fr</del>-stalks – replace with hip to read hip-stalk</p>	<p>p325 ID Tips Umbellifers line 7 Add text: <b>Sanicle</b> (<i>Sanicula europaea</i>)</p> <p>p342 B line 1 Rather bushy <del>per</del> – replace with ann or bi</p> <p>P342 E line 2 Add text: stems usually <u>slightly hollow or</u> solid</p> <p>p344 E line 4 Add text: like parasols, on <u>often hairy</u> stalks</p> <p>p359 couplet 9 line 4 Add text: shiny like porcelain <u>or grey-brown</u></p> <p>p359 couplet 9 line 1 Delete text: lowest lvs long-stalked</p> <p>p359 couplet 9 line 3 Delete text: lowest lvs scarcely stalked</p> <p>p360 B line 4 fr-stalks <del>3-5</del> times – replace with 2 ½ - 5</p> <p>p364 H.1 line 2 10-20 cm in <del>802</del> – replace with H</p> <p>p367 couplet 12 line 3 (p376 <del>F</del>) – replace with E</p>	<p>p513 couplet 1 line 2 Add text: <u>fls</u> various colours</p> <p>p515 E.1 line 3 Add text: Cornwall, IoS, NW Ire <u>only, vlf;</u></p> <p>p532 B line 5 Add text: Fls many, usually <u>more than</u> 15 ...</p> <p>p536 D line 1 usually <del>less tall</del> – replace with taller</p> <p>p546 A line 6 Scot <del>abs</del> – replace with <u>one site only</u></p> <p>p546 D line 4 Delete text: (but fading <del>to</del> when older)</p> <p>p562 Index to Keys Roadsides <del>82</del> – replace with 83</p> <p>p562 ID Tips Add text: <u>Orchids 522</u></p> <p>p562 Keys to Genera <del>Stoneworts</del> and pigmyweeds – replace with Stonecrops</p>
--	--	---

Wild Flower Key 2<sup>nd</sup> Edition: corrigenda and addenda  
 Sept 2008

Clare O'Reilly 3 Railway Cottages Lambley Northumberland CA8 7LL clare@ptyxis.com

Details of important corrections to the *Wild Flower Key* are set out below, **in addition to** corrections appearing in *BSBI News* 102 p71 and *BSBI News* 104 p71. **Most of these are corrections to the original edition.** The publishers have now declined to make corrections, although the book was reprinted twice in 2007. **Acknowledgements:** Grateful thanks to everyone who has sent in further corrections: please keep these coming!

<p>p28 couplet 8 line 3                  Add text: stamens <u>4–5</u></p> <p>p35 couplet 4 insert p247 before Geum, Sibbaldia</p> <p>p36 couplet 14 insert with toothed <u>or lobed</u> tips</p> <p>p38 Key J couplet 1 insert in 2<sup>nd</sup> line Petals joined <u>at base or into an obvious corolla-tube, often</u> 1/3 or ...</p> <p>p46 couplet 7 3<sup>rd</sup> line fr a globular or ovoid <u>or flattened</u> capsule</p> <p>p81 Section C couplet 1 line 7                  Add text: <u>leaves</u> not more than <u>3–4</u>cm long</p> <p>p101 couplet 3 line 1                  Add text: Achenes with <u>many</u> spines or hooks <u>all over face and/or edges</u></p> <p>p104 A line 4                  Replace text: petals <u>sometimes</u> overlapping (<u>or not</u>) with <del>furrowed</del> stalks <u>unfurrowed</u>                  Add text: <b>Achenes &lt;2 (2.3) mm</b></p> <p>p104 B line 3                  Add text: unfurrowed fl-stalks <u>as A: achenes c. 2.5mm</u></p> <p>p109 Table 3 Thread-leaved water-crowfoot                  Replace text: frs with short bristles: <del>no</del> yes</p>	<p>p280 Vetch key couplet 2  <i>Lathyrus nissolia</i> is on p284F not p286F</p> <p>p364 E line 1                  Replace text: Is hybrid of A and C S.  <i>asperum</i></p> <p>p381 Illustration C Flowers shown pinky - they should be dull purple</p> <p>p430 couplet 2 E                  Add text: <u>fruit grooved on one side</u>. On old walls, <u>rds</u>, rocks</p> <p>p430 couplet 3 H                  Add text: on old walls, <u>calc gsls</u>, wa</p> <p>p432 E line 5                  Replace text: <u>1 large and 3–4 ± equal lobes</u></p> <p>p432 Key to Teasels Couplet 2 line 3                  Replace text: corollas <del>all equally</del> <u>unequally</u> 4-lobed</p> <p>p439 couplet 7 line 2                  Add text: <u>outer</u> achenes hairless                  Line 5                  Add text: <u>all</u> achenes hairy</p>	<p>p448 G                  Add text: <u>At least some</u> leaves trifoliate</p>
---	---	---