

Recording non-natives in urban environments

- can it be done consistently and constructively?





Malva sylvestris (common mallow), *Hirschfeldia incana* (hoary mustard)
& *Artemisia vulgaris* (mugwort).



Ornithogalum umbellatum (star-of-Bethlehem)



Iris foetidissima c.v.s (stinking iris)



Eupatorium cannabinum (hemp-agrimony) & *Sonchus palustris* (marsh sow-thistle)



Ailanthus-altissima (tree-of-hell)





Ailanthus status data on the BSBI DDb

- Total records – **1157**
- ‘Unknown’ – **898**
- ‘Surviving in wild for at least five years but not spreading’ – **26**
- ‘Status uncertain - presumed originally miscoded by recorder’ – **1**
- ‘Planted deliberately in a wild situation but not established’ – **58**
- ‘Not classified’ – **1**
- ‘Naturalized escape or alien’ – **7**
- ‘Native’ – **3**
- ‘Established in wild for at least five years and spreading’ – **89**
- ‘Deliberate introduction’ – **2**
- ‘Casual - present briefly (less than five years)’ – **35**
- ‘Alien, excluding casual’ – **8**
- ‘Alien, but reported as native or without status by recorder’ – **12**
- ‘Alien, (all categories)’ - **13**


Paulownia tomentosa (foxglove-tree)



Cordyline australis (cabbage-tree)



SE England Distribution of *Cordyline australis* (cabbage palm)



Botanical Society of Britain & Ireland, 33 Walton Road, Shirehampton, Bristol, BS11 9TA.

E: enquiries@bsbi.org

T: 01971 975529 (mobile) or 0116 270 4989 (answerphone).

Registered as charity in England and Wales (1152954) and Scotland (SC038675) and as company in England & Wales (5553978).


Other BSBI Sites:

[BSBI Maps](#)

[BSBI Database \(the CDB\)](#)

[BSBI publications archive](#)

[Herbaria@Home](#)



10:40

30/08/2016

Cordyline australis (cabbage palm) DDb and status dropdown

BSBI big database - Yahoo... records where taxon Cord... Edit Record (observation ... +

bsbidb.org.uk/editor.php?objectId=2cd4p9h.c6gdag&class=RecordInstance&branch=0.1

Most Visited

id comment:

date 29/5/2011 single date basis accurate

site name Kenilworth Road Ashford vcVC21

grid reference centre point TQ0560072300 precision 1m¹⁰⁰⁰ source unknown

locality

altitude native
deliberate introduction
naturalized escape or alien
migrant
casual - present briefly (less than five years)
unknown

people recorder/co

tags label habitat surviving in wild for at least five years but not spreading
established in wild for at least five years and spreading
introduced and naturalized European species
introduced and naturalized North American species
population maintained or augmented by stocking
living indoors, e.g. in greenhouses
planted deliberately in a wild situation but not established
alien, but reported as native or without status by recorder
alien, excluding casual
introduced and naturalized Asian species

notes label comm introduced Asian species
introduced European species
introduced African species

reference

record status not classified

type of record observation

target workspace BSB! public data set

Please give a brief reason for this edit.

reason for edit

save revert cancel

Agrostemma githago (corn-cockle)



Galinsoga quadriradiata (shaggy-soldier)



Urtica membranacea (membranous nettle)



Polycarpon tetraphyllum (four-leaved allseed)



Chaenostoma cordatum (bacopa or trailing phlox)



Delosperma cooperi (trailing ice-plant)



Solanum laciniatum (kangaroo-apple)



Lavatera oblongifolia (Alpujarran tree-mallow)



Trifolium tomentosum (woolly clover)



Senecio x albescens with foliage of parents, *S. jacobaea* and *S. cineraria*



