

Staffordshire Rare Plant Register, 2022

Contents

Introduction	2
<u>Main List</u>	
a) <u>Red List Categories</u>	
Critically Endangered	3
Endangered	3
Vulnerable	5
Data Deficient	9
Near Threatened	9
Waiting List	12
b) <u>Other Categories</u>	
Nationally Rare Species	13
Nationally Scarce Species	13
<u>Supplementary List</u>	
Locally Rare Species	16
Locally Scarce and Declining Species	20
Last Sightings of Probably Extinct Natives	20
Rare Significant Non-Natives	21
<u>Appendix</u>	
<i>Hieracium</i> Species	23
<i>Rubus fruticosus</i> agg.	24
<i>Taraxacum</i> Species	26
Last Sightings of Uncommon Non-Natives	
a) Post-1986	28
b) Pre-1987	36

Introduction

The records in these lists are given, where possible, to a tetrad level. When insufficient information to do this is available, and the reference is to hectad accuracy, a dash is used (as in "SK22-").

A survey took place from 1998 to 2008 (-2011) for the county *Flora* published in 2011. Many more records were collected for *Atlas 2020*. As a result of further recording, in subsequent seasons, it is intended to revise the *Register* regularly. The list incorporates the changes in classification published in *A Vascular Plant Red List For England* (2014). Names are according to Stace, C.A. *New Flora of the British Isles*, Edn 4 (2019).

Initially, the largest source of data was the vast card index system produced and maintained by Bryan Fowler, V.C. Recorder for many years up to 1998. Work by members of the Flora Group and species lists from Staffordshire Wildlife Trust Reserves raised the total number of records very considerably. Local Authority & Wildlife Trust surveys from 1995 onwards have produced another large database; this has also been consulted. Mike Poulton has passed on many lists from Birmingham & The Black Country; Bill Thompson from tetrads shared with Worcestershire. Much additional information and advice has been provided by members of the Flora Group Committee, Alex Lockton (BSBI Co-ordinator), Ian Trueman and Elaine Radford. David McCosh (*Hieracium*), David Earl (*Rubus*) and Bert Read (*Taraxacum*) have provided much data and expertise, which allowed massive revisions of these genera (in the Appendix). Individuals continue to work enthusiastically and the total number of records entered on to the BSBI Distribution Database has now reached more than 620,000.

I am very grateful for the help of all these recorders and experts and to the staff of The Wildlife Trust and at The Potteries Museum for their advice and for allowing me access to their records. Ian Hopkins has provided much guidance and many record updates based on his own unrivalled knowledge of the Staffordshire flora. I am also indebted to him for pointing out a large number of errors and omissions in the draft documents.

References

- BSBI Website *New Lists of British Rare Plants* (2005); *Checklist of British & Irish Plants* (2007).
Cheffings, C. and Farrell, L. *The Vascular Red Plant Data List for Great Britain* (2005).
- Joint Nature Conservation Committee.
Clement, E.J. and Foster, M.C. (1994) *Alien Plants of the British Isles*. BSBI.
Edees, E.S. (1972) *Flora of Staffordshire*. David and Charles (and his additional unpublished notes mainly pertaining to aliens, which are stored at the Potteries Museum).
Edees, E.S. and Newton, A. (1988) *Brambles of the British Isles*. The Ray Society.
Hawksford, J.E. and Hopkins, I.J. (2011) *The Flora of Staffordshire*. Staffordshire Wildlife Trust.
Hopkins, I.J. (1985) *Staffordshire Flowering Plants and Ferns*. Stoke-on-Trent City Museum and Art Gallery.
Jones, V. (2014) *Yorkshire Hawkweeds*. Yorkshire Naturalists' Union.
Newton, A. and Randall, R.D. (2004) *Atlas of British and Irish Brambles*. BSBI.
Perring, F.H. and Walters, S.M. (1976) *Atlas of the British Flora*, Edn 2. EP Publishing.
Perring, F.H. (1968) *Critical Supplement to the Atlas of the British Flora*. Thomas Nelson and Sons.
Preston, C.D., Pearman, D.A. and Dines, T.D. (2002) *New Atlas of the British & Irish Flora*. Oxford.
Richards, A.J. (2021) *Field Handbook to British and Irish Dandelions*. BSBI.
Ryves, T.B., Clement, E.J and Foster, M.C. (1996) *Alien Grasses of the British Isles*. BSBI.
Sell, P. and Murrell, G. *Flora of Great Britain and Ireland*, Volume 1 (2018), Volume 2 (2014), Volume 3 (2009), Volume 4 (2006) and Volume 5 (1996). Cambridge University Press.
Stace, C.A. (2010) *New Flora of the British Isles*, Edn 4. Cambridge University Press.
Stace, C.A. et al (2003) *Vice-County Census Catalogue of the Vascular Plants of Great Britain*. BSBI.
Stewart, A., Pearman, D.A. and Preston, C.D. (1994) *Scarce Plants in Britain*. JNCC.
Stroh, P.A. et al (2014) *A Vascular Plant Red List For England*. BSBI.
Trueman, I., Poulton, M. and Reade, P. (2013) *Flora of Birmingham and the Black Country*. Pisces Publications.

Main List

a) Red List Categories

Critically Endangered

Campanula patula SO78V, Upper Arley, 1990

{There are older records for the following (the most recent records are given):

Bupleurum rotundifolium SJ84L, Ferndown Nature Reserve, in a strip seeded with arable weed spp., 2010
SJ84S, North Street, Stoke, 1922

Damasonium alisma SJ92C, Nursery Lane, Stafford, 2020
Lysimachia thyrsifolia SJ83R, Yarnfield, 1860: a doubtful record}
Oxybasis urbica SK12H, Holly Bush Park, 1984 (first recorded at this site in 1952)
SJ93-, nr Hilderstone, 1912

{There are casual or introduced records for the following:

Carum carvi SK00M, Clayhanger, 1991
Galeopsis angustifolia SO91U, Brocton, 1969; SK00J, Chasewater, 2002
Lolium temulentum SJ84G, Harrowby Drive, 1970
possibly SJ95A, Stockton Brook, 1982
Mentha pulegium SJ85T, Newpool Meadows, 2012, 2013 & 2020
SK22G, Shobnall, 2007
SK00E, W of Bleak House, 2002 & colliery spoil, Norton Canes, 2016
SK02M, Blithfield Reservoir, 2003
SK04F, Croxden Gravel Quarry, 2002
SO99I, Wolverhampton SE, 2006
SO99K, Brewery Field Allotments, Dudley, 2000
Veronica triphyllus SK04M, Oakamoor, 1906}

Asplenium scolopendrium x trichomanes (Asplenium x confluens) was found on a wall in Leek, SJ95Y, in 2000. It was the first British record since the 19th century and the most southerly site, but was stolen a few months later.

Endangered

Anthemis arvensis SJ84A, Whitmore (two sites, 1995 & 96): introduced

SJ84L, Ferndown Nature Reserve, 2010: introduced

SJ91H, between The Whittamoors and Lower Drayton, 2007

SJ95B, roadside, Stockton Brook, 1997

SK01A, Heath Hayes, 2007: introduced

SK12K, Yoxall, 2001

SO99D, Phoenix Park, S. of Wolverhampton, 2008: introduced

SO99Y & SO99T, canal bank near Darlaston, 2010, introduced

SJ81Q, Belvide, 1995

SK01K, Gentleshaw Common, 2018

SJ96T, between Ludchurch & Back Dane, 2005

SK05Q, Crowtrees, 2000

SK06G, Morridge, 2014

SK06J, Drystone Edge, 2003

SK06K, Fleet Green, 1998

SK06M, Pyeclough, 1998

SO77U, Seckley Wood, 2014

SK0956, SW slope of Wetton Hill, Manifold Valley, 2016

Gentianella campestris SK06N, nr Colshaw, 2001 (known here since 1982); possibly still present in 2006, but not seen since

SK088G, Kinver Edge, 2014

SK088I, The Million, 2000

SK15G, Hall Dale, 1964

SK15H, Hall Dale, 2007

Euphrasia pseudokernerii

Gentianella campestris

Omalotheca sylvatica

Hieracium subprasinifolium

Hypopitys monotropa
ssp. hypophegea

SJ84I, Whitebarn, 1996

<i>Hypopitys monotropa</i>	SJ84J, W of Chesterton, 2011 SJ84X, Mount Pleasant, 2006 SJ85K, near Tunstall, 2012 SJ94H, Park Hall Country Park, 2015 SK01H, Cannock Chase, 2003 SK04F, Croxton Sand & Gravel Pit, 2003 SK04i, Froghall, 2019 SO98J, Fens Pools, 2016 SO99I, Bilston, 1997 SO99J, Wolverhampton, 2016
<i>Lysimachia minima</i>	SO88M, The Million, 2009 SO88N, The Million, 2009
<i>Lythrum hyssopifolia</i>	SP29E, RSPB Middleton Lakes, 2019
<i>Papaver argemone</i>	SJ72Z, Offleyhay, 2018 SJ82Y, Bridgeford Hall, 2001 SJ90B, Ford Houses, 2002 SJ91H, nr Wood Bank, 2007 SJ91K, nr Mansty Wood, 2007 SJ91T, nr Spring Slade, 2001 SJ91X, nr Huntingdon Belt, 2004 SJ92F, near Wildwood, 2014 SJ92K, nr Weeping Cross (two sites), 1996 & 2002 SJ93A, Acton-by-Stone, 2014 SJ93F, between Acton-by-Stone and Burston, 2014 SK00X, nr Lynn, 2002 SK01J, nr Rugeley, 2008 SK01V, nr Farewell, 2008 SK11D, NW of Nethertown, 1999 SK12F, Forest Covert, 1996 SO89G, Castle Hill, 1995 SO89L, W of Wombourne, 2002 SO99E, Bell Place, 2002 SP09T, Pheasey, 2006
<i>Platanthera bifolia</i>	SK05U, Swallow Moss, present annually up to and including 2021
<i>Potamogeton compressus</i>	SJ92W, Shugborough Park, 2013 SK22G, Old River Dove, 2000
<i>Scleranthus annuus</i>	SJ91K, N of Hatherton, 2007 SK00T, S of Hammerwich, 2007 SO88S, Dunsley Bank, 2012 & 2018 SO89I, S of Pattingham, 2011 & 2020 SO89L, Trysull, 2002

{There are old records for the following (the most recent records are given):

Adonis annua	SJ83H, Nelson Hall, Swynnerton, 1947
Campanula rapunculus	SO88I, Enville, 1879
Cephalanthera longifolia	SJ71T, Moreton Moors, pre-1798, was almost certainly an error for Epipactis palustris
Dianthus armeria	SK10E, Lichfield, 1901
Dryopteris cristata	SJ92L, Kingston Pool, 1888
Euphrasia micrantha	SK15-, Alstonfield, c. 1895
Illecebrum verticillatum	SJ82-, nr Ranton Abbey, 1878: a likely error
Lycopodiella inundata	SJ72Z, Offleyhay, 1844
Neotinea ustulata	SK04Y, Wootton, 1909
Potamogeton praelongus	SJ86V, Biddulph, 1982
Pyrola media	SO98M, Cradley Park, 1817 is likely to have been P. minor
Sabulina tenuifolia	SK15D, Wetton Hill & SK15G, Hall Dale: both 1947
Scandix pecten-veneris	SK14-, Okeover, 1951 (SJ84G, Harrowby Drive, 1970: bird seed alien)
Silene gallica	c. SO89B, between Hillend and Seisdon, 1954
Turritis glabra	SO90B Wolverhampton, 1993,
Valerianella dentata	SK05Y, Sugarloaf, 1946
Valerianella rimosa	SJ73I, Mucklestone, 1951}

{There are casual or introduced records for the following:

Adonis annua	SO89R, Wombourne, 2004
--------------	------------------------

<i>Buglossoides arvensis</i>	SJ84L, Ferndown Nature Reserve, 2010
<i>Fumaria vaillantii</i>	SJ92G, Cotonfields Allotments, 2003
<i>Hieracium prenanthoides</i>	SK22-, Burton, 1940: introduced
<i>Phyteuma spicatum</i>	SO99F, Wren's Nest N.R., 1992 is likely to have been introduced
<i>Ranunculus arvensis</i>	SO78Z, Four Ashes Hall, 1942
<i>Silene conica</i>	SJ84L, Ferndown Nature Reserve, 2010; SJ84Q, Dairyfields, c1998;
<i>Torilis arvensis</i>	SK09J, Limepits Farm, Walsall, 2006 & 2007
<i>Veronica verna</i>	SK22-, Burton, 1930
	SJ72Y, High Offley, 1901
	SO89U, Perton, 1901
	SK22-, Peel's Cut, 1902}

Vulnerable Species

<i>Anacamptis morio</i>	(SJ90R, Ashmore Park, 2004 & annually to 2021, introduced in a spread of meadow hay) (SJ82W, Derrington Meadow:seeded from SJ90R site) SK01C, Furnace Coppice, Cannock Chase, 2014 SO77P, Buttonoak, 1996 (SO99H, Sedgley Beacon, introduced deliberately, 2018) (SP09L, Perry Hall Park, planted deliberately, 2019)
<i>Anthemis cotula</i>	Reduced to 27 post-1994 tetrads
<i>Blitum bonus-henricus</i>	SJ80M, Chillington Estate, 2002 SJ80R, nr Codsall, 2000 SJ80S, Gunstone, 2013 SJ80U, Brewood, 2002 SJ81F, nr Blymhill Lawns, 2003 SJ84C, Keele University Campus, 2012 SJ84S, Keele, 2011 SJ85A, 1999 SJ92B, Stafford Castle, 2003 SJ95J, NW of Rudyard, 2005 SJ95T, Bridge End, 1997 SK05L, nr Pethillshead, 2002 SK11J, Morrey, 2003 SK11T, Wychnor, 2002 SK11U, Barton Gate, 2003 SK12K, 2003 SK12Q, W of Dunstall, 2003 SK14P, nr Coldwall Bridge, 2008 SK15B, W of Beeston Tor Farm, 2002 & 2009 SK15E, 1999 SK15K, Bunster Hill (East), 2002 SK15N, 2009 SK22N, Stretton, 2006 SK22P, N of Rolleston on Dove, 2008 SK22R, Winshill, 2005 SO88T, nr Lawns Wood, 2003 SO89T, NW of Langley Hall Farm, 2000 SO98D, Brierley Hill, 2017 SO98U, Rowley Regis, 2011 SP09S, Queslett, 2002 SP29E, Dosthill, 2009
<i>Botrychium lunaria</i>	SJ96W, below The Roaches, 1998 SK05B, site details unknown, 1999 SK05K, SW of Winkhill, 1998 SK05L, S of Onecote, 2006 SK06L, NW of Noon Sun, 2015 SK14D, NW of Stanton, 2003 & 2018 SK15A, NE of Calton, 2002 SK16B, N W of Sheen, 2004
<i>Carex diandra</i>	SJ74Y, Walton's Wood, c.1997: a very doubtful record

<i>Carex vesicaria</i>	SJ72Q, Aqualate Mere, 2013 SJ73H, Hales Estate, 2010 SJ83X, Trent Wood, 2014 SJ85X, Greenway Bank Country Park, Biddulph, 2017 SJ92D, E of Whitgreave, 2005 SJ95X, E end of Stanley Pool, 2018 SK10E, Beacon Park, 2013 SK10Y, canal, N of Hopwas, 2005
<i>Catabrosa aquatica</i>	SJ73G, E of Chipnall Mill, 1995 SJ73Q, Blorepipe Meadows, 2005 SJ73S, Gerrard's Bromley, 2004 SJ74J, site details unknown, 1997 SJ74N, Betley Mere, 2005 SJ81G, Mottey Meadows, 2007 SJ84H, E of Keele, 2016 SJ85B, W of Dunkirk, 2007 SJ92J, W of Sandon, 1998 SJ95N, Narrowdale, 2009 SK14E, NW of Swinscoe, 1996
<i>Cichorium intybus</i>	Present in 69 tetrads; often introduced
<i>Clinopodium acinos</i>	SK05X, near Wetton, 2009; another site, 2010 SK05Y, W of Wetton Mill, 2014; still present by limestone outcrops near Nan Tor overlooking Wetton Mill, 2016 SK05Z, Ecton, 1997 SK15C, Beeston Tor, 2009 (and near Wetton) SK15G, Hall Dale, 2009 (in a few places) SK15K, Bunster Hill, 2009 (in a few places) SK15L, Hall Dale, 2000 SK04T, Rue Hill, 2008 SK04U, Caldon Low, 2013 SK04Y, Rue Hill, 2008; another site, 2010 & 2016 SK04Z, Caldon Low Quarry, 2008 SK14D, Thorswood Nature Reserve, 2011 SK14E, Dale Tor, 2008
<i>Coeloglossum viride</i>	Still known from 61 tetrads
<i>Eriophorum angustifolium</i>	SJ72W, Woodseaves, 2013
<i>Euphorbia exigua</i>	SK01B, Hednesford, 2007 SO98P, Tansley Hill, 2008
<i>Euphrasia confusa</i>	Decreasing: found in 28 tetrads
<i>Euphrasia officinalis</i> ssp. <i>pratensis</i>	SJ95S, Ladder Edge, 2001
<i>Galeopsis speciosa</i>	SJ72Y, 1999 SJ74N, Cracow Moss, 1996 SJ74R, Madeley Manor, 1995 SJ80V, Stockwell Heath, 2000 SJ80W, W of Pendeford, 2002 SJ84R, Trent Vale, Stoke, 1995 SJ85B, Dunkirk, 2004 SJ90Z, 1997 SK06J, Drystone Edge, 2015 & 2021 SK11R, Fradley, 2003 SP09B, Sandwell Valley, 2005
<i>Glebionis segetum</i>	Known from 69 tetrads, post-1994: SJ72Y, 74P, 74V, 75W, 80V, 83S, 84A, 84G, 84L, 84Q, 84Y, 85K, 85M, 85Q, 91E, 91V, 92B, 92G, 92H, 92Q, 94H, 95B, 95G, 95T; SK00S, 01A, 01H, 01J, 01S, 01T, 01Y, 02F, 02M, 03V, 10G, 11D, 11F, 11I, 11L, 11M, 11R, 12K; 12Q, SO88L, 88S, 88T, 88V, 89E, 89F, 89G, 89H, 89K, 89L, 89M, 89Q, 89R, 89L, 89R; SO89W, 89Z, 98C, 99D, 99L, 99P, 99T, 99V & SP09C, 09P. The situation is complicated by the fact that the species is now a regular constituent of seed mixes sown on verges, waste ground and amenity areas. Many of the records will be from such a source.
<i>Helosciadium inundatum</i>	SJ90V, W of Dudley Fields, 2008 SJ90W, NW of Wallington Heath, 2004 SJ90X, SW of Landywood, 2003 SK00I, Brownhills Common, 2010 SK00J, E of Chasewater, 2010 SK03D, W of Checkley, 1996

<i>Hottonia palustris</i>	SJ72K, W of Aqualate Mere, 2005 SJ72Q, Aqualate Mere, 2005 SJ75K, Balterley Heath, 2005 SJ93Z, NE of Newton, 2000 (SK09X, planted, Longnor, 2020) SK11U, site details unknown, 2003 SK20B, Tamworth, 2010
<i>Hydrocharis morsus-ranae</i>	SJ93J, edge of Rough Close Pond, 2015 SK02K, Stockwell Heath, 1988 – may still be there
<i>Hyoscyamus niger</i>	SK04E, cleaned-up pool, Consall Woods, 2005
<i>Hypochaeris glabra</i>	SK22E, Tutbury Castle, 2004 SO98N, Rowley Regis, 1989 SJ90Z, nr Churchbridge, c.1997 possibly at SJ80L, East End, Oaken Lawn, 1996 possibly at SK14E, Dale Tor, 1996 possibly at SK20M, The Decoy, 1998 SO88G, Kinver Edge, 2014 & 2020 SO88R, E of Kinver, 2007 SO88S, Stourton, 2007 & 2012 SO98J, nr Russell's Hall Hospital, 2012
<i>Jasione montana</i>	SJ73L, N of Park House, 2004 SJ94H, Parkhall Country Park, 2008 SJ94Y, E of Broadoak Wood, 2004 SJ95R, N of St. Edward's Hospital SJ95T, W of Leek, 2009 & 2021 SK01A, S of Church Hill, 2002 SK04I, S of Froghall, 2001 SK06S, Hillend, 2006
<i>Juncus compressus</i>	(SJ81P, S of Wheaton Aston, 1999: probable error for J. gerardii) SJ83L, Swynnerton Army Training Area, 2002 SJ92H, Astonfields (two sites), 2001 (still there in 2020) SO78L, below Highley, 2011
<i>Lathyrus aphaca</i>	SO89R, Ounsdale School, 1999
<i>Lathyrus linifolius</i>	SO98I, Dudley, 1994
<i>Lycopodium clavatum</i>	Still known from 144 tetrads SJ73L, Burnt Wood, 2006 SJ73P, quarry N of Lordsley, 2001 SJ84K, site details unknown, c. 1998 SJ91Y, Brocton Field, 2006 SJ94H, Parkhall Country Park, 1995 SK00Y, Muckley Corner Nature Reserve, 2018
<i>Misopates orontium</i>	SK04I, site details unknown, 1999 SJ80U, by Shropshire Canal, 2021 SJ84Q, Dairyfields, c. 1998 SO89Y, allotment, Penn, 2011 SO98N, three allotment gardens, Old Hill, 2008 SO98Z, Langley/Pounds Green, 2003
<i>Myosurus minimus</i>	SK2009, SE of Elford, 2004
<i>Neottia nidus-avis</i>	SK15F, Hinkley Wood, 2011 & 2021
<i>Nepeta cataria</i>	SO88Y, canal, Wordsley, 1999 (where seen from 1959 to at least 1980)
<i>Oenanthe fistulosa</i>	SJ72K, Meretown, 2005 SJ72Q, Aqualate Mere (in several places), 2005 SJ72X, Loynton Moss, 2013 SJ81P, Allimore Green Common, 2001 SJ82X, Foster's Pasture, 2006 SJ91C, Longridge, 2007 SJ92B, Doxey, 2009 & 2015 SJ92C, Doxey Marsh, 2009, 2015 & 2020 SJ92F, Rickerscote, 2004 SJ92M, Hopton Pools (probably an accidental introduction), 2004 SJ95W, Oldfield, (probably an introduction) 1998 SK00N, Anglesey Wharf, 2010 SK11T, Wychnor, 2002 SK22K, W of Stapenhill, 2006 SO77T, Hawkbatch, 2004 SO99N, Bilston, 2000

	SO99T, Darlaston, c.1998
Orobanche rapum-genistae	SJ92K, N of Walton-on-the-Hill, 2011
	SJ92Q, N of Walton-on-the-Hill, 2011
Oxybasis glauca	SJ84X, Stoke, 2006
	SK22J, E of Tutbury, 2006
	SK22G, Burton, 1992 & 2006
	SO98Z, Langley, 2003
Parnassia palustris	SJ81P, Allimore Green Common, 1996
	SK04U, Caldonlow, c. 1997
	SK04Y, near Rue Hill, 1996 & (another site) 2009 & 2016, 2020
	SK04Z, E of Caldon Low, 1996
	SK05K, W of Swineholes Wood, 1998
	SK14E, Dale Tor, 2005
Pedicularis palustris	SK06M, Pyeclough, 1998
	SK06Q, Reaps Moor, 1996 & (another site) 2011
	SK06V, nr Spout Farm, 2012 & 2019
Pedicularis sylvatica	Reduced to 50 tetrads
Persicaria mitis	SJ80M, Wrottesley, 2014
	SJ85X, probably this sp., Knypersley Reservoir, 2011
	SJ90B, Fordhouses, 2021
	SJ92H, Doxey Marshes, 2020
	SJ96F, Rudyard Lake, 2013
Pilularia globulifera	SK22M, Burton, 2008 (First VC record since 1934)
Pinguicula vulgaris	SJ85X, Knypersley Reservoir, 1990
	SJ91Z, Sherbrook Valley, Cannock Chase, 2016 & 2018
Potamogeton alpinus	SK14D, between Blakelow and Thorswood, 2010 & Stanton Pastures, 2011
	SK00J, Southacres Farm, 1995
	SK04F, Croxton Quarry, 2003
Potamogeton friesii	SK22M, Burton, 2003
	SJ90K, Wednesfield, 2004
	SJ90Q, W of Walsall, 2003
	SJ92W, Shugborough Park, 2000
	SK00A, nr Harden, 2003
	SK00B, Little Bloxwich, 2003
	SK00H, nr High Bridge, 2001
	SK00I, Cannock Extension Canal, 2005
	SK00N, Cannock Extension Canal, 2012
	SO88X, nr Wollaston, 2004
Pyrola rotundifolia ssp. rotundifolia	SK00J, nr Chasetown, 2011: two sites; still at the drier one in 2015 & 2029
Ranunculus flammula	Reduced to 340 tetrads
Sagina nodosa	SJ91Y, Brocton Field, 2003
	SK05U, S of Swallow Moss, 2003
	SK05Z, Ecton, 2003
Spergula arvensis	SK06C, Gib Torr, 2014
Stellaria palustris	SK06G, Morridge (3 sites), 2014
	SK06J, Orchard Common, 2003 & 2016
	SK06K, Lady Edge, 2007
	Still known from 255 tetrads post-1994
Trifolium fragiferum	SJ82X, nr Ashes Covert, 2006
	SK02N, N of Blithfield Reservoir, 2015
	SK06X, planted, Longnor, 2020
Viola canina	SK11F, by the Curborough Brook, Lichfield, 2021
	SJ81P, Allimore Green Common, 2001
	SJ92C, Stafford Common, c1997
	SO88G, Kinver Edge, 2002
	SO88P, Envile Golf Course, 2008

{There are old records for the following (the most recent records are given):

- Antennaria dioica SK05-, Wetton Valley, 1844
- Baldellia ranunculoides SJ81P, Allimore Green Common, 1985
- Blysmus compressus SK20C, Warwickshire Moor, 1962
- Cuscuta epithymum SK22A, Tatenhill, 1974
- Daphne mezereum SK15B, Bincliff Thicket, Wetton, 1972 had died by 1974; there were half a dozen plants on inaccessible cliffs, near Thor's Cave, SK05X, in 1968: much searching, in the area, from 1972 onwards, was unsuccessful. This sp. can be spread by birds and, as there are

Dianthus deltoides	sites nearby, in Derbyshire, it may re-appear in such wooded areas on limestone. Apparently bird-sown in neglected garden, Butters Green, SJ85A., 2012
Drosera intermedia	SO98T, Tippity Green, Rowley Regis, 1988 (and as a non-native at SJ83Y, Barton Land, 1999 (not found there in 2009); SJ85A, Audley, 1999; SK00L, Walsall, 2006, SO98I, Saltwells Local NR, 1998 & Mushroom Green, 1999)
Elatine hydropiper	SJ91U, Oldacre Valley (probably an error for D. anglica), 1944
Genista anglica	SK02J, Chartley Moss, probably 1886 (and possibly a little later)
Groenlandia densa	SK01I, Slitting Mill, nr Rugeley 1923
Medicago minima	SK14D, Tinsell Brook, 1980
Melittis melissophyllum	SK14-, nr Mayfield, 1901
Moenchia erecta	SO88U, Hinksford, 1985
Myriophyllum verticillatum	SO89Q, Himley, 1983
Pseudorchis albida	SO88X, Stourbridge, 1832
Silene noctiflora	SO88J, Enville, 1983 (possibly SK11D, King's Bromley, 1986)
	SO89N, Perton Pool, 1864
	doubtfully SK14D, Wards Quarry, 1979
	SK04U, Caldon Low, Waterhouses, 1957

{There are casual or introduced records for the following:

Chamaemelum nobile	possibly SK01B, below Hednesford Hills Reservoir, 1969
Dianthus gratianopolitanus	SJ90J, Hatherton, 1996
Galium parisiense	SK01, Longdon, 1993
Linum radiola	SO89L, Wombourne, 2019
Onobrychis viciifolia	SJ93J, Barlaston Common, 1844
Ophrys insectifera	SJ72Z, Offley Hay, 1844
Pseudorchis albida	records from 26 tetrads post-1994
Trifolium ochroleucon	SK15C, Beeston Tor, 1972
Utricularia minor	doubtfully SK14D, Wards Quarry, 1979
Vicia lutea	SK22-, Burton, 1930
	SJ74U, Craddocks Moss, 1844,
	SK00I, edge of Chasewater Reservoir, 2015
	SO89P, Wrottesley, 1987 (recorded there from 1954)

Data Deficient Species

Anagallis arvensis ssp. foemina

SJ84Q, Trentham, 1998
SP09F, plants from Upland Allotments, Handsworth (two sites) may have been this, 2010
Reduced to 20 tetrads
1993, SK05X, Thor's Cave
2016, SK15G, Hall Dale
2007 & 2020, SK15H, Hall Dale & 2016, Mill Dale

{ There are old records for:

Gymnadenia densiflora
Hieracium dalense

SJ81P, Allimore Green NR, 1987

SK15-, Alstonefield, 1877 (formerly named as "H. subplanifolium")}

{ Buxus sempervirens has been seen in 53 tetrads since 1994: either planted, escaped or a relic of introduction.}

Near Threatened Species

Althaea officinalis
Andromeda polifolia

a seedling at SJ84P, Westport Lakes, appeared to be this taxon, 2012
SK02J, Chartley Moss, Stowe, 2014

SK06C, Goldstitch Moss, Quarnford, c1997

In 26 tetrads: no recorded decline

Reduced to 168 tetrads

Increasing: now in 31 tetrads

In 270 tetrads: no recorded decline

Reduced to 362 tetrads

64 tetrads

SJ72Q, Aqualate Mere, 2002 and (second site) 2005

SJ72X, Loynton Moss, 2014 & 2016

SJ75K, Balterley Heath, 2005

SJ81D, High Onn Wood, 2003

SJ92D, N of Trinity Fields, 2005

<i>Carex elongata</i>	SJ72X, Loynton Moss, Norbury, 2014 & 2016 SJ75K, Black Firs, 2005 SJ75K, Cranberry Bog, 2005 SJ81P, Allimore Green Common, 2013 SJ91U, S of Tar Hill, 2006 SK04S, Cotton, 2013 SK04T, Cotton, 2013 SK04Y, W of Rue Hill, 2009 & 2016 and another site to the E, 2010 SK05B, N of Coombes Valley Nature Reserve, 1998 SK05U, S of Swallow Moss, 2000 & 2021 SK06D, W of Turn Edge, 2002 SK06E, Knotbury Common, 2020 SK06Q, W of Reaps Moor, 1996 & 2018 SK06V, S of Reaps Moor, 2010 SK14D, W of Bullgap Lane, 2009; second site, 2013 SK14I, W of Bullgap Lane, 2003 SO77P, Pound Green Common, 2013 SO99C, Penn Common, 2010
<i>Carlina vulgaris</i>	Apparently increased to 24 tetrads
<i>Cerastium arvense</i>	SK10E, Lichfield Cathedral Close, 2000 & 2020 SO88P, Camp Farm, 2008 SO88R, E of Whittington Hall, 2013 SO89K, E of Highgate Common, 2007 SO98E, NE of Middle Pool, 2007
<i>Cirsium heterophyllum</i>	Still in 18 tetrads, but the number of individual sites is falling
<i>Comarum palustre</i>	56 tetrads
<i>Corynephorus canescens</i>	SO88G, very well naturalised in two sites, Kinver Edge, 2014
<i>Cruciata laevipes</i>	Much reduced to 222 tetrads
<i>Cynoglossum officinale</i>	SJ71U, Aqualate Mere, 2002 SJ72Q, Aqualate Mere, 2013 SJ73V, Sugnall, 2017 {previously SJ84Q, Dairyfields, 1991} SJ92G, garden weed, Stafford, 2013 SJ92L, wall of bridge, Baswich, 2016 SO98E, Barrow Hill, Pensnett, 2005
<i>Eleocharis acicularis</i>	SK00J, Chasewater, 2002; another site, 2010
<i>Erica cinerea</i>	Still in 53 tetrads
<i>Erica tetralix</i>	Still in 71 tetrads
<i>Filago germanica</i>	Much increased to 69 tetrads
<i>Fragaria vesca</i>	Increased to 276 tetrads
<i>Gentianella amarella</i>	SK04T, three sites at Ribden, 2001 SK04U, W of Caldonlow, c. 1997 SK04Y, Wardlow, 1996 & Weaver Hills, 2000; S of Wardlow Quarry, 2016; and Rue Hill, 2016 SK04Z, W of Rue Hill, 2001 SK05V, E of The Manifold Way, 2005 SK05X, Ossoms Hill, 2009 SK05Z, Ecton, c. 1997 SK14D, E of Wardlow, 2003 SK14E, W of Dale Tor, 2001 SK15G, Hall Dale, 2002 SO99E, Wren's Nest Nature Reserve, 2008
<i>Geranium sylvaticum</i>	SO77P, nr Pound Green Common, 1994 SO77T, Hawkbatch, 2012 (probably planted in SO99N, Stow Lane, 2007) 21 tetrads: no decrease
<i>Helianthemum nummularium</i>	Reduced to 58 tetrads
<i>Hydrocotyle vulgaris</i>	SJ71U, Aqualate Mere, 2001
<i>Hypericum elodes</i>	SJ80M, Chillington Pool, 2014 (previously c1890, SK02I, Chartley Moss)
<i>Inula helenium</i>	SJ74V, Baldwin's Gate, 2017 SJ83U, Trentham Gardens, 2020 SK12K, E of Woodlane, 2003 SK20A, Dosthill, 2009 SO89R, Wombourne, Present in 210 tetrads, but some as a result of introduced seed-mixes
<i>Knautia arvensis</i>	

<i>Lepidium campestre</i>	Increased to 18 tetrads
<i>Logfia minima</i>	Much increased to 48 tetrads
<i>Luronium natans</i>	SJ94Z, Consall, 1991
	SK00C, Cannock Extension canal, 2018; extending through 00D into 00I, 2012
	SK00K, Rushall Canal, 2005 (and in 00L)
	SK00M, Daw End Branch Canal, 1990
	SK00P, Chasewater, 1999
	SP09I, Rushall Canal, 1998
<i>Melampyrum pratense</i>	Recorded in 24 tetrads
<i>Mentha arvensis</i>	Decreased to 63 tetrads
<i>Mentha suaveolens</i>	SJ80A, Patshull Hall, 1993
<i>Myrica gale</i>	SK20F, Wilnecote, 2006 SJ72X, Loynton Moss, 2000 (only one plant: conservation in progress); still present, 2017
	SJ80M, near pool, Chillington Estate, 2014
<i>Nardus stricta</i>	Decreased to 193 tetrads
<i>Oenanthe lachenalii</i>	SK20M, Amington, 2002
<i>Ononis spinosa</i>	Some of the following may have been introductions: SO89Z, Newbridge, 2005 SO98U, Darby's Hill Road, 2019 SO99Z, Reedswood Park, 2017 SP09S, Queslet, 2005 SP29E, Dost Hill Quarry, 2002
<i>Oxalis acetosella</i>	432 tetrads
<i>Plantago media</i>	82 tetrads
<i>Polygala serpyllifolia</i>	79 tetrads
<i>Potentilla argentea</i>	SO88G, Kinver Edge, 2012 and (second site) 2014 SO88R, E of Whittington, 2014 SO89L, Woodford Grange, 2020 SO89M, between Seisdon & Trysull, 2002 (There are other, presumably casual records: SJ84X, between Fenton & Mount Pleasant, 2006 SO98I, Merry Hill, c.1998 SP09U, Streetly Cemetery, 2007)
<i>Potentilla erecta</i>	Reduced to 479 tetrads
<i>Prunus cerasus</i>	SJ80S, Codsall, 2000
<i>Pyrola minor</i>	SO89S, Ladywell Wood, 2000 SJ94V, Huntley Wood, 1999 SJ94W, Brookhouses, 2010 SK01M, Brereton Hayes, 2011 & 2015
<i>Rhynchospora alba</i>	SJ75K, Black Firs, 1996
<i>Salix repens</i>	17 tetrads
<i>Salvia pratensis</i>	SK22-, Burton, 1933
<i>Sanicula europaea</i>	Decreased to 72 tetrads
<i>Senecio aquaticus</i>	Reduced to 264 tetrads
<i>Silene nutans</i>	SK05X, above Thor's Cave, Wetton, 2009 SK15C, near Wetton, 2009 SK15G, many small patches in Hall Dale, 2005; one in 2010 & 2021
	SK15H, rock slope, Milldale, 1972
	SK15I, Drabber Tor, Alstonefield, 1987
	SK15I, Narrowdale, 2000
	SK15K, W edge of Bunster Hill, Ilam, 2000
	SK15N, Gypsy Bank, 2009
<i>Silene flos-cuculi</i>	Reduced to 349 tetrads
<i>Solidago virgaurea</i>	Reduced to 45 tetrads
<i>Stachys arvensis</i>	38 tetrads
<i>Succisa pratensis</i>	Reduced to 315 tetrads
<i>Triglochin palustris</i>	Much reduced to 65 tetrads
<i>Valeriana dioica</i>	76 tetrads
<i>Valeriana officinalis</i>	Reduced to 442 tetrads
<i>Veronica officinalis</i>	172 tetrads
<i>Veronica scutellata</i>	32 tetrads
<i>Viola lutea</i>	Reduced to 23 tetrads

Viola tricolor ssp. tricolor

Known from 134 tetrads post-1994, although many of these may actually be descendants of escaped *V. x witrockiana* cultivars, reverting to their ancestral state: it is often difficult to distinguish between these two taxa

{There are old records for the following (the most recent records are given):

<i>Epipactis palustris</i>	SJ81P, Allimore Green NR, 1989
<i>Fumaria parviflora</i>	SK22-, Burton, 1946
<i>Genista pilosa</i>	SJ80W, Pendeford, 1817 (originally claimed in Pitt's 1796 <i>General View of the Agriculture of the County of Stafford</i>)
<i>Teesdalia nudicaulis</i>	SK11D, King's Bromley, 1986}

{There are casual or introduced records for the following:

<i>Cyperus longus</i>	27 tetrads
<i>Dasiphora fruticosa</i>	17 tetrads
<i>Geranium sanguineum</i>	42 tetrads: garden throw-out
<i>Lotus angustissimus</i>	SK04M, Oakamoor, 1906
<i>Wahlenbergia hederacea</i>	SJ85Z, Biddulph Grange Gardens, 2010 (first recorded 1967) is thought to be an introduction

Waiting List

***Bromus hordeaceus* ssp.**

longipedicellatus

***Dactylorhiza incarnata* ssp.**

incarnata

Fritillaria meleagris

SK11I, King's Bromley, 2000

SK21J, Branston, 2002

SK11D, Handsacre, 2011

SO89W, Baggeridge Country Park, 2012

SJ81G, Mottey Meadows SSSI, Wheaton Aston, 2013

SK10X, Broad Meadow, Tamworth, each year, including 2019

(Introduced in eighteen other tetrads)

Molinia caerulea* ssp. *arundinacea

SJ96S, near Hanging Stone, 2005

SJ96X, edge of Gradbach Wood, 2005

SK00J, S of Anglesey Branch Canal, 2001

SJ73M, Jugbank, 2003

SJ83S, Swynnerton Grange, 1999

SJ96Y, N of Gradbach, 2004

SK05X, Ossoms Hill, 2009 & 2017

SK05Y, Wetton Mill, 2014, 2016 & 2017

SK14I, above Cuckoo Cliff, 2013

SK14E, S of Musden Low, 2021

SK15C, Beeston Tor, 2009 & 2016

SK15D, Narrowdale Hill W, SK15D, 2009

SK15I, Narrowdale Hill E, 2009

SJ72X, Loynton Moss, 2016

SJ96V, by Tittesworth Reservoir, 2001

SK05S, Grindon Moor, 2004

SK05U, S of Swallow Moss, 2001

SK06C, near Goldsitch Moss, 2003 & 2016

SK06D, W of Flash, 2003

SK06J, N of Flash

SK06Q, near Swallow Moss, 2001

SJ85K, Westport Lake, 1995

SJ72Q, Aqualate Mere, 2005

SJ72V, Aqualate Mere, 2005

SJ72W, Norbury Low Moat, 2004 & 2018

SJ72Z, Cop Mere, 1998 & 2017

SJ73J, Mucklestone, 2010

SJ82E, Cop Mere, 2005

SJ85V, Stoke, 2004

SJ91U, Oldacre Valley, 2005

SJ94I, W of Washerwell, 2004

SJ94Z, E of Consall, 2015

{There are old records for the following:

Dactylorhiza incarnata ssp. *pulchella* SK14I, Cuckoo Cliff, 1993

Montia fontana ssp. *amporitana* SJ95-, Horton 1890,

probably SK11-, c1950

Muscari neglectum SJ94F, Meir Heath, 1987
[and a non-native one for this sp, SJ85A, Bignall Lane Road, 2020]}

Pinus sylvestris is not native in the county.

b) Other Categories

Nationally Rare Species (15 or fewer hectads in Atlas 2000)

Polemonium caeruleum

SK05X, above Thor's cave, Wetton, 2006
SK15G, Hall Dale, Alstonefield, 1973 (not found in 2000)
SK15I, Peasland Rocks, 2007
SK15N, Gypsy Bank, 2007
SK15N, Peasland Rocks, 2009

{There are 28 other records of this (or the cultivated form) as a garden escape/introduction.}

{*Herniaria glabra* was found as a casual at SJ84X, nr Seven Arches, Stoke, 2004; SK20L, E of Arlington, 2006; SO88T, Ashwood Garden Centre, 2014}

Lithospermum purpureocaeruleum was introduced at SO89R, Wombourne, where it persisted for at least three years from 1996.}

Nationally Scarce Species (16-100 hectads in Atlas 2000)

Camelina sativa

SJ80R, Codsall, 1993
SK12S, Hanbury Wood Coppice, 2004
SO98T, Blackheath, 1998
(planted as pollinator attractor, Wrottesley Park, SJ80K; set-a-side Four Ashes, SJ90E: both 2015)

Cardamine bulbifera

[Although "Scarce Plants in Britain" shows this species to be native in SK12, all current records have been determined as the introduced var. *ptarmicifolia*]

SJ84Q, bank of Longton Brook, 2014 (in diminishing quantity); still hanging on in 2018
SK11C, Slaish Wood, 2002
SK12K, Yoxall Park, 2002
SK12L, Scotch Hills, 2002
SK12L, Slade Covert, 2002
SK12L, nr Yoxall Lodge, 2009 & 2018

Cardamine impatiens

SK15F, many on E side of R. Manifold, **Ilam Park, 2005. One large plant in 2010**

SO88M, near The Hyde, NE of Kinver, 2004
SO89W, Baggeridge Country Park, Himley, 2013
SO98E, Barrow Hill, Pensnett, 2011
(casual at SK22B, Battlestead Hill, 2000)

Carex montana
Drabellia muralis

SO77P, nr Pound Green Common, 1999
SK05X, Thor's Cave, Wetton, 1989
SK05Y, Ecton Hill, Wetton, 2002
SK05Z, Ecton Sidings, 2020
SK15D, nr Gateham Grange, Alstonefield, 2000
SK15D, Narrowdale, 2010
SK15G, Hall Dale, Alstonefield, 2000 & 2020
SK15H, Mill Dale, Alstonefield, 1985
SK15I, Wolfscote Dale, Alstonefield, 1987

	SK15I, Drabber Tor, Alstonefield, 1987
	SK15I, Narrowdale, 2010
	SK15K, E edge of Bunster Hill, Ilam, 2000
	SK15L, Dove Dale, 2002
	SK15M, Gipsy Bank, 2002
	SK15N, Peasland Rocks, Alstonefield, 2000
	SK15N, Gipsy Bank, 2002
	{a casual, SO99D, Allotments, SW of Wolverhampton, 2008}
<i>Epipactis phyllanthes</i>	SJ91Y, Rifle Range Corner, Cannock Chase, 2009 & 2020
	SO88X, Wollaston, 2004
	SO89R, Wombourne 2009
<i>Gymnocarpium robertianum</i>	SJ85Z, wall, Biddulph Gardens, 2000
	SJ96G, railway station, Rushton, 1968
	SK04Z, Caldon Low, Cotton, 1962
	SK15I, near Drabber Tor, Alstonefield, 1969
<i>Hordelymus europaeus</i>	SK05P, Upper Elkstone, 2009
	SK15B, Cheshire Wood, 1968
	SK15G, Hurt's Wood, 1968
	SK15F, Hinkley Wood, Ilam, 2010
	SK15L, Dovedale Wood, 1968
<i>Hornungia petraea</i>	SK15G, Hall Dale, Alstonefield, 2000
	SK15K, eastern edge of Bunster Hill, Ilam, 2000
	SK15N, Gipsy Bank, 2002
<i>Isatis tinctoria</i>	SJ85W, Whitfield Valley, 2017
	SO78V, at and near Bellman's Cross, 1995
	SO78W, N of Bellman's Cross, 1995
	SO98I, Saltwells NR, 1996
	SP09D, Pleck, 1999
<i>Limosella aquatica</i>	SJ85X, Knypersley Reservoir, 2011
	SJ95F, Stanley Pool, Endon, 2003 & 2018
	SJ95P, Rudyard Reservoir, 2013
	SJ96F, NW corner of Rudyard Lake, 2013
	SJ96V, Tittesworth Reservoir, Meerbrook, 1999
	SK02M, Blithfield Reservoir, 1999
	SK02R, Blithfield Reservoir, 2006; also near Branston, 2016
<i>Potentilla verna</i>	SK04Z, Milk Hill, Waterhouses, 2014
	SK05X, S. side of Ossom's Hill, 2006
	SK05X, Ossom's Hill, 2009
	SK05X, Thor's Cave, Wetton, 2000
	SK05X, S of Wetton Mill, 2010, 2016 & 2020
	SK05Y, Wetton Mill, 2014 & 2016
	SK05Y, Sugarloaf, 2011
	SK05Y, Wetton Hill, 2002
	SK15C, W of Wetton, 2010
	SK15C, Beeston Tor, 2009
	SK15F, Bunster Hill, 2002
	SK15G, mid Hall Dale, Stanshope, 2010
	SK15H, slope, S of Milldale, 2000
	SK15K, extreme E slope, Bunster Hill, Ilam, 2000 and (second site) 2014
	SK15L, E end of Hall Dale, Stanshope, 2000
<i>Ribes alpinum</i>	SJ83P, hedge, near Knowl Wall, 2005
	SJ84Q, Ash Green, 2007
	SJ94X, Little Harewood, 2002
	SJ95R, hedgerow, Caldon canal, 2000 & 2017
	SK01H, disturbed former field margin, 2015
	SK04C, two sites, hedgerows, Clamgoose Lane, 2003
	SK04E, Crowgutter Wood, 2002 & 2019
	SK04U, two sites, Cauldon, 2000 & 2014
	SK05C, W of Meadow View, 2001
	SK05Q, nr Croftshead Waterfall, 1996
	SK05Q, W of Waterfall, two sites, 2014
	SK05R, two sites near Ford, 2000
	SK05T, two sites near Butterton, 2000
	SK05V, three sites near Waterfall, 2005
	SK05W, Soles Hill, 2002 & 2018
	SK05X, below Thor's Cave, Wetton, 2006

	SK05X, abundant, two sites, near Dafar Bridge, Wetton, 2000
	SK05X, Grindon, 2001
	SK05X, two sites, Ossam's Hill, 2002
	SK05X, S of Wetton Mill, 2010
	SK05Y, abundant, two sites, E end of Wetton Road, 2000
	SK05Y, Wetton Hill, three sites, 2002
	SK05Y, five sites between Dale Farm and Sugarloaf, 2002
	SK05Y, Wetton Mill, 2014 & 2016
	SK05Z, near Ecton, 1999
	SK05Z, W of Wetton, 2014
	SK06N, E of Colshaw, 2018
	SK12P, Bank Top, 2004
	SK14I, Bullgap Lane, 2011
	SK14J, Bullgap Lane, 2014
	SK15A, Musden Wood, 2002
	SK15C, W of Wetton, 2001
	SK15C, two sites, Beeston Tor, 2002
	SK15C, Wetton Hill S, 2010
	SK15D, Brownhills Plantation, 2010
	SK15E, near Apes Tor, 2009
	SK15F, two sites, Musden Wood, 2002
	SK15G, Hall Dale, Stanshope, 2010 & 2020
	SK15H, abundant in wood S of Milldale, 2010
	SK15H, 7 sites on Millway Lane, many elsewhere, Milldale, 2000-2009
	SK15H, S of Hope, 2001
	SK15J, Beresford Dale, 2010
	SK15L, E end of Hall Dale, Stanshope, 2010
	SK15M, Lode Lane, Alstonefield, 2000
	SK15M, two sites, Milldale, 2002
	SK15M, three sites, Lode Plantation, 2002
Rumex alpinus	SJ74S, Madeley, 2012
	SJ82C, Knightley, 2005
	SJ93S, E of Hilderstone, 2007
	SJ94M, Tickhill, 2001
	SJ94S, Tickhill Lane, 2001
	SJ95I, nr Gratton, 1999
	SJ96A, nr Earlsway House, 2002
	SJ96K, E of New House Farm (and two other sites), 2002
	SJ96R, Gun Moor, 2004
	SJ96X, Below Roach End, 2003
	SK04U, Caldon Low, 2013
	SK05B, Coombes Valley, 2014
	SK05F, by Sexton Farm, 1998 & Caldon Low, 2008
	SK05H, near Morridge, 2006
	SK05J, E of Thorncliffe, 2005
	SK05K, Blackbrook nr Winch, 1996
	SK05Q, W of Waterfall, 1998
	SK06A, NE of Upper Hulme, 2000
	SK06B, Hazel Barrow (two sites and two further sites), 2014
	SK06C, Gib Tor NR and another site), 1996
	SK06G, School House, 2014
	SK06H, W of Royal Cottage (six sites), 2014 & 2021
	SK06I, Flash Head (two sites and another site), 2000; Flash, 2014 & 2021
	SK06J, Cheeks Hill, 2003
	SK06L, Folly, nr Morrigeside, 1997
	SK06M, Hollingsclough Moor, 2004
	SK06R, Barrow Sitch (and two other sites), 2004
Thelypteris palustris	SJ74P, Betley Mere, 2009
	possibly SJ91T, Springslade Pool, 2000
	SJ91U, Oldacre Valley, 2011
	SK02J, Chartley Moss NNR, 2003
Tilia platyphyllos	86 post-94 tetrads: introduced in most, but possibly native in a few woods on base-rich soil e.g. in the Manifold Valley

{Old records exist for:

<i>Carex appropinquata</i>	SK02E, Chartley Moss, 1975
<i>Cuscuta europaea</i>	SJ94I, Ford Hayes, 1870
<i>Dryopteris x uliginosa (cri x car)</i>	possibly at SK02J, Chartley Moss, 1886
<i>Polygonatum odoratum</i>	SK05X, Thor's Cave, 1947 (probably still there c. 1960)
<i>Sonchus palustris</i>	SJ92-, Stafford, 1844, is now regarded as a probable error}

{There are casual or introduced records for the following:

<i>Adiantum capillus-veneris</i>	SJ91F, Rodbaston, 1990
<i>Arum italicum</i> ssp. <i>neglectum</i>	SO89R, Wombourne, 2002
<i>Helleborus foetidus</i>	older records for SJ80R, SO88B & SJ94W SJ83Y, Meaford, 2010 SJ84J, Burslem, 2011 SJ84R, between Boothen and Sideway, 2014; still present in 2016 but site up for sale for development SJ85M, Kidsgrove, 2012 SK01F, NW of Burntwood, 2013 SK02K, Colton, 2007 SK10E, by railway, Lichfield, 2010 SK10J, SE of Lichfield, 2009 SO89R, Wombourne, 2001 SO98P, Blower's Green, 2004
<i>Hippophae rhamnoides</i>	49 post-1994 tetrads
<i>Impatiens noli-tangere</i>	SJ73Z, near Maer & SJ83Z, at Barlaston, prior to 1924: dates uncertain
<i>Lepidium latifolium</i>	21 post-94 tetrads
<i>Marrubium vulgare</i>	SK22L, Burton, 1930
<i>Medicago polymorpha</i>	SO88U, Hinksford Farm, 2002 SO89R, Wombourne, 2004 SO98N, Rowley Regis, 1985 many, including post-94
<i>Medicago sativa</i> ssp. <i>falcata</i>	SJ94P, N of Cellarhead, 2006; SK15H, Milldale, 2009; SJ84X, Stoke, 1995;
<i>Nymphoides peltata</i>	SK01C, near Brindley Heath, 2014; SK04J, nr Foxt, 2008;
<i>Petrosedum forsterianum</i>	SK05P, Upper Elkstone, 2000; SO77P, nr Pound Green Common, 2003 SO89R, abundant on a patio, Wombourne, 2006: vector unknown SK15H, Alstonfield churchyard, 2002 SO89Y, appearing sporadically in a garden plot at Highfields School, Wolverhampton from 1987 to 1991
<i>Polycarpon tetraphyllum</i>	SJ85Z, Biddulph Grange Gardens in many places, 2010
<i>Primula elatior</i>	Found in 23 tetrads post-1994
<i>Senecio camrensis</i>	SO89R, S. Wombourne, 2004
<i>Sibthorpia europaea</i>	SO98D, Brockmoor, 1995, 1998, 2010 & 2013; second site in 2004
<i>Stratiotes aloides</i>	SO98E, Pensnett, 2005 (still there, 2011)
<i>Verbascum lychnitis</i>	SO98J, nr Fens Pool, 2004
<i>Verbascum pulverulentum</i>	SO98T, Saltwells House NR, 1994 SP09L, Gorse Farm Wood
<i>Vicia bithynica</i>	SK11V, Elford, 2003 (also doubtful for SJ82D, Lake Covert, 1997)
<i>Vulpia ciliata</i>	SK22-, Burton, 1927 & c.1931 (this is likely to have been ssp. <i>ciliata</i> , rather than ssp. <i>ambigua</i>)

Supplementary List

Locally Rare: Native Taxa with only 3 sites, or less.

All post-1994 sites are given, with their most recent record

[*Rubus fruticosus agg.*, *Taraxaca* and *Hieracia* records appear in the Appendix]

<i>Agrimonia procera</i>	SJ83M, Swynnerton Army Training Camp, 2002 SO88I, Edge of The Million, 2009 & 2018
<i>Agrostis x murbeckii (cap x sto)</i>	SK22E, Tutbury, 2002
<i>Allium oleraceum</i>	SK05Y, Sugarloaf, Wetton, 2011
<i>Allium scorodoprasum</i>	SK06G, near Royal Cottage (status unsure), 2014 & 2021
<i>Aster tripolium</i>	SJ92X, Pasturefields NR, c1999

<i>Astragalus glycyphylloides</i>	SJ82Y, several plants, Great Bridgeford, 2001 (also one on other side of railway in 1995) SO89W, E of Wombourne, 2012 SP29E, Dost Hill Quarry, 2002
<i>Bolboschoenus maritimus</i>	SK11D, probably still at Trent Valley, 1994 SK00H, Clayhanger SSSI, 2008 SK00J, Chasewater, 2009 SK04W, well established at Brookleys Lake NR, 2001
<i>Callitrichia hermaphrodita</i>	SJ74N, Betley Mere, 2005 SJ80M, Chillington Estate, 2014 SK04I, Froghall Wharf, 2005
<i>Calystegia sepium</i> ssp. <i>roseata</i>	Three records need confirmation: SO89V, Himley, 2002; SO89Z, Wolverhampton, 2006; SO98E, Pensnett, 2006
<i>Calystegia x howittiorum</i> (pul x sil)	SO88Z, Kingswinford, 2012
<i>Carduus tenuiflorus</i>	SO99F, Wren's Nest N.R., 2002
<i>Carduus x stangii</i> (= x <i>dubius</i>) (cri x nut)	SO89V, Himley, 2021 SK11I, bank of R. Trent, 1999
<i>Carex x boenninghausiana</i> (pan x rem)	SK11Y, S. of Barton-under-Needwood, 2003
<i>Carex x corstorphinei</i> (bin x vir oed)	SK21A, Harlaston, 2003
<i>Carex x elytroides</i> (acuta x nigra)	SJ91W, Sherbrook Valley, 1987
<i>Carex hostiana x demissa</i>	SO89Q, Hinksford Farm, 1986
<i>Carex oederi</i>	SK22M, Burton, 2013
<i>Cerastium x maueri</i> (arv x tom)	SK14I, Stanton, 2013
<i>Ceratophyllum submersum</i>	SO89X, Penn Common, 2011
<i>Cirsium eriophorum</i>	SO99C, Alder Coppice, 2017
<i>Cladium mariscus</i>	SP08W, ex-brick works, 1995
<i>X Dactylodenia st-quintnii</i> (Gym x <i>D. fuc</i>)	SO88Y, Wordsley Churchyard, 2007
<i>Dactylorhiza x venusta</i> (fuc x pur)	SO98U, Portway Hill, Rowley Regis, 1997
	SO99D, Goldthorn Hill, 2008
	SJ80M, Chillington Pool, 2014
	SK15K, Bunster Hill, 2002 & 2010; another site, 2009
	SO78K, N of Arley, 2004
	SK02E, Chartley Moss, 1997
	SK04U, nr Cauldon, 1993,
	SK05K, Ipstones Edge, 2013
	SJ84I, N of Gorsty Bank, 1996
	SJ84K, Trentham Park, 1995
	SK05S, Grindon Moor, 2011
<i>Elatine hexandra</i>	SJ92C, No 5 scrape, Doxey, 1994: needs confirmation
<i>Eleocharis acicularis</i>	SK00J, Chasewater, 2002; another site, 2010 & 2011
<i>Eleocharis multicaulis</i>	SJ90M, S of Featherstone, 2021
<i>Eleocharis uniglumis</i>	SJ81P, Allimore Green Common, 2013 & 2020
<i>Epilobium x aggregatum</i> (mon x obs)	SJ92H, Astonfields, 1997
<i>Epilobium x dacicum</i> (obs x cil)	SK20C, Bolehill, 2004
<i>Epilobium x erroneum</i> (hir x mon)	SK20D, Wigginton, 2004
<i>Epilobium x floridulum</i> (cil x par)	SK20K, Stoneydelph, 2006
<i>Epilobium x limosum</i> (par x mon)	SK11H, Alrewas Hayes, 2005
<i>Epilobium x vicinum</i> (obs x cil)	SK10K, nr Hints Church, 2002
<i>Equisetum hyemale</i>	SJ96Q, nr Gun, 2001
<i>Eriophorum latifolium</i>	SK00L, Shelfield, 2007
<i>Ervilia sylvatica</i>	SP09F, Sandwell Valley, 1998
<i>Euphrasia confusa x nemorosa</i>	SJ83Y, Meaford, 2010
	SJ96L, Axstones Spring, 2001
	SK06N, E of Goldstone Moss, 2016
	SP09R, Perry Park, 2001
	SJ93I, Moddershall Oaks, 2011
	SO78Q, Nash Elm Wood, 1996
	SK06Q, Spout Moss, Reap's Moor, 2018
	SK14P, S of Coldwall Bridge, 2011
	SO88M, The Million, Envile, 2009
	(Edees' Flora mentions fourteen records, but lists no specific sites)

Euphrasia x glanduligera (ang x nem) SO77U, Seckley Wood, 2014

<i>Festuca ovina</i> ssp. <i>hirtula</i>	SK22E, Tutbury Castle, 2008
<i>Festuca rubra</i> ssp. <i>juncea</i>	SO98C, Amblecote, 2001 (but probably not native at this site)
<i>Gagea lutea</i>	SK05X, Thor's Cave, Wetton, 2010, 2015 & 2016 SK14G, Ousley, 2015 SK14H, Ordley Brook, Stanton, 2007 SK15F, two sites, Ilam, 2015
<i>Galium x pomeranicum</i> (ver x mol)	SP09E, Coal Pool, Walsall, 2001 SK00F, E of Coal Pool cemetery, 2001
<i>Glaux maritima</i>	SJ92X, Pasturefields, nr Ingestre, 2006
<i>Hippocrepis comosa</i>	SK05Y, Sugarloaf, 2011 & 2016 SK15C, near Wetton, 2010
<i>Hypericum androsaemum</i>	SK12J, Forest Banks, 1949 SO77T, Hawkbatch, 2014 SO77U, Seckley Bank, 1954, but possibly an introduction at this, its 1874 site (Other recent records exist, but are likely to be bird sown)
<i>Hypericum montanum</i>	SK15C, nr Wetton, 2003 (introduced in SK00E, Cannock Chase, 1996 & naturalised in SK04U, Cauldon Lime Works, Waterhouses, 2007 (no sign of it in 2011) Not native in SJ92G, railway sidings, S Stafford, 2015
<i>Hypochaeris x intermedia</i> (gla x rad)	SO88G, Kinver Edge, 2012
<i>Imperatoria ostruthium</i>	SK06C, Gib Tor NR, 1996 SK06H, Gib Tor NR, 1996 SK06Q, Reaps Moor (West), 1997
<i>Juncus x diffusus</i> (inf x eff)	SK11C, Slaish Wood, 2011
<i>Juncus x surrejanus</i> (art x acu)	SK22A, Branston, 2003 SJ73V, Jackson's Marsh, 2009 SK00L, Castlehill Fields, 2008
<i>Lithospermum officinale</i>	SJ92B, Stafford Castle, 2011 SO99F, Wren's Nest NNR, 2010 SO99G, Wren's Nest NNR, 2010 & 2017 (at the site in 1864)
<i>Medicago arabica</i>	probably native at SJ74S, Lower Mills, 2012 possibly native at SK20U, nr Campville House, 2004 certainly so at SO88G, Kinver Edge, 2002 and several sites in SO88L at and near Kinver, 2014 nineteen casual sites, elsewhere
<i>Myriophyllum alterniflorum</i>	SJ85Z, Biddulph Country Park, 2013 SK21E, Barton Turn, 2014
<i>Oenanthe pimpinelloides</i>	SK12F, N of Yoxall, 2021
<i>Oenothera biennis</i> x <i>cambrica</i>	SP09E, Coal Pool, Walsall, 2001 SJ85H, Kidsgrove Station, 2008 SO88S, Stourton, 2004
<i>Ophrys apifera</i> var. <i>chlorantha</i>	SK01C, Brindley Heath, 2015; did not reappear in 2016
<i>Ophrys apifera</i> var. <i>trollii</i>	SK01C, Brindley Heath, 2014; did not reappear in 2015 or 2016 SO88S, Dunsley Sand Quarry, 2011
<i>Phegopteris connectilis</i>	SJ73M, Burnt Wood, 2010 SK04J, nr Foxt, 2008 SK06N, nr Tenterhill, 2001; additional site, 2007 (not refound at SJ73K, Bishop's Wood: 300 fronds in 1950)
<i>Pilosella x longisquama</i> (off x pel)	SK05Y, Wetton Mill, 2009 (possibly this taxon)
<i>Plantago maritima</i>	SJ92X, Pasturefields, 2006
<i>Polygonatum multiflorum</i>	SJ72W, Moat Covert, 1997 SJ72X, N of Norbury, 1997 SK03Q, Loxley Bank, 2002 (Sites at SJ80A, 90Q; SK01G, 03R, 10U, 12M & 12G need verification)
<i>Polypodium cambricum</i>	SK15L, near Ilam Rock, 2005
<i>Polypodium x font-queri</i> (vul x cam)	SK05X, near Thor's Cave, 2009

<i>Polypodium x shivasiae</i> (int x cam)	SK05X, near Thor's Cave, 2009
<i>Polystichum x bicknellii</i> (acu x set)	SK04H, E of Froghall, 2019
<i>Potamogeton trichoides</i>	SJ91A, Gailey, 2001
<i>Potentilla x suberecta</i> (ang x ere)	SJ84J, W of Chesterton, 2012 (almost certainly this taxon)
<i>Puccinellia rupestris</i>	SK22G, Shobnall, 2002 SJ92W, Ingestre, 2014
<i>Rosa arvensis x caesia</i> ssp. <i>vosagiaca</i>	SK15E, Beresford Dale, 2003
<i>Rosa caesia x sherardii</i>	SK05W, nr Wetton, 2001
<i>Rosa caesia</i> ssp. <i>vosagiaca</i> x <i>tomentella</i>	SK14D, Lordspiece, nr Stanton, 2001
<i>Rosa x cottetii</i> (= x <i>rogersii</i>)	SK05V, Brown End Quarry, 2003
(cae x tom)	SK14J, Blore Woodhouses, 2001
<i>Rosa x glaucoides</i> (cae x mol)	SK05X, nr Wetton, 2001
<i>Rosa x molletorum</i> (can x mol)	SK05Z, Warslow, 1996 SK06W, nr Reapsmoor, 2001 SK06X, Under-the-Hill, 1996
<i>Rosa mollis x tomentosa</i>	SO78Q, Bateman's Dingle, 1996
<i>Rosa x nitidula</i> (can x rub)	SJ94J, Wetley Moor, 2003 SK22E, Tutbury Castle, 2001 (40 other records appear to be local authority plantings)
<i>Rosa tomentella x tomentosa</i>	SO78R, Kitlands Coppice, 1996
<i>Rubus chamaemorus</i>	SK06I, Oliver Hill, 2014
<i>Rubus saxatilis</i>	SK05Z, Manifold Valley, 2003 & 2021 SK15F, Hinkley Wood, 2011
<i>Rumex x callianthemus</i> (mar x obt)	SP09W, New Oscott, 1997 (a likely error)
<i>Rumex x knafii</i> (con x mar)	SK22F, Branston Lees Nature Reserve, 2021
<i>Rumex x ruhmeri</i> (con x san)	SK21J, Branston Leas Nature Reserve, 2016 SK22S, Wetmore, 2008
<i>Sabulina verna</i>	SK05Y, nr Wetton Mill, Manifold Valley, 2009
(<i>Salix daphnoides</i>	SK05Z, nr Ecton, Manifold Valley (two sites), regularly 2009 to 2021
<i>Salix triandra</i>	SJ92B, planted, Doxey, 2021 SJ72Z, Jackson's Marsh, 2004 SJ85K, Tunstall, 1995 SJ92G, Stafford, 2021 SK11T, Wychnor, 2002
<i>Salix x ambigua</i> (aur x rep)	SJ95W, Hardy Wood, 1992 (assumed still present)
<i>Salix x calodendron</i> (cap x cin x vim)	SK14I, nr Stanton, 2013 SK12E, nr Glasshouse Farm, 1999
<i>Salix x meyeriana</i> (pen x fra)	SO88Z, Kingswinford, 2005 SJ74N, Betley Mere, 2005
<i>Salix x rubra</i> (pur x vim)	SJ74P, Betley Mere, 2005 SO89Q, nr Himley, 2002 SO89L, W of Wombourne, 2002 SO89R, Wombourne, 2001
<i>Samolus valerandi</i>	SJ71U, nr Walkley Bank, 2007 SJ72Q, Aqualate Mere, 2014
<i>Scrophularia umbrosa</i>	SK21J, Branston Lees N.R., 2016 SO77U, banks of R. Severn, 1996
<i>Scutellaria minor</i>	SO78K, N of Arley, 2004 SK11L, Fradley Junction, 1995 SO77P, Pound Green Coppice, 2013; nr Pound Green Common, 1999
<i>Sorbus rupicola</i>	SO77T, Hawkbatch Bogs, 2018 SO77U, Seckley Wood, 2014 SK15G, Hall Dale, 2009 SK15K, Bunster Hill, 2009
<i>Sorbus x thuringiaca</i> (ari x auc)	SJ85N, Goldenhill, 2019 (SJ85F, planted, Bignall Hill, 2018 SJ95S, planted, near Barnfields, 2018)
<i>Trichomanes speciosum</i>	known in its gametophyte generation at SJ96X, Lud's Church, 2012 & 2015
<i>Triglochin maritima</i>	SJ92X, Pasturefields, 2006
<i>Trollius europaeus</i>	SK06H, Gib Torr, 2000, 2015 & 2016 SK06N, W of Edgetop, 1995
<i>Typha x glauca</i> (lat x ang)	SJ72X, Loynton Moss (several sites), 2005

<i>Ulmus plotii</i>	SJ84C, Keele, 1992 Possibly at SJ82E, Copmere, c1997 SJ92P, Sandon, 1992 SK20H, N of Tamworth, 2003
<i>Vicia lathyroides</i>	SO88R, E of Whittington, 2007 (First record since 1978)
<i>Viola x bavarica</i> (rei x riv)	SO88C, Roughpark Wood, 2008 SP09P, Dingle Wood, near Hayhead, 2006
<i>X Dactyloglossum mixtum</i> (Coe vir x Dac fuc)	SK04Y, near Wardlow Quarry, 2016
<i>X Schedolium krasanii</i> (Schedonorus arundinaceus x <i>Lolium multiflorum</i>)	SO99G, Sedgley, 2008

Locally Scarce and Declining: Native Taxa in 10 sites or less

Figures are for number of tetrads now/number in 1970

<i>Persicaria minor</i>	5/7
<i>Potamogeton x lintonii</i> (cri x fri)	4/8

Last Sightings of Probably Extinct Natives

[Last known records, pre-1995; some may still be in the v.c.: especially if marked “*”]

<i>Alopecurus x brachystylus</i> (pra x gen)	1916, SK01T, Armitage
<i>Anthyllis vulneraria</i> ssp. <i>carpatica</i>	1987, SJ94H, Weston Coney
<i>Asplenium viride</i>	1894, SK15-, Dovedale
<i>Carex distans</i>	1923, SJ92T, Weston-upon-Trent
<i>Carex dioica</i>	1969, SJ91U, Oldacre Valley
<i>Carex filiformis</i>	1991, SO89X, Penn Common – not found in 1992: must be doubtful
<i>Carex lasiocarpa</i>	1844, SJ74-, Madeley
<i>Carex limosa</i>	doubtfully 1798, SJ81A, Weston under Lizard
<i>Carex viridula</i> ssp. <i>brachyrrhyncha</i>	doubtfully c1994, SK05U, Swallow Moss
<i>Cirsium x forsteri</i> (dis x pal)	1844, SK22-, Burton
<i>Colchicum autumnale</i>	SK01L, Beaudesert Old Park, 1969 (and introductions at SJ72V, near Croxton, 2015 & SJ90H, Moseley Old Hall, 1985) Other Colchicum records exist as likely introductions but are not identified as to species
<i>Dactylorhiza x hallii</i> (mac x pra)	1983, SJ81L, Mottey Meadows NNR
<i>Dactylorhiza x transiens</i> (fuc x mac)	1989, SK14I, Cuckoo Cliff
<i>Draba incana</i>	1901, SK15-, Dovedale 1950, SK06N, probably Croftbottom Farm
<i>Epilobium x schmidianum</i> (obs x pal)*	1941, SK05J, Morridge
<i>Epilobium x vicinum</i> (obs x cil)	2001, SJ96L, nr Axstones Spring
<i>Erodium maritimum</i>	1954, SO89F, nr Highgate Farm
<i>Filipendula vulgaris</i>	1952, SK15K, Bunster Hill (later records exist, but are likely to be introductions/casuals via railway ballast and the like)
<i>Glyceria fluitans</i> x <i>declinata</i>	1947, SK14D, Thorswood
<i>Hammarbya paludosa</i>	1796, SK00J, Norton Bog
<i>Huperzia selago</i>	1920, SJ74R, Bar Hill 1920, SK04B, Cheadle
<i>Hymenophyllum tunbrigense</i>	1930, SK04X, Wootton Park

<i>Hymenophyllum wilsonii</i>	SJ96X, Gradbach c.1840 is not supported by subsequent sightings or a herbarium specimen c.SK06D, "near Flash", 1840, possibly on Derbyshire side of county boundary SK14C, Wootton, 1907, possibly cultivated
<i>Legousia hybrida</i>	1987, SO88-, Kinver Edge
<i>Luzula forsteri</i>	doubtfully 1863, SK12W, Knightley Park
<i>Melica nutans*</i>	1986, SK15B, Eastern Wood
<i>Oenanthe fluviatilis</i>	1892, SK11-, Barton
<i>Petroselinum segetum</i>	1984, SJ92F, Rickerscote Avenue
<i>Potamogeton x angustifolius</i> (gra x luc)	1925, SJ91-, Cannock Chase
<i>Potamogeton x cooperi</i> (cri x per)	1949, SK10-, Lichfield
<i>Puccinellia maritima*</i>	1987, SJ92X, Pasturefields
<i>Ranunculus baudotii</i>	1890, SK22-, Branston (a salt marsh)
<i>Ranunculus x bachii</i> (flu x tri)	C.D.K. Cook, in an article in <i>Taxon</i> , 1970 gives it for Staffs river systems
<i>Rhinanthus angustifolius</i>	1851, SJ92-, Stafford
<i>Rorippa x anceps</i> (syl x amp)	1994, SO78K, W bank of R. Severn
<i>Rosa micrantha</i>	1977, SO88-, Kinver Edge
<i>Rosa tomentella*</i>	1989, SO78Q, Bateman's Dingle (two sites) 1993, SO78V, Beans Coppice
<i>Rosa spinosissima</i>	1832, SO98C, Amblecote; several modern plantings known
<i>Rumex longifolius</i>	1989, SK05L, Goatfields
<i>Rumex palustris</i>	1989, SO98N, Regent Street
<i>Sagina subulata</i>	1901, SK04Y, Weaver Hills
<i>Salix x mollisima</i> (tri x vim)	1922, SK01Y, Mavesyn Ridware
<i>Schoenus nigricans</i>	1864, SK00J, Norton Bog
<i>Sorbus x thuringiaca</i>	1987, Hoar Cross, SK12G; (planted in a few places, including SJ85K, 2018; SJ85L, 2019; SJ95B, 1997; SJ95S, 2018)
<i>Sparganium natans</i>	1896, SK12W, Callingwood
<i>Spiranthes spiralis</i>	1871, SK15-, Dovedale
<i>Thymus pulegioides</i>	1994, SO78K, SW of Hexton's Farm
<i>Torilis nodosa</i>	1930, SK22L, Burton
<i>Utricularia vulgaris</i>	1955, SJ74P, Betley Mere c1955, SJ92W, Great Haywood
(<i>Vaccinium uliginosum</i>)	a possible record from 1864, SK00J, Norton Bog has not been confirmed. The source of the claim is that this name appears in John Fraser's list in <i>Trans. Dudley & Midland Geol. Sci. Society & Field Club</i> in 1865. It is an almost certain slip for <i>V. vitis-idaea</i> which is not listed.)
<i>Veronica x lackschewitzii</i> (ana x cat)	1961, SJ81S, Longnor Bridge, Lapley 1983, probably in SK15L, Dovedale
<i>Viola x scabra</i> (odo x hir)	1938, SK05Z, Wetton
<i>Viola riviniana</i> ssp. <i>minor</i>	1990, SP09P, Hay Head NR

Rare, Significant Non-Natives

An arbitrary selection. Those marked "\$" are native elsewhere in Britain, but almost certainly not at the sites given. If there any post-1994 sites, all are given.

<i>Acaena anserinifolia</i>	SJ84Q, Trentham, 2012 SK10A, Lichfield, 2014
<i>Acaena ovalifolia</i>	SJ84C, Keele, 2016
<i>Allium carinatum</i>	SO77U, Upper Arley, 2009 SO89R, Wombourne, 2012

Anisantha rigida	SJ82U, Shallowford, 1998
Avena sterilis ssp. ludoviciana	SK12X, Anslow Gate, 2008 SK22F, Branston, 2002
\$Bromus racemosus	SO89R, Wombourne, 2012 SO89W, E of Wombourne, 2002 SK11H, S of King's Bromley, 2004
Cardamine raphanifolia	SK04L, Dimmingsdale, 2014
\$Carex arenaria	SJ84X, disused railway station, Fenton Low, 1995; also, near to main line, Stoke, 2014. Persisting at the latter, 2019
Cicerbita plumieri	SK04R, behind Rambler's Retreat, 2003
\$Cochlearia officinalis	SK04L, Dimmingsdale, 2003
Cotula coronopifolia	SO98J, Saltwells, 1999 SP08P, Holly Road, Gib Heath, 2005 SJ92C, Doxey Marsh (two sites), 1989 onwards SJ92H, in several places at Astonfields, 2011
Dittrichia graveolens	SJ75Q, central reservation of M6, 2017 SJ75R, central reservation of M6, 2017 SJ83S, central reservation of M6, 2017
Echium plantagineum	SJ84L, Ferndown Nature Reserve, 2010 SJ84Y, Hanley, in seed mix, 2016 SK20H, Amington, 2007 (Now being trialled in parts of UK as an oil seed crop)
Erigeron annuus	SJ84T, Hanley, 2014
\$Erodium moschatum	SO88X, N of Stourbridge, 2014 SO88S, E of Dunsley, 2008 SP09R, Perry Barr Stadium, 2005
\$Euphorbia platyphyllos	SO89R, garden weed, Wombourne, 2015 SO98T, Terrace Street, Blackheath, 1987 SO99D; allotment, Wolverhampton, 2015
\$Linum bienne	SJ80L, Oaken, 2019 SP09E, Coal Pool, Walsall, 2001 (doubtfully for SO99P, Fibbersley, 1999)
Linum flavum	SO99S, Gospel Oak, 2001. First British Record
Malva parviflora	SK22M, Burton, 2011 (and in most years since 1970)
Malva pusilla	SK22L, Burton, 2011
\$Orobanche elatior	SK04U, Cauldon, 2007, 2010 & 2011
\$Oxyria digyna	SO88Z, car park, Kingswinford, 2005
Plagiobothrys scouleri	SJ91U, Cannock Chase (two sites), 2006
\$Polygonatum verticillatum	SJ93C, Cotwalton Drumble, 1997
Polygonum cognatum	SK22L, Burton, 2008
Polygonum rurivagum	SJ90N, Laney Green, 2003 SJ92G, Stafford, 2009
\$Roemeria hispida	SK10L, Hints, 1991
Rumex cristatus	SJ92B, Castletown, Stafford, 2013 & 2020
\$Rumex palustris	SO98N, Regent Street, 1989
Sisymbrium polyceratum	SO99Z, Bentley, 2000 SP08U, Lozells, Birmingham 19, 2005 SP09E, Navigation St., Walsall, 2002
Trachyspermum ammi	SJ84X, between Shelton & Stoke, 2014
\$Trifolium subterraneum	SJ92L, Beaconstide, Baswich, 2016
Tulipa saxatilis	SO88G, Kinver Edge, 2002 SO89R, Wombourne, 2012
Tulipa sylvestris	SK01W, Longdon Green, 2011 & 2021 (known there since 1971) SK04V, Denstone, 2021 (on site since 1925)

{*Atriplex littoralis* was found, for the first time, on four roadsides, in 2004; *Bidens connata*, another new v.c. record, was first found, in four tetrads of the southern half of SJ95, in 2003.}

Appendix

Hieracia

The v.c. list is as follows, with species recorded since 1994 in bold type. Half a dozen species are frequent or occasional in the vice-county. Most other taxa are confined to the limestone. Those with no recent records, but likely to be still extant are marked “*”. Re-classification follows the treatment of Volume 4 of the *Flora of Great Britain and Ireland* (Sell and Murrell). Last sightings are:

Hieracium acuminatum	Recorded in SJ85K, 94B & 94L post 1994. However these should very probably be for the newly described <i>H. argillaceum</i> or <i>H. consociatum</i>
H. anglorum	1948, SJ92L, Baswich (as “ <i>H. diaphanum</i> ”) 2006, SO77U, nr Arley Station
H. argillaceum	Recorded in 23 tetrads (17 hectads) post 2003. Under-recorded.
H. britannicum	1993, SK05X, Thor's Cave 1964, SK15G, Hall Dale (and 2007, 2015, 2020) 2015, SK15H, Mill Dale
H. cinderella	2014, SO77T, Hawkbatch Valley 1998, SO77U, Eyemore Wood 1954, SO77U, Seckley Wood
H. consociatum	Recorded in 71 tetrads (21 hectads) post 2003. Under-recorded
<i>H. cymbifolium</i> *	1980, SK15C, Beeston Tor
H. daedalolepioides	1951, SK15-, near Alstonefield 2008, SK22E, Tutbury Castle 2016, SK04Y, S. of Wardlow Quarry
<i>H. dalense</i> *	1877, SK15-, Alstonefield (formerly named as “ <i>H. subplanifolium</i> ”)
<i>H. dentulum</i>	2015, SK15G, Hall Dale
<i>H. decolor</i>	1953, SK05X, Grindon. The specimen has not been seen or checked recently
<i>H. diaphanum</i>	Not recorded recently. Earlier records are now thought likely to be referable to <i>H. anglorum</i> , or <i>H. daedalolepioides</i>
H. exotericum	2007, SK05X, near Thor's Cave 2007, SK15C, Manifold Valley 2007, SK15H, Hall Dale
<i>H. fictum</i>	1899, SK15-, near Alstonefield Vicarage (formerly as “ <i>H. maculatum</i> ”)
H. grandidens	2015, SJ71L, Sheriffhales
H. holophyllum	1985, SK15G, Hall Dale. The specimen has not been seen or checked recently 2009, SK05Z, Ecton 2009, SK15D, Narrowdale (east)
H. peccense	1953, SK15H, Mill Dale (formerly recorded as “ <i>H. caledonicum</i> ”) 1954, SK05Y, Wetton Mill (formerly named as “ <i>H. rubiginosum</i> ”) 2016, SK15G, Hall Dale
H. pollichiae	2008, SK12Y, Fauld Crater, Hanbury: probably this sp.
<i>H. prenanthoides</i>	1992, SO99F, Wren's Nest N.R. Likely to have been introduced.
H. sabaudum ®	Recorded in 234 tetrads (37 hectads) post 1994
H. salticola	Recorded in 64 tetrads (18 hectads) largely in the south of the v.c.
H. scotostictum	Recorded in 10 tetrads (10 hectads) post 1999
<i>H. spilophaem</i>	1882, SJ80R, Codsall (formerly as “ <i>H. maculatum</i> ”)
H. subaequialatum	1954, SK05-, near Wetton 2009, SK05Z, Ecton 2008, SK15C, Manifold Valley 2008, SK15D, Narrow Dale 2008, SK15G, Hall Dale
H. subcrocatum	2003, SK05Z, Ecton
H. sublepidotoides	2017, SJ73Z, Maer
H. subprasinifolium	1997, SO78-, Arley House 1964, SK15G, Hall Dale 2007, SK15H, Hall Dale

<i>H. trichocaulon</i>	1873, SK04-, Lady Well, Cheadle
<i>H. umbellatum</i>	Recorded in 50 tetrads (25 hectads)
<i>H. vagum</i> ®	Recorded in 166 tetrads (35 hectads)
<i>H. triviale</i>	Recorded in 119 tetrads (35 hectads) (formerly as "H. vulgatum")

®: over the years, differing opinions have been held as to precisely which features should be used to distinguish between plants that appear to share some characters of both *H. sabaudum* and *H. vagum*. Different recorders may well have given the same plants different names. The 2014 publication "Yorkshire Hawkweeds" gives excellent advice on this matter.

***Rubus fruticosus* agg**

The following have been recorded for the vice-county. Coverage, in the last 50 years, has been uneven, with a northerly bias. The most recent records are given. Frequency indications refer to the whole vice-county and are estimated from the density of dots in Alan Newton/Rob Randall's Bramble Atlas.

Rubus daltrii and *R. obesifolius* are endemic to Staffordshire, confined to five or fewer hectads and, thus, are likely to be threatened.

<i>Rubus accrescens</i>	Nineteen post-1994 records. 2014, SJ85U, Mow Cop, Frequent, endemic to v.c.39, 57, 58, 59 & 63
<i>R. adamsii</i>	Bramble Atlas post-1988, SJ82A, Gnosall. Rare
<i>R. adenanthoides</i>	Four post-1994 records. Occasional; endemic to Britain & Ireland
<i>R. albionis</i>	1973, SK02I, Stowe. Rare; British endemic.
<i>R. amplificatus</i>	2000, SO88B, Arley Wood; 2006, SJ73D, Napley. Frequent. British & Irish endemic
<i>R. anglocandicans</i>	1946, SK21F, Haunton. Rare; English endemic
<i>R. anglofuscus</i>	2006, SO77T, Seckley Wood; 2006, SO88B, Arley Wood. Occasional; English endemic
<i>R. angloserpens</i>	2004, SO77U, Arley; 2006, SO77T, Seckley Wood. Rare. British endemic
<i>R. anisacanthos</i>	Bramble Atlas post-1988 from SJ80-, 83-, 91-, 93-, 94-; SK14; 1980, SK12L, Newborough & Newchurch; 2015, SJ84G, site not specified; Occasional (= <i>R. procerus</i>). 12 post-1994 tetrads. Common
<i>R. armeniacus</i>	1972, SO77U, Seckley Wood; SO77T, Seckley Wood, 2006. Rare; British endemic
<i>R. armipotens</i>	
<i>R. asperidens</i>	Bramble Atlas post-1988, SJ73- . Rare
<i>R. bagnallianus</i>	1980, SK12R, Scotch Hill; 1997, SJ80Q, Cranmoor. Occasional . Endemic to the English Midlands
<i>R. bartonii</i>	1972, SJ73U, Maer & The Bogs. Rare; British endemic
<i>R. bertramii</i>	Bramble Atlas post-1988 from SJ80-, 83- & 85-;
<i>R. bloxamianus</i>	1964, SJ90V, Rough Wood. Common
<i>R. bloxamii</i>	1962, SK10U, Park Lane. Rare; British & Irish endemic
<i>R. boudiccae</i>	c1975, 8 records (SJ72-; SJ84-; SJ92-; SK00-; SK01-; SK10-; SK11-; SP09-); 2006, SJ91X, Cannock Chase. Occasional
<i>R. caesius</i>	Bramble Atlas post-1988 from SO98 & SK02; 1954, SO88-, Kinver & Kinver Edge. Rare. A British & Irish endemic
<i>R. calvatus</i>	
<i>R. cardiophyllus</i>	Seven post-1994 records. Occasional. 2018, SJ83E, Chorlton Moss
<i>R. condensatus</i>	Six post-1994 records. Common. A British & Irish endemic
<i>R. conjungens</i>	2006, SJ91U & X, Cannock Chase; 2007, SJ75Q, Knowl End. Frequent
<i>R. criniger</i>	Four post-1994 records. Occasional; endemic to v.c.37, 39 & 40 and to NE France
<i>R. daltrii</i>	Bramble Atlas recent (SJ82); 1972, SJ82X, Seighford. Occasional
<i>R. dasypyllus</i>	Eight post-1994 records. Frequent, endemic to v.c.39, 57-59 & 63
<i>R. distractiformis</i>	1980, SK01L, Castle Ring Camp. Rare
<i>R. diversus</i>	1960, SJ73V, Greatwood Farm. Rare
<i>R. dumnoniensis</i>	
<i>R. eboracensis</i>	Nine records in 2006. Common
<i>R. echinatoides</i>	Five post-1994 records. A British & Irish endemic. Frequent
<i>R. echinatus</i>	1985, SO88B, Kinver. Frequent
<i>R. euryanthemus</i>	Eight post-1994 records. Frequent

R. fucus	1972, SJ91U, Cannock Chase. Very rare: a doubtful record, not in the Atlas
R. gratus	1965, SJ73K, Bishop's Wood. Rare
R. hindii	Four post-1994 records, A British & Irish endemic. Frequent
R. hylocharis	Eight post-1994 records, Common
R. incurvatiformis	Eleven post-1994 records. Common. A British endemic
R. incurvatus	1967, SJ94T, Blakeley; 1967, SJ94Z, Old Hall. Occasional
R. infestus	2006, SJ91X, Cannock Chase; 2007, SJ95E, Biddulph Moor. Frequent
R. informifolius	Four post-1994 records. Occasional. Endemic to v.c.12, 36 & 38-40
R. insectifolius	1971, SK10X, Dunstall Farm. Occasional
R. intensior	50 post-1994 records; Common. A British endemic
R. laciniatus	26 post-1997 records. Occasional
R. leightonii	2006, SJ91X, Cannock Chase; 2007, SJ85B, Coalpit Hill. Frequent
R. lindebergii	c1970, SK06-; 2006: SJ95V, Cheddleton & SK05A, Ipstones. Occasional
R. lindleianus	26 post-1994 records. Common
R. lintonii	2006, SJ74W & SJ84B, Whitmore. Occasional
R. longithyrsiger	2000, SO88B, Coldridge Wood. Rare
R. macrophyllus	2007, SJ75Q, Balterley Green. Occasional
R. mucronulatus	1966, SK10S, Hopwas Hays. Occasional
R. murrayi	1998, SJ74W, N of Dab Green; 2006, SJ74W, Whitmore. Rare
R. nemoralis	Thirteen post-1996 records. Frequent
R. nemorosus	1961, SJ71S, Barbers Gorse. Rare
R. nessensis	c1975, SJ83-; SK01-; SK02-. Occasional
R. obesifolius	1960, SK05B, nr Coombes Valley; 2002, SK05C, Bradnop;
R. obscuriflorus	2006: SJ95V, Cheddleton & SK05A, Ipstones. Rare. Endemic to v.c.39
	2006, SO77T, Seckley Wood. Rare. Endemic to v.c.33, 34, 36, 37 & 39
R. painteri	Nineteen post-1994 records, Frequent. Endemic to v.c.39, 58-60 & 64
R. pallidus	1998, SJ83J, Hanchurch Hills; 2006, SJ84F, E of Hanchurch Heath;
R. pampinosus	2006, SJ83P, Hanchurch Hills. Frequent
R. pascuorum	2000, Arley Wood, SO88B; 2004, SO77U, Arley
R. pedemontanus	2006, SO77T, Seckley Wood. Rare. A British endemic
R. pistoris	1964, SJ82G, Gnosall. Occasional. Endemic to Britain
R. platyacanthus	1979, SK04F, Lord's Coppice. Occasional
R. plicatus	c1975, SK11-. Rare
R. polyanthemus	Eight post-1994 records. Common
R. pruinosis	1967, SJ95V, Hills Wood. Occasional
R. pyramidalis	Eight post-1994 records. Common
R. radula	1985, SO88G, Kinver. Common
R. rhombifolius	1980, SJ82E, Cop Mere. Occasional
R. robiae	
R. rubristylus	1972, SJ91N, Cock Lane. Occasional
R. rubritinctus	In 2006: SJ95K, Cheddleton; SK04J & SK05A, Ipstones. Rare
R. rufescens	Nine post-1994 records. Frequent
R. scaber	Seven post-1994 records. Common. Endemic to Britain & Ireland
R. sciocharis	1962, SK21Q, Clifton Campville. Rare
R. scissus	1977, SJ80G, Kingswood Common; 1977, SK02H, Blithfield
R. silurum	2000, SO88B, Arley & Coldridge Woods
R. sneydii	2006, SO77T, Seckley Wood. Frequent
R. sprengelii	
	1975, SJ80G, Kingswood Common. Occasional
	Bramble Atlas post-1988, SJ93-; 1985, SO88G, Kinver Edge. Occasional
	1972, SK06G, Ramshaw Rocks; 1972, SO89K, Whitehouse Plantation
	2001, SJ96V, Meerbrook. Common
	Bramble Atlas post-1988, SJ11-; 1980, SK11K, Brookhay Bridge, Rare. British endemic
	Five post-1994 records. Rare. Endemic to v.c.39, 40 & 58
	25 post-1996 records. Common

<i>R. subtercanens</i>	c1975, SJ84-. Rare
<i>R. surrejanus</i>	Bramble Atlas post-1988, SO77-; 1959, SO77P, Pound Green; Rare. British endemic
<i>R. tuberculatus</i>	45 post-1994 records. Common
<i>R. turritus</i>	Eight post-1994 records. Frequent. Endemic to v.c.39
<i>R. ulmifolius</i>	Recorded from 50 tetrads (22 hectads) since 1994; actually in many more: 211 in E.S. Edees' Flora. Common
<i>R. ulmifolius x vestitus</i>	2000, SJ73E, Napley; 2006, SO77, Seckley Wood. Probably occasional
<i>R. varvicensis</i>	1951, SP09Y, Sutton Park. Rare. Endemic to v.c.38 & 39
<i>R. vestitus</i>	36 post-1994 records. Common
<i>R. warrenii</i>	Eight post-1994 records. Frequent
<i>R. wirralensis</i>	1978, SJ81D, Church Eaton; 2006, SJ95W, Cheddleton. Occasional

Taraxaca

The following have been seen in the vice-county. The last traced sightings are given.

<i>Taraxacum acutifidum</i>	1993, SK14J, Bllore Hall
<i>T. aequilobum</i>	1993, SK04I, Froghall Wharf & SK14J, Bllore Hall
<i>T. 'anceps'</i>	A species as yet not accepted for Britain. The only report, from SJ91H, Penkridge, 1982, would probably be correctly named as <i>T. ochrochlorum</i> .
<i>T. ancistrolobum</i>	1993, SK04I, Froghall Wharf & SK14J, Bllore Hall & SK15K, Dovedale
<i>T. angustisquamum</i>	1993: SK04I, Froghall Wharf, AJR
<i>T. argutum</i>	1993, SK15K, Dovedale
<i>T. atactum</i>	1996, SO77P, Pound Green Common
<i>T. aurosulm</i>	1982, SK02, unknown location
<i>T. berthae</i>	2020, SK05K, Ipstones
<i>T. boekmanii</i>	2020, SJ95Y, Leek
<i>T. brachyglossum</i>	1993, SK14J, Bllore Hall
<i>T. bracteatum</i>	2020, SJ95Y, Leek
<i>T. 'cestrense'</i>	A species as yet only informally described. There are two records, from unspecified locations in SJ83 & SK13, in 1989
<i>T. chloroticum</i>	1993, SK14J, Bllore Hall
<i>T. cophocentrum</i>	2018, SO98U, Portway
<i>T. cordatum</i>	2018, SK04I, Grace Mary Estate
<i>T. dilatatum</i>	1993, SK15K, Dovedale
<i>T. duplidentifrons</i>	2020, SJ95T, Leek
<i>T. ekmanii</i>	2020, SJ95T, Leek
<i>T. euryphyllum</i>	1971, SJ75K, Black Firs & SJ72T, Admaston
<i>T. exacutum</i>	1989, SK15-, no locality specified
<i>T. excellens</i>	2000, SJ96F, Rudyard
<i>T. expallidiforme</i>	1993, SK04I, Froghall Wharf
<i>T. faeroense</i>	1955, SJ83Y, Barlaston Downs & SK05-, Warslow & SK06-, Flash. Specimens claimed from SK02F, Colton, 1986 & SK01L, Longdon, 1989 were not verified by an expert
<i>T. fasciatum</i>	1993, SK04I, Froghall Wharf & SK14J, Bllore Hall & SK15K, Dovedale
<i>T. fulviforme</i>	1993, SK14J, Bllore Hall & SK15K, Dovedale
<i>T. gelertii</i>	1971, SJ81P, Allimore Green
<i>T. glauciniforme</i>	1993, SK15K, Dovedale
<i>T. hamatiforme</i>	1993, SK04I, Froghall Wharf
<i>T. hamatum</i>	2018, SO98U, Portway
<i>T. hamiferum</i>	1993, SK14J, Bllore Hall
<i>T. hesperium</i>	2020, SJ95P, Rudyard Station & SJ95Y, Leek

<i>T. insigne</i>	1993, SK14J, Blore Hall & SK15K, Dovedale
<i>T. interveniens</i>	2005, SO78Q, Arley
<i>T. intumescens</i>	1993, SK04I, Froghall Wharf
<i>T. lacerifolium</i>	2018, SO98U, Grace Mary Estate
<i>T. laciniosifrons</i>	1993, SK04I, Froghall Wharf
<i>T. lacistophyllum</i>	2020, SK05X, Ossums Hill, Manifold Valley
<i>T. laeticolor</i>	1993, SK04I, Froghall Wharf
<i>T. lamprophyllum</i>	2020, SJ95T & 95W, Leek
<i>T. latissimum</i>	1993, SK04I, Froghall Wharf
<i>T. leptodon</i>	1993, SK14J, Blore Hall
<i>T. lingulatum</i>	1993, SK04I, Froghall Wharf & SK14J, Blore Hall & SK15K, Dovedale
<i>T. longisquamum</i>	1993, SK14J, Blore Hall
<i>T. lunare</i>	1993, SK14J, Blore Hall
<i>T. macrolobum</i>	1984, SJ81-, locality unknown
<i>T. maculosum</i>	1971, SK05Y, Ecton
<i>T. marklundii</i>	1993, SK15K, Dovedale
<i>T. necessarium</i>	1993, SK04I, Froghall Wharf
<i>T. nigridentatum</i>	1993, SK14J, Blore Hall
<i>T. nordstedtii</i>	1993, SK14J, Blore Hall & SK04I, Froghall Wharf
<i>T. oblongatum</i>	1993, SK04I, Froghall Wharf & SK14J, Blore Hall & SK15K, Dovedale
<i>T. oxoniense</i>	1993, SK14J, Blore Hall
<i>T. pallidipes</i>	1993, SK04I, Froghall Wharf
<i>T. palustre</i>	2017, SO99C, Alder Coppice
<i>T. pannucium</i>	1993, SK14J, Blore Hall & SK15K, Dovedale & SK04I, Froghall Wharf
<i>T. pannulatum</i>	1993, SK04I, Froghall Wharf & SK15K, Dovedale
<i>T. parnassicum</i>	1993, SK14J, Blore Hall
<i>T. piceatum</i>	2018, SO98U, Portway
<i>T. polyodon</i>	1992, SK02-, locality unknown
<i>T. pseudohamatum</i>	2020, SJ95W, Basford Hurst & SK05X, below Thor's Cave, Manifold Valley
<i>T. quadrans</i>	1993, Blore Hall, SK14J
<i>T. remenantilobum</i>	A species not well understood in Britain. The following may actually be for <i>T. pannulatum</i> : 1993, SK04I, Froghall Wharf & SK15K, Dovedale
<i>T. rhamphodes</i>	1993, SK14J, Blore Hall
<i>T. rubicundum</i>	1993, SK14J, Blore Hall
<i>T. sagittipotens</i>	1993, SK04I, Froghall Wharf
<i>T. sahlinianum</i>	1993, SK04I, Froghall Wharf & SK14J, Blore Hall; SK15K, Dovedale
<i>T. scoticum</i>	1993, SK14J, Blore Hall
<i>T. sellandii</i>	1993, SK04I, Froghall Wharf & SK14J, Blore Hall & SK15K, Dovedale
<i>T. stenacrum</i>	1993, SK04I, Froghall Wharf & SK14J, Blore Hall
<i>T. stenoglossum</i>	1993, SK04I, Froghall Wharf: previously known as "T. dahlstedtii"
<i>T. subbracteatum</i>	1989, SJ73-, locality unknown
<i>T. subcyanolepis</i>	1993, SK15K, Dovedale. A species almost identical to <i>T. expallidiforme</i>
<i>T. subexpallidum</i>	1993, SK04I, Froghall Wharf & SK15K, Dovedale
<i>T. subhamatum</i>	1993, SK14J, Blore Hall & SK04I, Froghall Wharf
<i>T. tanyphyllum</i>	1993, SK14J, Blore Hall
<i>T. tumentilobum</i>	2005, SO78Q, Arley
<i>T. undulatiflorum</i>	2018, SO98U, Grace Mary Estate & Portway
<i>T. xanthostigma</i>	2018, SO98U, Portway

Last Sightings of Uncommon Non-Natives

Planted trees are excluded. Those marked "\$" are native elsewhere in Britain, but almost certainly not at the sites given.

a) post-1986

<i>Abutilon theophrasti</i>	SJ84T, Cliff Vale, 2017
<i>Achillea filipendulina</i>	SO99B, Gospel End, 1991
	SJ84N, Newcastle-under-Lyme, 2017
	SO89R, Wombourne, 2004
<i>Adiantum raddianum</i>	SO88T, greenhouse weed, Ashwood Nurseries, 2012
<i>Agave americana</i>	S J90B, Fordhouses, 2015
<i>Ageratum houstonianum</i>	SO89R, Wombourne, 2004
<i>Akebia quinata</i>	SO89R, Wombourne, 2006
<i>Alchemilla conjuncta</i>	SJ84J, between Apedale and Chesterton, 1999
	SK03X, Uttoxeter, 2000
<i>Alkekengi officinarum</i>	SO99M, Coseley Canal Tunnel, 2014
	SO98N, Dudley Wood, 2005
	SJ95C, Brown Edge, 2011
	SJ94B, nr Longton, 2015
<i>Allium ampeloprasum</i> var. <i>babingtonii</i>	SK10X, S of Hopwas, 2020
<i>A. moly</i>	SJ84T, Forge Lane, 2012
	SJ90G, Moseley, 1991
	SK04C, Harewood, 2003
<i>A. tuberosum</i>	SO89Z, self-seeded, Bantock Park, 2004
<i>Althaea officinalis</i>	SJ84P, Westport Lake, 2013
<i>Amaranthus albus</i>	SO99E, Wolverhampton, 2005
<i>A. bouchonii</i>	SO89R, Wombourne, 2006
<i>A. crispus</i>	SJ84M, Grosvenor, 1993
<i>Amsinckia lycopersoides</i>	SK11D, Armitage, 2008
<i>Anchusa azurea</i>	SO99P, Bilston, 2008
<i>A. officinalis</i>	SO98T, Blackheath, 1987
<i>Anemanthele lessoniana</i>	SJ91E, Coppenhall, 2020
<i>Anemone apennina</i>	SJ90G, E of Bushbury, 2008
	SK11A, Lichfield, 2020
<i>A. x hybrida</i> (hup x vit)	SO88M, The Hyde, Kinver, 2013
	SO88Y, Wordsley, 2007
<i>Anethum graveolens</i>	SP09K, E of Handsworth, 2005
\$ <i>Apium graveolens</i>	SP09G, Sandwell, 1996
	SJ80L, nr Oaken, 2003
<i>Arabidopsis arenosa</i>	SO99J, Old Heath Road, Wolverhampton, 2004
\$ <i>Armeria maritima</i>	SJ84L, Northwood, 2005
	SO89R, Wombourne, 2012
	SO89L, Smestow Road, 2002
	SO99H, Coseley, 2008
<i>Artemisia dracunculus</i>	SO88Y, Wordsley, 2005
<i>Asarina procumbens</i>	SJ85G, Talke, 2014
	SO93I, Moddershall Oaks, 2016
<i>Astragalus odoratus</i>	SK22G, nr Shobnall Road, Burton 1987
	SK22M, Derby Road, Burton, 2008
<i>Astrantia major</i>	SJ90H, Wolverhampton, 1990
	SK05Y, near Ecton Bridge, 2009
	SK11A, Lichfield, 2017
<i>Atriplex hortensis</i>	SK13Q, Densy Lodge, 1992
	SK20L, E of Avington, 2006
<i>Aurinia saxatilis</i>	SJ95Y, Leek, 2014
	SO95Y, Wombourne, 2012
<i>Barbarea stricta</i>	SK22T, nr Clay Mills, 2004
	SO99E, Broad Street to Railway Drive, 1988
<i>Bassia scoparia</i>	SP09G, Sandwell, 1996
<i>Berberis aggregata</i>	SJ84E, Miles Green, 2007
	SP89R, Wombourne, 1991
<i>B. buxifolia</i>	SJ95T, Leek, 2017

B. x frikartii	SJ91G, Bentley, 2007
Bergenia cordifolia	SK00Q, Beacon View, 2009
Berteroa incana	SJ92C, Creswell, SJ92C, 2010
\$Beta vulgaris ssp. maritima	SP09G, Forge Mill, 1992
Bidens ferulifolia	SJ94K, Blythe Bridge, 2007
	SK20A, Two Gates, 2008
Brassica elongata	SP09R, Perry, 2006
	SO89R, Wombourne, 2010
B. rapa ssp. oleifera	SP08U, Lozells, 2019
B. tournefortii	SP09G, Sandwell, 1996
Bromus lepidus	SO98S, Halesowen, 2005
Buphthalmum speciosum	SO88I, nr Big Wood, 2000
	SJ95G, Endon, 1999
Bupleurum subovatum	SK15J, Beresford Dale, 2010
	SO89V, Himley Hall, 2002
	SJ85R, Turnhurst, 2010
Calla palustris	SK02K, Stockwell Heath, 1988
Campanula carpatica	SO89R, Wombourne, 2007
\$C. glomerata	SK06I, Quarnford Churchyard, 1996
	SK11P, disused garden, Yoxall, 1994
C. medium	SO89R, Wombourne, 2000
	SO98C, Amblecote, 1998
C. rapunculoides	SP08E, West Smethwick, 1997
	SJ80A, Patshull, 1993
	SJ80R, Codsall, 1993
Cardamine corymbosa	SO89Y, Penn, 2006
	SJ84H, shrub border, Keele University campus, 2016
C. quinquefolia	SJ85Q, by main pool, Burslem Park, 2016
Carex comans	SJ85Z, three places in Biddulph Grange Gardens, 2013
Ceanothus divergens	SJ73W, Ginger Lane, Croxtton, 2016
Centaurea solstitialis	SK11F, Lichfield, 2016
Ceratochloa cathartica	SO88Z, Kingswinford, 2005
Chaerophyllum aureum	SO89R, Wombourne, 2019
Chenopodium hybridum	SJ85G, Talke, 2012
	SO99Y, Wolverhampton, 2015
	SJ84X, Fenton Manor, 2002
Choisya ternata	SK22M, Burton, 2008
Clarkia unguiculata	SP09G, long established, Sandwell Valley, 2016
Clematis tangutica	SO89R, Wombourne, 2006
	SK11A, Lichfield, 2002
\$Clinopodium nepeta	SO89R, Wombourne, 2000
Cocculus trilobus	SJ92V, S of Shugborough Hall, 2007
Colutea arborescens	SJ91A, Rodbaston, 1987
	SJ85W, Whitfield, 2017
	SK04I, Froghall, 1989 (probably planted at Millfields, SO99H, 1993)
Conringia orientalis	SO88Y, Wordsley, 2008 FOUR TETRADS: DELETE
Cordyline australis	SO99Y, Pleck, 2001
	SJ93B, Stone, 2002
Corydalis cava	SK11F, Lichfield, 2007
Corydalis solida	SO88Y, Wordsley, 2002
	SJ80Z, Brewood, 2021
Cosmos bipinnatus	SK10E, Lichfield, 2009
Cotinus coggygria	SO88T, N of Prestwood, 2004
Cotoneaster cochleatus	SO88X, Wollaston Road, 2017
Cotoneaster mairei	SO88Z, Kingswinford, 2007
C. microphyllus	SO99L, Dixon's Green, 1998
	SO99E, Dunstall Hill, 2016
	SO98E, Bromley, 2006
C. prostratus	SK15G, Hall Dale (north), 1993
C. splendens	SO99C, nr Greenleighs, 2000
Cotula squalida	SJ90T, Cheslyn Hay, 1995
	SJ84Z, E of Sneyd Green, 2015
	SJ80Q, Tettenhall, 1991
	SP08D, nr Warley Woods, 1998

<i>Crambe hispanica</i>	SJ92L, Baswich, 2006
<i>Crataegus crus-galli</i>	SJ92M, nr Hopton, 2014
<i>C. monogyna</i> ssp. <i>azarella</i>	SO89R, Wombourne, 2010
<i>C. orientalis</i>	SO89W, Baggeridge, 2000
<i>C. x lavalleeii</i> (<i>crus-g</i> x ? <i>stipul</i>)	SO99S, Moxley, 2011
<i>Crepis nicaeensis</i>	SJ93P, Stallington, 2015
<i>C. setosa</i>	SJ84N, Cross Heath, 1995 & 1996
<i>Crocus biflorus</i>	SP09B, West Bromwich, 2017
<i>C. chrysanthus</i>	SJ92H, Astonfields, 1997
<i>C. speciosus</i>	SK11H, Alrewas Hayes Farm, 2005
<i>C. sieberi</i>	SP29E, Tamworth, 2008
<i>Cuscuta campestris</i>	SK08E, Doe buck Lane, 1991
<i>Cyclamen persicum</i>	SO98N, Old Hill, 1991 (two sites)
<i>C. repandum</i>	SO89R, Wombourne, 2007
<i>Cynodon dactylon</i>	SO89K, Smestow, 2003
<i>Cyrtomium fortunei</i>	SO89X, Penn Common, 2002
	SP09B, All Saint's Churchyard, 1996
	SJ73T, Ashley, 2003
	SO89R, Wombourne, 2007
	SP08G, Harborne, 2014
	SO89Y, Highfields School, 1988
	SO88T, Ashwood Nurseries/Garden Centre, 2012
	SJ84N, Newcastle, 2014
	SK90A, Gorsebrook Road sidings, 1994
	SK10E, Lichfield, 2020
<i>Daucus carota</i> ssp. <i>sativus</i>	SO89Q, nr Swindon, 2007
<i>Descuraria sophia</i>	SP09G, Sandwell, 1996
<i>Deutzia scabra</i>	SJ92P, nr Enson Farm, 1997
<i>Dianthus plumarius</i>	SJ80Z, Brewood, 1991
<i>Diascia barberae</i>	SO78Z, Arley Wood, 2002
<i>Dicentra formosa</i>	SO99X, Wednesbury, 1997
<i>Digitaria ischaemum</i>	SJ92B, Castletown, 2003
<i>Dipsacus sativus</i>	SO99A, nr Ruiton, 2001
<i>Disanthus cercidifolius</i>	SO88Y, Wordsley, 2007
<i>Doronicum x excelsum</i>	SJ85L, Kidsgrove, 2012
<i>D. x willdenowii</i>	SJ93J, Stallington Road, 2004
	SO89W, Baggeridge Country Park, 1998
	SO89R, Wombourne, 2006
	SJ84J, Apedale Country Park, 1998
	SJ85M, Birchenwood Brickworks, 1998 (site destroyed in 2000)
	SJ84H, Barnes Dell, Keele University, 2016
	SJ83I, Lower Hatton, 1999
	SJ92L, towpath, near Baswich
	SJ80A, Patshull Park, 1993
<i>Eccremocarpus scaber</i>	SJ84T, Shelton, 2001
<i>Echinochloa colona</i>	SP09G, Sandwell RSPB Reserve, 1996
<i>E. esculenta</i>	SJ84P, by Westport Lakes, 2010
<i>E. frumentacea</i>	SJ84R, Levita Road, 1995
<i>Echinops sphaerocephalus</i>	SK10E, Lichfield, 2010
<i>Eragrostis curvula</i>	SJ94L, Caverswall, 1988 & 2004
<i>Erigeron glaucus</i>	SO88S, Stourton, 2007
<i>E. speciosus</i>	SO89R, Wombourne, 2015
<i>E. philadelphicus</i>	SK01N, Brereton, 2008
<i>Erinus alpinus</i>	SO89R, Wombourne, 2000
<i>Erucastrum gallicum</i>	SO89R, Wombourne, 2000
<i>Eryngium giganteum</i>	SP09R, N of Perry, 2006
	SJ84T, Hanley, 2009. Site now destroyed
	SO89R, Wombourne, 2000 & 2004
	SK02F, Wolseley Hall, 1990
	SO98J, Hart's Hill, 1992
	SJ80A, Patshull Park, 1993
	SO99H, Coseley, 2008

<i>Erysimum x marshallii</i>	SO98I, Saltwells NR, 1998
<i>Erythranthe lutea</i>	SJ84X, Stoke-on-Trent, 2002
<i>Erythronium dens-canis</i>	SJ80V, St Michael's Churchyard, 1996
<i>Escallonia. x langleyensis</i>	SJ84X, Stoke, 1995
	SJ90A, Dunstall Hill, 2005
	SO99E, Wolverhampton, 2016
<i>Euonymus japonicus</i>	SK11I, King's Bromley, 2008
	SO89R, Wombourne, 2020
<i>Euphorbia esula</i>	SO98P, Blower's Green, 2004
	SO99Q, Tividale, Tipton, 2020
<i>E. stricta</i>	SK01B, nr Hednesford, 2007
	SJ84Q, Trentham, 2013
<i>E. waldensteinii</i>	SO89XC, Penn, 2003
<i>E. x pseudovirgata</i>	SJ91R, W of Huntington, 2014
<i>Euphosyne xanthiifolia</i>	SO99L, Birmingham Canal, 2004
	SP09G, Sandwell, 1996
<i>Fatsia japonica</i>	SJ84N, Wolstanton, 2017
	SJ85T, Brown Lees, 2010
	SO99K, planted at Dudley Zoo, 2017
<i>Ferula communis</i>	SJ80X, bank of M54, 2013
<i>Festuca glauca:</i>	SO89R, Wombourne, 2015
<i>F. heterophylla</i>	SJ80A, Patshull churchyard, 1991
<i>F. longifolia</i>	doubtfully, SK00N, Anglesey Bridge, 1993
<i>Filipendula camtschatica</i>	SJ80K, nr Patshull Church, 1992
<i>Fraxinus angustifolia</i> ssp. <i>oxycarpa</i>	SK22L, edge of Washlands, Burton, 2000
	SJ90A, planted street tree, Dunstall, 2015
<i>Fumaria densiflora</i>	SJ80V, Tettenhall, 2013
<i>Fumaria officinalis</i> ssp. <i>wirtgenii</i>	SJ91K, Hatherton, 2003
	SJ91H, between The Whittamoors & Lower Drayton, 2007
	SO77U, S of Arley Station, 1991
<i>Galanthus elwesii</i>	SO89R, Wombourne, 2006
	SO99E, Wolverhampton, 2016
	SP08H, St. Peter's Churchyard, Harborne, 2011 & 2014
<i>G. nivalis</i> x <i>plicatus</i>	SJ80V, Tettenhall, 2014
<i>G. plicatus</i>	SJ90C, Coven Heath, 1997
	SJ80P, nr Bishop's Wood, 2003
<i>G. woronowii</i> x <i>nivalis</i>	SJ92F, Wildwood Park, Stafford, 2015
<i>Galeopsis segetum</i>	SO89V, Himley Park, 2003
<i>Galium tricornutum</i>	SO88S, Coombeswood, 2002
<i>Garrya elliptica</i>	SO90C, Coven Lawn, 1992
<i>Gaultheria mucronata</i>	SO99P, Wednesfield, 2017
	SJ74V, Baldwin's Gate, 2002
	SK01F, NW of Cuckoo Bank, 2015
<i>Genista sagittalis</i>	SJ74K, Willoughbridge, 1988
<i>Geranium dalmaticum</i>	SO88Y, Wordsley, 2007
<i>G. nodosum</i>	SJ83R, near Yarnfield, 2013
	SJ84S, Stoke, 2020
<i>G. psilostemon</i>	SP09K, S of Handsworth Wood, 2003
	SJ84Q, Ash Green, 2019
	SJ84Y, between Joiner's Square & Berry Hill, 2004
<i>G. x oxonianum</i> var. <i>thurstoniana</i>	SJ95I, W road verge, Gratton, 2016
	SJ95I, S. of Lea Laughton, 2016
<i>Geum macrophyllum</i>	SK01P, Rugeley, 2005
<i>Glebionis coronaria</i>	SJ84F, N of Acton, 2005
	SJ84Y, Hanley, in seed mix, 2016
<i>Gunnera manicata</i>	SJ80A, Patshull Park, 2002
<i>Helianthus petiolaris</i>	SO99R, Tipton, 1997
	SO99V, Greets Green, 1997
	SP09G, Sandwell Valley, 1996
<i>H. tuberosus</i>	SP09F, nr Handsworth, 1997
	SP09F, Sandwell Valley, 1998
	SJ90A, Aldersley, 1993

<i>Helichrysum italicum</i>	SO89R, Wombourne, 1998 & 2002
<i>Helleborus orientalis</i>	SO98D, Brierley Hill, 2016
<i>H. viridis</i>	SO89L, Heathmill Road, 1994
	SO98S, S of Haden Cross, 2005
<i>Hemerocallis fulva</i>	SJ80A, Patshull Park, 1992
	SJ82I, Eccleshall, 2004
	SK12L, nr Yoxall Lodge, 1992
	SJ85F, Red Street, 2008
	SJ91Y, nr White House, 2001
<i>H. lilioasphodelus</i>	SK06T, Hollinsclough, 2004
	SJ94H, Park Hall Pits NR, 2008
	SJ95D, Crowborough, 2002
	SO88U, Wall Heath, 2007
<i>Herniaria hirsuta</i>	SK22G, Burton, c1991
<i>Hippocratea emerus</i>	SJ84U, between Etruria and Middleport, 2015
<i>Holodiscus discolor</i>	SK12W, Rangemoor, 1999
<i>Hydrocotyle sibthorpioides</i>	SO89R, Wombourne, 2000
<i>Hypericum forrestii</i>	SO89Y, Highfields School, c1970 to 1987+ (now thought to be gone)
<i>H. x hidcoteense</i>	SO99P, Wednesfield, 2017
	SJ84Q, Trentham, 2013 (destroyed in 2014)
	SK00A, Goscote, 2012
	SK00Q, Beacon View, 2010
<i>Impatiens walleriana</i>	SO88R, Kingswinford, 2005
<i>Iris laevigata</i>	SO89R, Womborne, 2004
<i>I. orientalis</i>	SJ74L, Onneley Lane, 2002
<i>I. reticulata</i>	SK01B, near Rawnsley Hills, 2015
<i>I. sibirica</i>	SO99E, Wolverhampton, 2016
<i>Isotoma axillaris</i>	SO89X, Penn Common, 2002
	SO89R, Wombourne, 2007
	SO99D, Wolverhampton, 2013
<i>Jasminum beesianum</i>	SJ85V, between Holden Lane & Milton, 2017
<i>J. nudiflorum</i>	SJ91G, Penkridge, 2003
<i>J. officinale</i>	SO99D, Penn, 2007
	SO88Y, Wordsley, 2010
<i>Koenigia alpina</i>	SO98Z, nr Tat Bank, 1998 (for at least 15 years)
<i>Knautia macedonica</i>	SJ83U, Trentham, 2020
	SJ84X, Fenton, 2011
<i>Lactuca sativa</i>	SJ84U, Cobridge, 1997
	SJ94M, Tickhill, 2001
	SO99G, nr Woodsetton, 2004
<i>Lamium garganicum</i>	SJ93Z, Todmorden, 2019
<i>Laphangium luteoalbum</i>	SJ80Q, Woodthorne Road, 1995
<i>Lathyrus hirsutus</i>	SJ90S, nr Essington, 2007
	SK01P, Rugeley, 1993
<i>L. odoratus</i>	SP09L, Jayshaw Avenue, Great Barr, 2005
	SO88G, track verge, SW of Kinver, 2015
	SP09I, by Rushall canal, E of Walsall, 2002
	SP09B, self-set in allotments, E of Charlemont, 1998
<i>Lavandula angustifolia</i>	SK01B, near Rawnsley Hills, 2015
<i>Leonurus cardiaca</i>	SO98T, Blackheath, 1987
	SP09A, West Bromwich, 1997
<i>Lilium martagon</i>	SJ74S, 2007, The Lum
<i>L. pardalinum</i>	SJ80A, nr Patshull Church, 1992
<i>Linaria x dominii (pur x rep)</i>	SO98P, Blower's Green, 2004
<i>Linum grandiflorum</i>	SO89U, Bushbury Hill, 2015
	SO98N, Cradley Heath, 2020
	SP09C, Stone Cross, 2018 & 2020
	(Also in some seed mixes e.g at SJ84Y, Hanley, 2016)
<i>Liriodendron tulipifera</i>	SJ83U, by Trentham Lake, 2015
	SJ84Q at Trentham Shopping Village, 2015
<i>Lonicera caprifolium</i>	SJ90H, Wolverhampton, 1990

<i>L. tatarica</i>	SJ90B, Fordhouses, 2015 SJ90N, Shareshill, 2021 SJ91G, nr Penkridge, 2007
<i>Lunaria rediviva</i>	SK22I, Beam Hill, 1995 SP09M, Great Barr Park, 1997
<i>Lysimachia ciliata</i>	SJ84M, E of Keele University, 2016 SP08H, Peirera Road allotments, 2008
<i>Macleaya x kewensis</i>	SK01P, Rugeley, 2004
<i>Magnolia liliiflora 'Nigra'</i>	SJ84C, planted in the grounds of Keele University, 2016
<i>Mahonia x media</i> (<i>lomariifolia</i> x <i>japonica</i>)	SJ84K, Ferndown Local Nature Reserve, 2017
<i>Malus baccata</i>	SJ92C, Creswell, 2004; street tree at another site, 2012
<i>Malva trimestris</i>	SJ94T, Blakeley Lane, 2002 SK00I, Brown Hills Nature Trail, 1991
<i>Matteuccia struthiopteris</i>	SK15F, Ilam Park, 2002 SJ80A, Patsull Park, 2003
<i>Matthiola longipetala</i>	SK20C, Tamworth, 2004
<i>Mauranthemum paludosum</i>	SJ95P, by Rudyard Reservoir, 2013
<i>Medicago sativa</i> nothossp. <i>varia</i>	SP08I, Bearwood, 2004 SO99I, Monmore, 1995
<i>Mentha x rotundifolia</i> (<i>lon</i> x <i>sua</i>)	SJ90E, Four Ashes, 2015 SK22L, Burton, 2010
<i>M. x villosonervata</i> (<i>lon</i> x <i>spi</i>)	SK05Z, nr Warslow, 2001 SO89M, Seisdon, 2007 SK12W, Tatenhill Common, 1999
<i>Miscanthus sinensis</i>	SO89R, Wombourne, 2007
<i>Narcissus x boutignyanus</i> (<i>po</i> x <i>mo</i>)	SP19U, Shirral Hall, 2017 SP19Z, Drayton Bassett, 2017
<i>N. x medioluteus</i> (<i>N. taz</i> x <i>poe</i>)	SO89R, Wombourne, 2002
<i>Nassella tenuissima</i>	SJ84X, Stoke, 2019 SO89R, Wombourne, 2015
<i>Nemesia strumosa</i>	SJ84N, Basford, 2013
<i>Nemophila menziesii</i>	SJ85F, High Carr, 2008
<i>Nicotiana forgetiana</i>	SJ84Y, Berry Hill, 2004 SO88S, Stourton, 2004
<i>N. x sanderae</i> (<i>ala</i> x <i>for</i>)	SO89L, Trysull, 2020 SO98M, Cradley Heath, 2005
<i>Oloptum miliaceum</i>	SJ84S, Stoke, 2019
<i>Onoclea sensibilis</i>	SK03R, Bramshall, 2002
<i>Osteospermum ecklonis</i>	SK22T, Stretton, 2007
<i>Oxalis rosea</i>	SJ91K, Hatherton, 2007 SK20L, E of Armitage, 2006 SK20M, W of Alvecote, 2007
<i>Panicum capillare</i>	SK00B, Little Bloxwich, 2003 SO89R, Wombourne, 2005
<i>Peperomia pellucida</i>	SP09G, Sandwell RSPB Reserve, 1996
<i>Petasites japonicus</i>	SO89R, Wombourne, 2006 SJ84K, Trentham Park, c. 2000
<i>Phalaris paradoxa</i>	SJ84Q, Trentham, 2014 & 2016
<i>Phedimus hybridus</i>	SJ90U, Bridgtown, 2003
<i>P. kamtschaticus</i>	SJ82V, near Newhaven Farm, 2006
<i>Phlomis fruticosa</i>	SJ85G, Kidsgrove, 2017
<i>Phlox paniculata</i>	SO98D, Brierley Hill, 2013
<i>Phygelius capensis</i>	SO99P, Wednesfield, 2017
<i>Physalis ixocarpa</i>	SK10H, E of Shenstone, 2007
<i>P. philadelphica</i>	SP09L, nr Garden Grove, 1999
<i>Physocarpus opulifolius</i>	SJ85B, W of Talke, 2017
<i>Phytolacca acinosa</i> group	SO99E, Wolverhampton, 2016 SJ92L, Walton-on-the-Hill, 2009 (1 st record since 1984) SJ92G, Cotonfields Allotments, Stafford, 2011 SJ80Z, Brewood, 2003 SO89R, Wombourne, 2002

<i>Pilosella flagellaris</i> s.s.	SJ83M, Swynnerton Army Training Area, 1988 SJ85W, Whitfield Chatterley Country Park, SJ85W, 2013 SO98I, Saltwells, 1999
<i>P. praealta</i>	SJ85W, Whitfield Chatterley Country Park, SJ85W, 2013
<i>P. x floribunda</i>	SK01G, Cannock Wood, 2008 & 2015
<i>Plantago arenaria</i>	SK11D, Netherton, 2014
<i>Poa chaixii</i>	SJ80A, Patshull Park, 1993
<i>Pontederia cordata</i>	SK00J, NW of Chasetown, 2015
<i>Populus nigra</i> 'Gigantea'	SJ72M, S of Knighton, 2017
<i>Potentilla norvegica</i>	SJ80A, Patshull Church, 1988
<i>Prunus persica</i>	SO88Z, Kingswinford, 2005 SO99D, Penn, 2006
\$ <i>Pulmonaria longifolia</i>	SK04I, Froghall Wharf, 1993
<i>P. 'Mawson's Blue'</i>	SJ80A, Patshull Church, 1994
<i>P. rubra</i>	SK14I, Stanton, 2017
<i>Pyracantha coccinea</i> x <i>rogersiana</i>	SJ85F, Red Street, 2009
<i>Reynoutria</i> x <i>bohemica</i> (jap x sac)	SJ80A, Church Dell, Patshull, 1984 & 2018
<i>Rhododendron</i> x <i>kosteranum</i>	SJ84H, Barnes Dell, Keele University, 2016
<i>Ribes odoratum</i>	SO88Y, Wordsley, 1987
<i>Rosa gallica</i>	SK00L, Latham's Bridge, 1991
<i>R. moyesii</i>	SJ85M, Kidsgrove, 2017
<i>R. virginiana</i>	SJ90A, Wolverhampton, 2015 SJ90A, Wolverhampton Racecourse, 2007; another site nearby, 2013
<i>Rosmarinus officinalis</i>	SP09G, Sandwell Valley Country Park, 2013 SO99S, E of Gospel Oak, 2007
<i>Rubus loganobaccus</i>	SP09B, West Bromwich, 2000
<i>R. parviflorus</i>	SK22G, Shobnall Road, 1987 SO89L, W. of Wombourne, 2002 SJ70V, Patshull Park, 2002 SJ80A, nr Patshull Church, 2002
<i>R. phoenicolasius</i>	SJ84Q, Trentham, 2012, but destroyed soon thereafter
<i>Ruscus hypoglossum</i>	SO89R, Wombourne, 2007
<i>Ruta graveolens</i>	SO88F, Blakeshall Common, 2005 SO89R, Wombourne, 2007 SO89Y, Penn, 2007
<i>Sagittaria latifolia</i>	SJ84C, nr Keele University, 2000
<i>Salix acutifolia</i>	SK00B, Little Bloxwich, 2002
<i>S. x forbyana</i> (cin x pur x vim)	SO98E, nr Pensnett Church, 2007 SO99D, Penn, 2006 SJ72Z, Jackson's Marsh, 2004 SK22I, Alder Moor, Rolleston, 1995 SK22M, Burton, 2002
<i>S. udensis</i>	SJ74Z, bank of Minnie Lake, 2016
<i>S. x mollissima</i> var. <i>undulata</i>	SJ81T, near Church Eaton, 2016
<i>Salvia nemorosa</i>	SJ94B, Longton Railway Station, 2015 (last seen: SK22L, Wetmoor Road, 1938)
<i>S. glutinosa</i>	SJ94J, near Wetley Moor, 2010
<i>S. reflexa</i>	SJ84M, Grosvenor, 1993
<i>S. sclarea</i>	SJ84Y, Hanley, in seed mix, 2016
<i>S. verticillata</i>	SO89R, Wombourne, 2005
<i>Sambucus canadensis</i>	SO99L, Coseley, 1987
<i>Santolina chamaecyparissus</i>	SP09F, Silvercroft Avenue, 1997 SK00J, 'Lemon Queen', established by light railway, Chasewater, 2015
<i>Saponaria ocymoides</i>	SO99V, post industrial site, Union Road, Oldbury, 2009 SJ92M, nr Hopton Pools Covert, 2004
<i>Sasaella ramosa</i>	SK03W, Uttoxeter, 2002
<i>Saxifraga</i> 'Arendsii'	SO89R, Wombourne, site 2000
<i>S. cuneifolia</i>	SP09A, nr Park Farm Country Park, 2000 SK03N, Fole, 2016 SK14M, Mayfield, 1997

<i>S. cymbalaria</i>	SJ82V, Wolverhampton, 2014 SO89R, Wombourne, 2006 SO99D, Allotments, Wolverhampton, 2009 SK04P, near Park Nook, 2019 SP08E, Smethwick, 1989 SJ80S, Watery Lane, 1996 SO98T, Terrace Street, 1987 SJ84R, near Hanford Roundabout, 2020 SJ83I, Upper Hatton, 1999 SJ90J, Four Ashes Bridge, 2015 SO78Q, Upper Arley, 2019 SJ92H, Stafford, 2014 SJ90Q, N of Willenhall, 2015 SO88Y, Wordsley, 2007 SO98E, Pensnett, 2008 SO88Y, Wordsley, 2007 SJ80A, Patshull Churchyard, 2003 SJ81A, Weston Park, 2003 SJ85H, Kidsgrove, 2003; another nearby site, 2013 SO89R, Wombourne, 2009 SO89V, Ham Lane, 2008 SP09G, Sandwell Valley, 1996 SK12G, Hoar Cross, 1987 SK12Z, Stonepit Hills, Fauld, 2004 SK20G, Amington, 2008 SJ74P, Betley, 1996 SJ91F, Peakridge, 1993 SK06D, N of Manor Farm, Dane Valley, 2020 SJ85W, Whitfield, 2007 SO89X, Penn, 2003 SP09T, NE of Pheasey, 2006 SO99M, Coseley, 2016 SO89L, Trysull, 2011 SJ84X, Fenton Manor, 2002 SO99Q, Rowley Regis, 1994 SJ84Q, Dairyfields, 1990 SJ84Q, Trentham, c.1998 SJ92G, Stafford, 2009 SO89R, Wombourne, 2000 SJ90K, Wednesfield, 2004 SO89R, Common Lane, 1987 SP09X, Banners Gate, 2006 SO89R, Wombourne, 2012 SO99Q, Sandwell, 1999 SO99R, Tipton, 1998 SJ74L, planted, Onneley, 2017 SO99E, planted, Wolverhampton, 1996 SJ85W, Whitfield, 2003 SJ85F, Red Street, 2009 SK00J, near Norton East, 2015 SJ92K, Walton-on-the-Hill, 2002 SJ84C, planted, Keele University campus, 2016 SO78Q, Nash Elm Wood, 1989 SJ74L, Onneley, 2017 SK20A, Two Gates, 2006 SO89J, near Pattingham, 2001 SO89R, Wombourne, 2004 SO99J, Wolverhampton, 2000 SJ74W, SE of Madeley, 2017 SJ84C, Barnes Dell, Keele University, 2016 SJ71R, Heath Hill, 2007 SJ80A, Patshull Park, 2003 SJ81A, Weston Park, 2003 SO89R, Wombourne, 2002 SP09X, Kingstanley, 2006
<i>Schizostylis coccinea</i>	
<i>Scorpiurus muricatus</i>	
<i>Scorzonera hispanica</i>	
<i>Scrophularia vernalis</i>	
<i>Scutellaria altissima</i>	
\$ <i>Sedum anglicum</i>	
<i>S. dasypHYLLUM</i>	
<i>S. kimnachii</i>	
<i>S. nicaeense</i>	
<i>S. praealtum</i>	
<i>Selaginella kraussiana</i>	
<i>Senecio x baxteri (squ x vul)</i>	
<i>Setaria italica</i>	
<i>Sicyos angulatus</i>	
<i>Silene chalcedonica</i>	
<i>Silybum marianum</i>	
<i>Sisyrinchium bermudiana</i>	
<i>S. californicum</i>	
<i>Smyrnium perfoliatum</i>	
<i>Solanum chenopodoides</i>	
<i>S. rostratum</i>	
<i>S. sarrachoides</i>	
<i>S. villosum</i>	
<i>Sorbaria kirilowii</i>	
<i>S. tomentosa</i>	
<i>Sorbus glabriuscula</i>	
<i>Spiraea alba</i>	
<i>S. canescens</i>	
<i>S. douglasii</i> ssp. <i>menziesii</i>	
<i>S. x vanhouttei</i>	
<i>Staphylea pinnata</i>	
<i>Symphytum caucasicum</i>	
<i>Tagetes erecta</i>	
<i>T. patula</i>	
<i>Tiarella cordifolia</i>	
<i>Trachystemon orientalis</i>	
<i>Tradescantia virginiana</i>	

<i>Tragopogon pratensis</i> ssp. <i>pratensis</i>	SO98I, Saltwells NR, 1998
<i>Trifolium alexandrinum</i>	SJ84Q, Trentham, 2008
	SJ94M, Tickhill, 2001
\$ <i>T. scabrum</i>	SO89L, Wombourne, 2002
	SO89R, Wombourne, 2012
<i>Triteleia laxa</i>	SJ90H, Brinsford, 2021
<i>Trigonella foenum-graecum</i>	SP09F, nr Handsworth, 1997
	SP09Q, Witton, 2005
<i>Triticum turgidum</i>	SO89R, Wombourne, 2005
	SO98E, Brierley Hill, 2006
	SO99G, Sedgley, 2008
<i>Tulipa tarda</i>	SJ94W, Brookhouses, 2003
\$ <i>Ulmus minor</i>	SJ74Z, Bateswood Open Space, 1999
	SJ92L, E of Stafford, 1999
	SJ95W, Cheddleton Heath, 1999
<i>Urtica membranacea</i>	SJ85V, Ford Green Road, Smallthorne, 2016
<i>Vaccaria hispanica</i>	SO89R, Wombourne, 2006
<i>Valeriana pyrenaica</i>	SK04H, Hawkmoor Wood, 2007
	SK04S, Star Wood, c1997 & 2016
<i>Verbascum phoeniceum</i>	SO89L, Wombourne, 2015
<i>V. virgatum</i>	SJ95U, Sprink Wood, 1998
	SO89M, Seisdon Sand Pit, 2002
	SP09G, Sandwell Valley, 2004
<i>Veronica crista-galli</i>	SO89Y, Highfields School, 1992
	SO99D, Allotments SW of Wolverhampton, 2009
\$ <i>V. spicata</i>	SP09S, Queslett, 2013
	SJ91Y, White House Car Park, 2001
	SK04U, Cauldon, 2007 & 2011
	SO89M, Trysull Sand Pit, 2002
<i>V. teucrium</i>	SK04U, Honey Holes, 1991
<i>Viburnum trilobum</i>	SJ84S, Hem Heath, 2007
	SJ84W, Mount Pleasant, 2007
<i>Viola labradorica</i>	SJ91H, Penkridge, 2007
<i>Visnaga daucoides</i>	SO88Y, Wordsley, 2007
	SP09G, Sandwell, 1996 (now a regular constituent of amenity seed mixes sown on verges, waste ground, etc.)
<i>Yushania anceps</i>	SJ84Q, near Ash Green, 2019
<i>Zantedeschia aethiopica</i>	SK03H, Withington, 2002
<i>Zea mays</i>	SP09W, S of Kingstanding, 2006 (Now widespread as a crop plant)

b) Pre-1987

<i>Acaena novae-zelandiae</i>	SK05Y, Wetton Mill, 1975
<i>Adonis aestivalis</i>	SK22-, Burton, 1931
<i>Aegilops triuncialis</i>	SK22-, Burton, 1929
<i>Agrostemma githago</i>	SJ83G, Nelson Hall, 1947 (several more recent records result from seed-sowing)
<i>Alkanna lutea</i>	SK22-, Burton, 1928
<i>Allium sativum</i>	SJ92-, Gayton Meadows, 1885
<i>Alyssum alyssoides</i>	SK04X, Weaver Hills, 1903
<i>A. montanum</i>	SK22-, Burton, 1926
<i>Amaranthus quitensis</i>	SO89R, Giggetty, 1984
<i>Ambrosia trifida</i>	SO99-, West Bromwich, 1948
<i>Anacyclus clavatus</i>	SK22-, Burton, 1930
<i>A. radiatus</i>	SK22-, Burton, 1930
<i>A. valentinus</i>	SK22-, Burton, 1930
<i>Anemone coronaria</i>	SK22-, Burton, 1930
<i>A. ranunculoides</i>	SK22L, Stapenhill Vicarage, c1890
<i>Anisantha rubens</i>	SK22-, Burton, 1931
<i>A. tectorum</i>	SK22-, Burton, 1931

<i>Anthemis altissima</i>	SK22-, Burton, 1944
<i>Anthoxanthum aristatum</i> ssp. <i>puelii</i>	SK22-, Burton, 1929
<i>Arenaria balearica</i>	SJ84G, Shutlanehead, 1966
<i>Aristolochia clematitis</i>	SK04M, Oakamoor, 1903
<i>Artemisia biennis</i>	SJ84-, Stoke, 1932
<i>Asperugo procumbens</i>	SJ84T, North Street, Stoke, 1922
<i>Asperula arvensis</i>	SJ84G, Harrowby Drive, 1970
<i>Asphodelus fistulosus</i>	SK22-, Burton, 1929
<i>Astragalus boeticus</i>	SK22-, Burton, 1929
<i>A. cicer</i>	SK22-, Burton, 1940
<i>Atriplex portulacoides</i>	SK04M, Oakamoor, 1906
<i>A. tatarica</i>	SK22-, Burton, 1928
<i>Avena strigosa</i>	SO89M, Trysull, 1879
<i>Axyris amaranthoides</i>	SJ91-, Brocton Camp, 1914
<i>Bidens subalternans</i>	SO89Q, Himley, 1983
<i>Blitum virgatum</i>	SJ80-, nr Patshull, 1917
<i>Brachypodium hybridum</i>	SJ84G, Harrowby Drive, 1971
<i>Bromus arvensis</i>	SK22-, Burton, 1926
<i>B. hordeaceus</i> ssp. <i>molliformis</i>	SK22-, Burton, 1946
<i>B. squarrosum</i>	SK22-, Burton, 1931
<i>Bunias erucago</i>	SK22-, Burton, 1931
<i>B. orientalis</i>	SK22-, Burton, 1938
<i>Calendula arvensis</i>	SK22-, Burton, 1929
<i>Carthamus lanatus</i>	SK22-, Burton, 1946
<i>C. tenuis</i>	SK22-, Burton, 1929
<i>Caucalis platycarpos</i>	SK22-, Burton, 1931
<i>Centaurea aspera</i>	SK22-, Burton, 1929
<i>C. calcitrapa</i>	SK22-, Burton, 1930
<i>C. diluta</i>	SJ84G, Harrowby Drive, 1970
<i>C. hyalolepis</i>	SK22-, Burton, 1937
<i>C. jacea</i>	SO99L, Tipton, 1923
<i>C. melitensis</i>	SK22-, Burton, 1944
<i>C. nicaeensis</i>	SK22-, Burton, 1930
<i>C. triumfetti</i>	SK22-, Burton, 1928
<i>C. verutum</i>	SK22-, Burton, 1944
<i>Cerinthe glabra</i>	SK22-, Burton, 1907
<i>C. minor</i>	SK22-, Burton, 1930
<i>Chenopodium berlandieri</i>	SK22-, Burton, 1930
<i>C. desiccatum</i>	SK22-, Burton, 1926
<i>C. opulifolium</i>	SO99-, West Bromwich, 1948
<i>C. strictum</i>	SK22-, Burton, 1930
<i>C. sueicum</i>	SK22-, Burton, 1908
<i>C. vulvaria</i>	SK22-, Burton, 1930
<i>C. x borbasii</i>	SK22-, Burton, 1929
<i>Chorispora tenella</i>	SK22-, Burton, 1930
<i>Conringia austriaca</i>	SK22-, Burton, 1930
<i>Convolvulus althaeoides</i>	SK22-, Burton, 1944
<i>C. pentapetaloides</i>	SK22-, Burton, 1938
<i>C. tricolor</i>	SK22-, Burton, 1928
<i>Coriandrum tordylium</i>	SK22-, Burton, 1930
<i>Coronilla scorpioides</i>	SK22-, Burton, 1928
<i>Crambe cordifolia</i>	SO99J, Horsey Fields, 1975
<i>Crucianella angustifolia</i>	SJ84G, Harrowby Drive, 1970
<i>Cynosurus echinatus</i>	SK22-, Burton, 1935
<i>Diplotaxis erucoides</i>	SK00D, School Lane, 1971
<i>Dracocephalum parviflorum</i>	SK22-, Burton, 1929
<i>Echium italicum</i>	SK22-, Burton, 1928
<i>Emex spinosa</i>	SK22-, Burton, 1938
<i>Epimedium alpinum</i>	SJ93B, Stone, 1883
<i>Erucaria hispanica</i>	SK22-, Burton, 1929

<i>Falcaria vulgaris</i>	SK22-, Burton, 1944
<i>Fragaria moschata</i>	SK02A, Little Haywood, 1957
<i>Fumaria agraria</i>	SK22-, Burton, 1936
<i>Galium spurium</i>	SK22-, Burton, 1951
<i>G. verrucosum</i>	SK22-, Burton, 1930
<i>Gastridium ventricosum</i>	SK22-, Burton, 1946
<i>Geranium x monacense</i>	SJ83X, Meaford, 1920
<i>Geropogon hybridus</i>	SJ84G, Harrowby Drive, 1970
<i>Gilia achilleifolia</i>	SK22-, Burton, 1926
<i>G. capitata</i>	SK00-, Aldridge, 1929
<i>Glaucium corniculatum</i>	SK22-, Burton, 1941
<i>G. flavum</i>	SK22-, Burton, 1929
<i>Glycine max</i>	SJ84G, Harrowby Drive, 1970
<i>Hemizonia kelloggii</i>	SK22-, Burton, 1926
<i>H. pungens</i>	SK22-, Burton, 1945
<i>Hibiscus trionum</i>	SO89R, Common Lane, 1984 (destroyed by 1987)
<i>Hippocrepis unisiliquosa</i>	SK22-, Burton, 1938
<i>\$ Hordeum marinum</i>	SK22-, Burton, 1931
<i>Iberis odorata</i>	SK22-, Burton, 1929
<i>Ipomoea purpurea</i>	SK22-, Burton, 1944
<i>Lallemantia iberica</i>	SK22-, Burton, 1929
<i>Lappula squarrosa</i>	SK22-, Burton, 1926
<i>Lathyrus annuus</i>	SK22-, Burton, 1938
<i>L. gorgoni</i>	SK22-, Burton, 1944
<i>L. hierosolymitanus</i>	SK22-, Burton, 1939
<i>L. ochrus</i>	SK22-, Burton, 1930
<i>L. tuberosus</i>	SK22L, Wetmore Road, 1946
<i>Lavatera punctata</i>	SK22-, Burton, 1938
<i>Lepidium draba</i> ssp. <i>chalepense</i>	SK22-, Burton, 1947
<i>L. lasiocarpum</i>	SK22-, Burton, 1930
<i>L. perfoliatum</i>	SK22-, Burton, 1941
<i>L. virginicum</i>	SK22-, Burton, 1944
<i>Leucojum vernum</i>	SO99E, Wolverhampton, 1956
<i>\$ Linum perenne</i> ssp. <i>anglicum</i>	SK00K, Aldridge, 1901
<i>Lolium rigidum</i>	SJ84G, Harrowby Drive, 1970
<i>Lupinus albus</i>	SK22-, Burton, 1927
<i>Lythrum junceum</i>	SJ84G, Harrowby Drive, 1970
<i>Malva nicaeensis</i>	SK22-, Burton, 1939
<i>M. setigera</i>	SK22-, Burton, 1931
<i>Mantisalca salmantica</i>	SK22-, Burton, 1929
<i>Matricaria aurea</i>	SK22-, Burton, 1929
<i>Matthiola incana</i>	SJ90W, Bloxwich, 1976
<i>Medicago blancheana</i>	SK22-, Burton, 1944
<i>M. laciniata</i>	SK22-, Burton, 1944
<i>M. truncatula</i>	SK22-, Burton, 1940
<i>M. turbinata</i>	SK22-, Burton, 1938
<i>Melilotus infestus</i>	SK22-, Burton, 1928
<i>M. sulcatus</i>	SJ84G, Harrowby Drive, 1971
<i>Mitella diphylla</i>	SJ84-, Stoke, 1844
<i>Myagrum perfoliatum</i>	SK22-, Burton, 1929
<i>Neslia paniculata</i>	SK00I, Brownhills, 1985
<i>Notobasis syriaca</i>	SK22-, Burton, 1937
<i>Oenothera laciniata</i>	SK22-, Burton, 1929
<i>O. sinuata</i>	SJ84-, Gipsy Lane, Stoke, 1933
<i>Omphaloides verna</i>	SK15F, Ilam, 1799
<i>Oncosiphon suffruticosum</i>	SK22-, Burton, 1930
<i>Onobrychis caput-galli</i>	SK22-, Burton, 1938
<i>O. crista-galli</i>	SK22-, Burton, 1946

<i>Onopordum illyricum</i>	SK22-, Burton, 1930
<i>O. tauricum</i>	SK22-, Burton, 1929
<i>Papaver bracteatum</i>	SP09E, Walsall, 1931
<i>Pennisetum glaucum</i>	SK08H, 26 St Mary's Road, 1942
<i>Petrorhagia prolifera</i>	SK04M, Oakamoor, 1906
<i>Phacelia ciliata</i>	SK22-, Burton, 1921
<i>P. parviflora</i>	SK22-, Burton, 1924
<i>Phalaris aquatica</i>	SK22-, Burton, 1931
<i>P. minor</i>	SK22-, Burton, 1931
<i>Physalis peruviana</i>	SK22-, Burton, 1946
<i>Plantago lagopus</i>	SK22-, Burton, 1928
<i>Polygonum bellardii</i>	SK22-, Burton, 1928
<i>Proboscidea louisianica</i>	SK22-, Burton, 1937
<i>Prunus dulcis</i>	SO99D, Merridale cemetery, 1981 (Sandon Hall, garden, SJ92P, 1991)
<i>Pseudognaphalium undulatum</i>	SO89Q, Himley, 1983
<i>Raphanus raphanistrum</i> ssp. <i>landra</i>	SK22-, Burton, 1930
<i>Rhagadiolus stellatus</i>	SK22-, Burton, 1946
<i>Ricinus communis</i>	SK22-, Burton, 1944
<i>Roemeria hybrida</i>	SK22-, Burton, 1930
<i>Rumex dentatus</i>	SK05-, Manifold Valley, 1925
<i>R. obovatus</i>	SK22-, Burton, 1930
<i>R. obtusifolius</i> var. <i>microcarpus</i>	SK22N, Rolleston, c1900
<i>R. patientia</i>	SK22-, Burton, 1929
§ <i>R. pulcher</i>	SK22-, Burton, 1901
<i>R. salicifolius</i>	SK22-, Burton, 1929
<i>Salix x capreola</i> (cap x aur)	SK22-, Tatenhill, 1889
<i>Salvia aethiopis</i>	SK22-, Burton, 1930
<i>Salsola kali</i>	SK22-, Burton, 1928
<i>Schkuhria pinnata</i>	SO89Q, Himley, 1983
<i>Scolymus hispanicus</i>	SK22-, Burton, 1944
<i>Scorpiurus vermiculatus</i>	SJ84G, Harrowby Drive, 1971
<i>Senecio pterophorus</i>	SO89Q, Himley, 1983
<i>S. sarracenicus</i>	SJ84P, Wolstanton, 1878
<i>S. x viscidulus</i> (syl x vis)	doubtfully at SK11D, King's Bromley, 1984
<i>Sideritis montana</i>	SK22-, Burton, 1929
<i>S. romana</i>	SJ84-, Stoke, 1932
<i>Silene conoidea</i>	SK22-, Burton, 1930
<i>S. dichotoma</i>	SK22-, Burton, 1928
<i>S. italica</i>	SK22-, Blanchford St., 1907
<i>S. muscipula</i>	SK22-, Burton, 1929
<i>Sisymbrium irio</i>	SK22-, Burton, 1928
<i>Sorghum halepense</i>	SO89R, Giggetty, 1984
<i>Stachys annua</i>	SK04-, Cheadle, 1839
<i>Tagetes minuta</i>	SO89Q, Himley, 1983
<i>Tetragonolobus purpureus</i>	SK22-, Burton, 1928
<i>Thelypodium lasiophyllum</i>	SK22-, Burton, 1946
<i>Torilis leptophylla</i>	SK22-, Burton, 1938 and, possibly, 1944
<i>Tribulus terrestris</i>	SK22-, Burton, 1937
(<i>Trifolium aureum</i>	SK04V, nr Denstone, 1876: a probable error)
<i>T. nigrescens</i>	SK22-, Burton, 1930
<i>Trigonella arabica</i>	SK22-, Burton, 1938
<i>T. aurantiaca</i>	SK22-, Burton, 1943
<i>T. procumbens</i>	SK22-, Burton, 1930
<i>Tripleurospermum decipiens</i>	SK22-, Burton, 1928
<i>T. disciforme</i>	SK22-, Burton, 1930
<i>Turgenia latifolia</i>	SK13E, Rocester, 1907
<i>Valerianella eriocarpa</i>	SK04B, Cheadle, 1844
<i>Veronica peregrina</i>	SK10E, Lichfield, 1844
<i>Vicia benghalensis</i>	SJ84Q, Trentham, 1982 SK22-, Burton, 1944

<i>V. hybrida</i>	SO99N, Bilston, 1977
<i>V. monantha</i>	SK22L, Burton, 1946
<i>V. narbonensis</i>	SK22-, Burton, 1944
<i>V. peregrina</i>	SK22-, Burton, 1930
<i>V. pubescens</i>	SK22-, Burton, 1930
<i>Vulpia ligustica</i>	SK22-, Burton, 1931
<i>Wiedemannia orientalis</i>	SK22-, Burton, 1928
<i>Xanthium spinosum</i>	SO89Q, Himley, 1983