

County Rare Plant Register, 2017

Contents

Introduction	2
Main List	
a) <u>Red List Categories</u>	
Critically Endangered	3
Endangered	3
Vulnerable	5
Data Deficient	9
Near Threatened	9
Waiting List	12
b) <u>Other Categories</u>	
Nationally Rare Species	12
Nationally Scarce Species	13
Supplementary List	
Locally Rare Species	16
Locally Scarce and Declining Species	19
Last Sightings of Probably Extinct Natives	19
Rare Significant Non-Natives	21
Appendix	
<i>Hieracium</i> Species	22
<i>Rubus fruticosus</i> agg.	23
<i>Taraxacum</i> Species	24
Last Sightings of Uncommon Non-Natives	
a) Post-1986	27
b) Pre-1987	35

Introduction

The records in these lists are given, where possible, to a tetrad level. When insufficient information to do this is available, and the reference is to hectad accuracy, a dash is used (as in "SK22-").

A survey took place from 1998 to 2008 (-2011) for the county *Flora* published in 2011. As a result of further recording, in subsequent seasons, it is intended to revise the *Register* annually. The list incorporates the changes in classification published in *A Vascular Plant Red List For England* (2014). Names are according to Stace, C.A. *New Flora of the British Isles*, Edn 3 (2010).

Initially, the largest source of data was the vast card index system produced and maintained by Bryan Fowler, V.C. Recorder for many years up to 1998. Work by members of the Flora Group and species lists from Staffordshire Wildlife Trust Reserves raised the total number of records very considerably. Local Authority & Wildlife Trust surveys from 1995 onwards have produced another large database; this has also been consulted. Mike Poulton has passed on many lists from Birmingham & The Black Country; Bill Thompson from tetrads shared with Worcestershire. Much additional information and advice has been provided by members of the Flora Group Committee, Alex Lockton (BSBI Co-ordinator), Ian Trueman and Elaine Radford. David McCosh (*Hieracium*), David Earl (*Rubus*) and Bert Read (*Taraxacum*) have provided much data and expertise, which allowed massive revisions of these genera (in the Appendix). Individuals continue to work enthusiastically and the total number of records entered on to the BSBI Distribution Database has now reached more than 560,000.

I am very grateful for the help of all these recorders and experts and to the staff of The Wildlife Trust and at The Potteries Museum for their advice and for allowing me access to their records. Ian Hopkins has provided much guidance and many record updates based on his own unrivalled knowledge of the Staffordshire flora. I am also indebted to him for pointing out a large number of errors and omissions in the draft documents.

References

BSBI Website *New Lists of British Rare Plants* (2005); *Checklist of British & Irish Plants* (2007)
Cheffings, C. and Farrell, L. *The Vascular Red Plant Data List for Great Britain* (2005).

Joint Nature Conservation Committee

Clement, E.J. and Foster, M.C. (1994) *Alien Plants of the British Isles*. BSBI

Dudman, A.A. and Richards, A.J. (1997) *Dandelions of Great Britain and Ireland*. BSBI

Edees, E.S. (1972) *Flora of Staffordshire*. David and Charles (and his additional unpublished notes, mainly pertaining to aliens, which are stored at the Potteries Museum)

Edees, E.S. and Newton, A. (1988) *Brambles of the British Isles*. The Ray Society

Hawksford, J.E. and Hopkins, I.J. (2011) *The Flora of Staffordshire*. Staffordshire Wildlife Trust

Hopkins, I.J. (1985) *Staffordshire Flowering Plants and Ferns*. Stoke-on-Trent City Museum and Art Gallery

Jones, V. (2014) *Yorkshire Hawkweeds*. Yorkshire Naturalists' Union.

Newton, A. and Randall, R.D. (2004) *Atlas of British and Irish Brambles*. BSBI.

Perring, F.H. and Walters, S.M. (1976) *Atlas of the British Flora*, Edn 2. EP Publishing

Perring, F.H. (1968) *Critical Supplement to the Atlas of the British Flora*. Thomas Nelson and Sons

Preston, C.D., Pearman, D.A. and Dines, T.D. (2002) *New Atlas of the British & Irish Flora*. Oxford

Ryves, T.B., Clement, E.J and Foster, M.C. (1996) *Alien Grasses of the British Isles*. BSBI

Sell, P. and Murrell, G. *Flora of Great Britain and Ireland*, Volume 3 (2009), Volume 4 (2006) and Volume 5 (1996). Cambridge University Press

Stace, C.A. (2010) *New Flora of the British Isles*, Edn 3. Cambridge University Press

Stace, C.A. et al (2003) *Vice-County Census Catalogue of the Vascular Plants of Great Britain*. BSBI

Stewart, A., Pearman, D.A. and Preston, C.D. (1994) *Scarce Plants in Britain*. JNCC

Stroh, P.A. et al (2014) *A Vascular Plant Red List For England*. BSBI

Trueman, I., Poulton, M. and Reade, P. (2013) *Flora of Birmingham and the Black Country*.

Pisces Publications

John Hawksford, February 2017

Main List

a) Red List Categories

Critically Endangered

Campanula patula SO78V, Upper Arley, 1990

{There are older records for the following (the most recent records are given):

Bupleurum rotundifolium SJ84L, Ferndown Nature Reserve, in a strip seeded with arable weed spp., 2010
SJ84S, North Street, Stoke, 1922
Chenopodium urbicum SJ93-, nr Hilderstone, 1912
Damasonium alisma SJ83R, Yarnfield, 1860: a doubtful record}
Lysimachia thyrsifolia SK12H, Holly Bush Park, 1984 (first recorded at this site in 1952)

{There are casual or introduced records for the following:

Carum carvi SK00M, Clayhanger, 1991
Galeopsis angustifolia SO91U, Brocton, 1969; SK00J, Chasewater, 2002
Lolium temulentum SJ84G, Harrowby Drive, 1970
possibly SJ95A, Stockton Brook, 1982
Mentha pulegium SJ85T, Newpool Meadows, 2012 & 2013
SK22G, Shobnall, 2007
SK00E, W of Bleak House, 2002 & colliery spoil, Norton Canes, 2016
SK02M, Blithfield Reservoir, 2003
SK04F, Croxden Gravel Quarry, 2002
SO99I, Wolverhampton SE, 2006
SO99K, Brewery Field Allotments, Dudley, 2000
Veronica triphyllus SK04M, Oakamoor, 1906}

Phyllitis scolopendrium x Asplenium trichomanes (X Asplenophyllitis confluens) was found on a wall in Leek, SJ95Y, in 2000. It was the first British record since the 19th century and the most southerly site, but was stolen a few months later.

Endangered

Anthemis arvensis SJ84A, Whitmore (two sites, 1995 & 96): introduced

SJ84L, Ferndown Nature Reserve, 2010: introduced

SJ91H, between The Whittamoors and Lower Drayton, 2007

SJ95B, roadside, Stockton Brook, 1997

SK01A, Heath Hayes, 2007: introduced

SK12K, Yoxall, 2001

SO99D, Phoenix Park, S. of Wolverhampton, 2008: introduced

SO99Y & SO99T, canal bank near Darlaston, 2010, introduced

Centunculus minima **SO88M, The Million, 2009**

SO88N, The Million, 2009

Chenopodium murale **SJ81Q, Belvide, 1995**

Euphrasia officinalis ssp. anglica **SJ96T, between Ludchurch & Back Dane, 2005**

SK05Q, Crowtrees, 2000

SK06G, Morridge, 2014

SK06J, Drystone Edge, 2003

SK06K, Fleet Green, 1998

SK06M, Pyeclough, 1998

SO77U, Seckley Wood, 2014

Euphrasia pseudokernerii **SK0956, SW slope of Wetton Hill, Manifold Valley, 2016**

Gentianella campestris **SK06N, nr Colshaw, 2001 (known here since 1982); possibly still present in 2006, but not seen since**

Gnaphalium sylvaticum **SO88G, Kinver Edge, 2014**

SO88I, The Million, 2000

<i>Hieracium subprasinifolium</i>	SK15G, Hall Dale, 1964 SK15H, Hall Dale, 2007
<i>Hypopitys monotropa</i> ssp. <i>hypophegea</i>	SJ84I, Whitebarn, 1996 SJ84J, W of Chesterton, 2011 SJ84X, Mount Pleasant, 2006 SJ85K, near Tunstall, 2012 SJ94H, Park Hall Country Park, 2015 SK01H, Cannock Chase, 2003 SK04F, Croxton Sand & Gravel Pit, 2003 SO98J, Fens Pools, 2016 SO99I, Bilston, 1997 SO99J, Wolverhampton, 2016
<i>Papaver argemone</i>	SJ82Y, Bridgeford Hall, 2001 SJ90B, Ford Houses, 2002 SJ91H, nr Wood Bank, 2007 SJ91K, nr Mansty Wood, 2007 SJ91T, nr Spring Slade, 2001 SJ91X, nr Huntingdon Belt, 2004 SJ92F, near Wildwood, 2014 SJ92K, nr Weeping Cross (two sites), 1996 & 2002 SJ93A, Acton-by-Stone, 2014 SJ93F, between Acton-by-Stone and Burston, 2014 SK00X, nr Lynn, 2002 SK01J, nr Rugeley, 2008 SK01V, nr Farewell, 2008 SK11D, NW of Nethertown, 1999 SK12F, Forest Covert, 1996 SO89G, Castle Hill, 1995 SO89L, W of Wombourne, 2002 SO99E, Bell Place, 2002 SP09T, Pheasey, 2006
<i>Platanthera bifolia</i>	SK05U, Swallow Moss, present annually up to and including 2015
<i>Potamogeton compressus</i>	SJ92W, Shugborough Park, 2013
<i>Scleranthus annuus</i>	SK22G, Old River Dove, 2000 SJ91K, N of Hatherton, 2007 SK00T, S of Hammerwich, 2007 SO88S, Dunsley Bank, 2012 SO89I, S of Pattingham, 2011 SO89L, Trysull, 2002

{There are old records for the following (the most recent records are given):

<i>Adonis annua</i>	SJ83H, Nelson Hall, Swynnerton, 1947
<i>Campanula rapunculus</i>	SO88I, Enville, 1879
<i>Cephalanthera longifolia</i>	SJ71T, Moreton Moors, pre-1798, was almost certainly an error for <i>Epipactis palustris</i>
<i>Dianthus armeria</i>	SK10E, Lichfield, 1901
<i>Drosera anglica</i>	SJ91U, Oldacre Valley, 1970
<i>Dryopteris cristata</i>	SJ92L, Kingston Pool, 1888
<i>Euphrasia micrantha</i>	SK15-, Alstonfield, c. 1895
<i>Illecebrum verticillatum</i>	SJ82-, nr Ranton Abbey, 1878: a likely error
<i>Lycopodiella inundata</i>	SJ72Z, Offleyhay, 1844
<i>Minuartia hybrida</i>	SK15D, Wetton Hill & SK15G, Hall Dale: both 1947
<i>Neotinea ustulata</i>	SK04Y, Wootton, 1909
<i>Potamogeton praelongus</i>	SJ86V, Biddulph, 1982
<i>Pyrola media</i>	SO98M, Cradley Park, 1817 is likely to have been <i>P. minor</i>
<i>Scandix pecten-veneris</i>	SK14-, Okeover, 1951 (SJ84G, Harrowby Drive, 1970: bird seed alien)
<i>Silene gallica</i>	c. SO89B, between Hillend and Seisdon, 1954
<i>Turritis glabra</i>	SO90B Wolverhampton, 1993,
<i>Valerianella dentata</i>	SK05Y, Sugarloaf, 1946
<i>Valerianella rimosa</i>	SJ73I, Mucklestone, 1951}

{There are casual or introduced records for the following:

<i>Adonis annua</i>	SO89R, Wombourne, 2004
<i>Fumaria vaillantii</i>	SK22-, Burton, 1940: introduced
<i>Hieracium prenanthoides</i>	SO99F, Wren's Nest N.R., 1992 is likely to have been introduced
<i>Lithospermum arvense</i>	SJ84L, Ferndown Nature Reserve, 2010
<i>Lythrum hyssopifolia</i>	SJ92G, Cotonfields Allotments, 2003
<i>Phyteuma spicatum</i>	SJ84G, Harrowby Drive, 1971
<i>Ranunculus arvensis</i>	SK22G, Burton, 1971
<i>Silene conica</i>	SO78Z, Four Ashes Hall, 1942
<i>Torilis arvensis</i>	SJ84L, Ferndown Nature Reserve, 2010; SJ84Q, Dairyfields, c1998; SK09J, Limepits Farm, Walsall, 2006 & 2007
<i>Veronica verna</i>	SK22-, Perton, 1901
	SK22-, Peel's Cut, 1902}

Vulnerable Species

Anacamptis morio

(SJ90R, Ashmore Park, 2004 & 2007: introduced in a spread of meadow hay)
(SJ82W, Derrington Meadow: seeded from SJ90R site)

SK01C, Furnace Coppice, Cannock Chase, 2014

SO77P, Buttonoak, 1996

Anthemis cotula

Reduced to 27 post-1994 tetrads

Apium inundatum

SJ90V, W of Dudley Fields, 2008

SJ90W, NW of Wallington Heath, 2004

SJ90X, SW of Landywood, 2003

SK00I, Brownhills Common, 2010

SK00J, E of Chasewater, 2010

SK03D, W of Checkley, 1996

SJ96W, below The Roaches, 1998

SK05B, site details unknown, 1999

SK05K, SW of Winkhill, 1998

SK05L, S of Onecote, 2006

SK06L, NW of Noon Sun, 2015

SK14D, NW of Stanton, 2003

SK15A, NE of Calton, 2002

SK16B, N W of Sheen, 2004

Carex diandra

SJ74Y, Walton's Wood, c.1997: a very doubtful record

Carex vesicaria

SJ72Q, Aqualate Mere, 2013

SJ73H, Hales Estate, 2010

SJ83X, Trent Wood, 2014

SJ92D, E of Whitgreave, 2005

SK10E, Beacon Park, 2013

SK10Y, canal, N of Hopwas, 2005

SJ73G, E of Chipnall Mill, 1995

SJ73Q, Blorepope Meadows, 2005

SJ73S, Gerrard's Bromley, 2004

SJ74J, site details unknown, 1997

SJ74N, Betley Mere, 2005

SJ81G, Mottey Meadows, 2007

SJ84H, E of Keele, 2016

SJ85B, W of Dunkirk, 2007

SJ92J, W of Sandon, 1998

SJ95N, Narrowdale, 2009

SK14E, NW of Swinscoe, 1996

SJ80M, Chillington Estate, 2002

SJ80R, nr Codswall, 2000

SJ80S, Gunstone, 2013

SJ80U, Brewood, 2002

SJ81F, nr Blymhill Lawns, 2003

SJ84C, Keele University Campus, 2012

SJ84S, Keele, 2011

SJ85A, 1999

	SJ92B, Stafford Castle, 2003 SJ95J, NW of Rudyard, 2005 SJ95T, Bridge End, 1997 SK05L, nr Pethillshead, 2002 SK11J, Morrey, 2003 SK11T, Wychnor, 2002 SK11U, Barton Gate, 2003 SK12K, 2003 SK12Q, W of Dunstall, 2003 SK14P, nr Coldwall Bridge, 2008 SK15B, W of Beeston Tor Farm, 2002 & 2009 SK15E, 1999 SK15K, Bunster Hill (East), 2002 SK15N, 2009 SK22N, Stretton, 2006 SK22P, N of Rolleston on Dove, 2008 SK22R, Winshill, 2005 SO88T, nr Lawns Wood, 2003 SO89T, NW of Langley Hall Farm, 2000 SO98U, Rowley Regis, 2011 SP09S, Queslett, 2002 SP29E, Dosthill, 2009 SJ84X, Stoke, 2006 SK22J, E of Tutbury, 2006 SK22G, Burton, 1992 & 2006 SO98Z, Langley, 2003
<i>Chenopodium glaucum</i>	
<i>Cichorium intybus</i>	Present in 32 tetrads; often introduced
<i>Clinopodium acinos</i>	SK05X, near Wetton, 2009; another site, 2010 SK05Y, W of Wetton Mill, 2014; still present by limestone outcrops near Nan Tor overlooking Wetton Mill, 2016 SK05Z, Ecton, 1997 SK15C, Beeston Tor, 2009 (and near Wetton) SK15G, Hall Dale, 2009 (in a few places) SK15K, Bunster Hill, 2009 (in a few places) SK15L, Hall Dale, 2000 SK04T, Rue Hill, 2008 SK04U, Caldon Low, 2013 SK04Y, Rue Hill, 2008; another site, 2010 & 2016 SK04Z, Caldon Low Quarry, 2008 SK14D, Thorswood Nature Reserve, 2011 SK14E, Dale Tor, 2008
<i>Coeloglossum viride</i>	Still known from 56 tetrads Decreasing: found in 23 tetrads
<i>Eriophorum angustifolium</i>	SJ95S, Ladder Edge, 2001
<i>Euphrasia confusa</i>	SJ72W, Woodseaves, 2013
<i>E. officinalis</i> ssp. <i>pratensis</i>	SK01B, Hednesford, 2007
<i>Euphorbia exigua</i>	SO98P, Tansley Hill, 2008
<i>Galeopsis speciosa</i>	SJ72Y, 1999 SJ74N, Cracow Moss, 1996 SJ74R, Madeley Manor, 1995 SJ80V, Stockwell Heath, 2000 SJ80W, W of Pendeford, 2002 SJ84R, Trent Vale, Stoke, 1995 SJ85B, Dunkirk, 2004 SJ90Z, 1997 SK06J, Drystone Edge, 2015 SK11R, Fradley, 2003 SP09B, Sandwell Valley, 2005
<i>Glebionis segetum</i>	known from 56 tetrads, post-1994: SJ72Y, 74V, 80V, 83S, 84A, 84G, 84Q, 84Y, 85K, 85M, 85Q, 91E, 91V, 92B, 92G, 92H, 92Q, 94H, 95B, 95G, 95T; SK00S, 01A, 01H, 01J, 01S, 01T, 01Y, 02M 03V, 10G, 11D, 11I, 11L, 11M, 11R, 12K; SO88L, 88S, 88T, 88V, 89E, 89F, 89G, 89H, 89K, 89M, 89Q, 89R, 89L, 89R; SO89W, 89Z, 98C, 99D, 99L, 99T, 99V & SP09P. The situation is complicated by the fact that the species is now a regular constituent of seed mixes sown on verges, waste ground and amenity areas. Many of the records will be from such a source.

<i>Hottonia palustris</i>	SJ72K, W of Aqualate Mere, 2005 SJ72Q, Aqualate Mere, 2005 SJ75K, Balterley Heath, 2005 SJ93Z, NE of Newton, 2000 SK11U, site details unknown, 2003 SK20B, Tamworth, 2010
<i>Hydrocharis morsus-ranae</i>	SJ93J, edge of Rough Close Pond, 2015 SK02K, Stockwell Heath, 1988 – may still be there
<i>Hyoscyamus niger</i>	SK04E, cleaned-up pool, Consall Woods, 2005 SK22E, Tutbury Castle, 2004
<i>Hypochaeris glabra</i>	SO98N, Rowley Regis, 1989 SJ90Z, nr Churchbridge, c.1997 possibly at SJ80L, East End, Oaken Lawn, 1996 possibly at SK14E, Dale Tor, 1996 possibly at SK20M, The Decoy, 1998 SO88G, Kinver Edge, 2014 SO88R, E of Kinver, 2007 SO88S, Stourton, 2007 & 2012
<i>Jasione montana</i>	SO98J, nr Russell's Hall Hospital, 2012 SJ73L, N of Park House, 2004 SJ94H, Parkhall Country Park, 2008 SJ94Y, E of Broadoak Wood, 2004 SJ95R, N of St. Edward's Hospital SJ95T, W of Leek, 2009 SK01A, S of Church Hill, 2002 SK04I, S of Froghall, 2001 SK06S, Hillend, 2006
<i>Juncus compressus</i>	(SJ81P, S of Wheaton Aston, 1999: probable error for J. gerardii) SJ83L, Swynnerton Army Training Area, 2002 SJ92H, Astonfields (two sites), 2001 (still there in 2011) SO78L, below Highley, 2011
<i>Lathyrus aphaca</i>	SO89R, Ounsdale School, 1999
<i>L. linifolius</i>	SO98I, Dudley, 1994
<i>Lycopodium clavatum</i>	Still known from 129 tetrads SJ73L, Burnt Wood, 2006 SJ73P, quarry N of Lordsley, 2001 SJ84K, site details unknown, c. 1998 SJ91Y, Brocton Field, 2006 SJ94H, Parkhall Country Park, 1995 SK04I, site details unknown, 1999
<i>Misopates orontium</i>	SJ84Q, Dairyfields, c. 1998 SO89Y, allotment, Penn, 2011 SO98N, three allotment gardens, Old Hill, 2008 SO98Z, Langley/Pounds Green, 2003
<i>Myosurus minimus</i>	SK2009, SE of Elford, 2004
<i>Neottia nidus-avis</i>	SK15F, Hinkley Wood, 2011
<i>Nepeta cataria</i>	SO88Y, canal, Wordsley, 1999 (where seen from 1959 to at least 1980)
<i>Oenanthe fistulosa</i>	SJ72K, Meretown, 2005 SJ72Q, Aqualate Mere (in several places), 2005 SJ72X, Loynton Moss, 2013
<i>Orobanche rapum-genistae</i>	SJ81P, Allimore Green Common, 2001 SJ82X, Foster's Pasture, 2006 SJ91C, Longridge, 2007 SJ92B, Doxey, 2009 & 2015 SJ92C, Doxey Marsh, 2009 & 2015 SJ92F, Rickerscote, 2004 SJ92M, Hopton Pools (probably an accidental introduction), 2004 SJ95W, Oldfield, (probably an introduction) 1998 SK00N, Anglesey Wharf, 2010 SK11T, Wychnor, 2002 SK22K, W of Stapenhill, 2006 SO77T, Hawkbatch, 2004 SO99N, Bilston, 2000 SO99T, Darlaston, c.1998 SJ92K, N of Walton-on-the-Hill, 2011 SJ92Q, N of Walton-on-the-Hill, 2011

<i>Parnassia palustris</i>	SJ81P, Allimore Green Common, 1996 SK04U, Caldonlow, c. 1997 SK04Y, near Rue Hill, 1996 & (another site) 2009 & 2016 SK04Z, E of Caldon Low, 1996 SK05K, W of Swineholes Wood, 1998 SK14E, Dale Tor, 2005 SK06M, Pyeclough, 1998 SK06Q, Reaps Moor, 1996 & (another site) 2011 SK06V, nr Spout Farm, 2012
<i>Pedicularis palustris</i>	
<i>Pedicularis sylvatica</i>	Reduced to 45 tetrads
<i>Persicaria mitis</i>	SJ80M, Wrottesley, 2014
<i>Pilularia globulifera</i>	SJ96F, Rudyard Lake, Horton, 2013
<i>Pinguicula vulgaris</i>	SK22M, Burton, 2008 (First record since 1934) SJ85X, Knypersley Reservoir, 1990
<i>Potamogeton alpinus</i>	SJ91Z, Sherbrook Valley, Cannock Chase, 2016 SK14D, between Blakelow and Thorswood, 2010 & Stanton Pastures, 2011 SK00J, Southacres Farm, 1995 SK04F, Croxton Quarry, 2003
<i>Potamogeton friesii</i>	SK22M, Burton, 2003 SJ90K, Wednesfield, 2004 SJ90Q, W of Walsall, 2003 SJ92W, Shugborough Park, 2000 SK00A, nr Harden, 2003 SK00B, Little Bloxwich, 2003 SK00H, nr High Bridge, 2001 SK00I, Cannock Extension Canal, 2005 SK00N, Cannock Extension Canal, 2012 SO88X, nr Wollaston, 2004
<i>Pyrola rotundifolia</i> ssp. <i>rotundifolia</i>	SK00J, nr Chasetown, 2011: two sites; still at the drier one in 2015
<i>Ranunculus flammula</i>	Reduced to 310 tetrads
<i>Sagina nodosa</i>	SJ91Y, Brocton Field, 2003 SK05U, S of Swallow Moss, 2003 SK05Z, Ecton, 2003 SK06C, Gib Torr, 2014 SK06G, Morridge (3 sites), 2014 SK06J, Orchard Common, 2003 & 2016 SK06K, Lady Edge, 2007
<i>Spergula arvensis</i>	Still known from 237 tetrads post-1994
<i>Stellaria palustris</i>	SJ82X, nr Ashes Covert, 2006 SK02N, N of Blithfield Reservoir, 2015
<i>Trifolium fragiferum</i>	SJ81P, Allimore Green Common, 2001 SJ92C, Stafford Common, c1997
<i>Viola canina</i>	SO88G, Kinver Edge, 2002 SO88P, Envile Golf Course, 2008

{There are old records for the following (the most recent records are given):

<i>Antennaria dioica</i>	SK05-, Wetton Valley, 1844
<i>Baldellia ranunculoides</i>	SJ81P, Allimore Green Common, 1985
<i>Blysmus compressus</i>	SK20C, Warwickshire Moor, 1962
<i>Cuscuta epithymum</i>	SK22A, Tatenhill, 1974
<i>Daphne mezereum</i>	SK15B, Bincliff Thicket, Wetton, 1972 had died by 1974; there were half a dozen plants on inaccessible cliffs, near Thor's Cave, SK05X, in 1968: much searching, in the area, from 1972 onwards, was unsuccessful. This sp. can be spread by birds and, as there are sites nearby, in Derbyshire, it may re-appear in such wooded areas on limestone. Apparently bird-sown in neglected garden, Butters Green, SJ85A., 2012
<i>Dianthus deltoides</i>	SO98T, Tippity Green, Rowley Regis, 1988 (and as a non-native at SJ83Y, Barton Land, 1999 (not found there in 2009); SJ85A, Audley, 1999; SK00L, Walsall, 2006, SO98I, Saltwells Local NR, 1998 & Mushroom Green, 1999)
<i>Drosera intermedia</i>	SJ91U, Oldacre Valley (probably an error for D. anglica), 1944
<i>Elatine hydropiper</i>	SK02J, Chartley Moss, probably 1886 (and possibly a little later)
<i>Genista anglica</i>	SK01I, Slitting Mill, nr Rugeley 1923
<i>Groenlandia densa</i>	SK14D, Tinsell Brook, 1980 SK14-, nr Mayfield, 1901

<i>Medicago minima</i>	SO88U, Hinksford, 1985
<i>Melittis melissophyllum</i>	SO89Q, Himley, 1983
<i>Moenchia erecta</i>	SO88X, Stourbridge, 1832
	SO88J, Enville, 1983
<i>Myriophyllum verticillatum</i>	(possibly SK11D, King's Bromley, 1986)
<i>Pseudorchis albida</i>	SO89N, Perton Pool, 1864
<i>Silene noctiflora</i>	doubtfully SK14D, Wards Quarry, 1979
	SK04U, Caldon Low, Waterhouses, 1957

{There are casual or introduced records for the following:

<i>Chamaemelum nobile</i>	possibly SK01B, below Hednesford Hills Reservoir, 1969
<i>Dianthus gratianopolitanus</i>	SJ90J, Hatherton, 1996
<i>Galium parisiense</i>	SK01, Longdon, 1993
<i>Onobrychis viciifolia</i>	records from thirteen tetrads post-1994
<i>Ophrys insectifera</i>	SK15C, Beeston Tor, 1972
<i>Pseudorchis albida</i>	doubtfully SK14D, Wards Quarry, 1979
<i>Radiola linoides</i>	SJ93J, Barlaston Common, 1844
	SJ72Z, Offley Hay, 1844
<i>Trifolium ochroleucon</i>	SK22-, Burton, 1930
<i>Utricularia minor</i>	SJ74U, Craddocks Moss, 1844,
<i>Vicia lutea</i>	SK00I, edge of Chasewater Reservoir, 2015
	SO89P, Wrottesley, 1987 (recorded there from 1954)

Data Deficient Species

Anagallis arvensis ssp. *foemina*

SJ84Q, Trentham, 1998

SP09F, plants from Upland Allotments, Handsworth (two sites) may have been this, 2010

Euphrasia arctica ssp. *borealis*

Reduced to 13 tetrads

Hieracium britannicum

1993, SK05X, Thor's Cave

2016, SK15G, Hall Dale

2007, SK15H, Hall Dale & 2016, Mill Dale

{ There are old records for:

Gymnadenia densiflora

SJ81P, Allimore Green NR, 1987

Hieracium dalense

SK15-, Alstonefield, 1877 (formerly named as "H. subplanifolium")

{ Buxus sempervirens has been seen in 40 tetrads since 1994: either planted, escaped or a relic of introduction.}

Near Threatened Species

Althaea officinalis

a seedling at SJ84P, Westport Lakes, appeared to be this taxon, 2012

Andromeda polifolia

SK02J, Chartley Moss, Stowe, 2014

SK06C, Goldstitch Moss, Quarnford, c1997

Arabis hirsuta

In 26 tetrads: no recorded decline

Briza media

Reduced to 150 tetrads

Bromus secalinus

Increasing: now in 22 tetrads

Calluna vulgaris

In 253 tetrads: no recorded decline

Campanula rotundifolia

Reduced to 344 tetrads

Carex echinata

Reduced to 50 tetrads

Carex elata

SJ72Q, Aqualate Mere, 2002 and (second site) 2005

SJ72X, Loynton Moss, 2014 & 2016

SJ75K, Balterley Heath, 2005

SJ81D, High Onn Wood, 2003

SJ92D, N of Trinity Fields, 2005

Carex elongata

SJ72X, Loynton Moss, Norbury, 2014 & 2016

SJ75K, Black Firs, 2005

SJ75K, Cranberry Bog, 2005

Carex pulicaris

SJ81P, Allimore Green Common, 2013

SJ91U, S of Tar Hill, 2006

SK04S, Cotton, 2013

SK04T, Cotton, 2013

SK04Y, W of Rue Hill, 2009 & 2016 and another site to the E, 2010

SK05B, N of Coombes Valley Nature Reserve, 1998

SK05U, S of Swallow Moss, 2000

SK06D, W of Turn Edge, 2002

SK06Q, W of Reaps Moor, 1996

<i>Carlina vulgaris</i>	SK06V, S of Reaps Moor, 2010
<i>Cerastium arvense</i>	SK14D, W of Bullgap Lane, 2009; second site, 2013
	SK14I, W of Bullgap Lane, 2003
	SO77P, Pound Green Common, 2013
	SO99C, Penn Common, 2010
	Apparently Increased to 23 tetrads
	SK10E, Lichfield Cathedral Close, 2000
	SO88P, Camp Farm, 2008
	SO88R, E of Whittington Hall, 2013
	SO89K, E of Highgate Common, 2007
	SO98E, NE of Middle Pool, 2007
<i>Cirsium heterophyllum</i>	Still in 16 tetrads, but the number of individual sites is falling
<i>Comarum palustre</i>	Reduced to 46 tetrads
<i>Corynephorus canescens</i>	SO88G, very well naturalised in two sites, Kinver Edge, 2014
<i>Cruciata laevipes</i>	Much reduced to 206 tetrads
<i>Cynoglossum officinale</i>	SJ71U, Aqualate Mere, 2002
	SJ72Q, Aqualate Mere, 2013
	{previously SJ84Q, Dairyfields, 1991}
	SJ92G, garden weed, Stafford, 2013
	SJ92L, wall of bridge, Baswich, 2016
	SO98E, Barrow Hill, Pensnett, 2005
<i>Eleocharis acicularis</i>	SK00J, Chasewater, 2002; another site, 2010
<i>Erica cinerea</i>	Still in 47 tetrads
<i>E. tetralix</i>	Still in 63 tetrads
<i>Filago minima</i>	Much increased to 45 tetrads
<i>F. vulgaris</i>	Much increased to 56 tetrads
<i>Fragaria vesca</i>	Increased to 217 tetrads
<i>Gentianella amarella</i>	SK04T, three sites at Ribden, 2001
	SK04U, W of Caldonlow, c. 1997
	SK04Y, Wardlow, 1996 & Weaver Hills, 2000; S of Wardlow Quarry, 2016; and Rue Hill, 2016
	SK04Z, W of Rue Hill, 2001
	SK05V, E of The Manifold Way, 2005
	SK05X, Ossoms Hill, 2009
	SK05Z, Ecton, c. 1997
	SK14D, E of Wardlow, 2003
	SK14E, W of Dale Tor, 2001
	SK15G, Hall Dale, 2002
	SO99E, Wren's Nest Nature Reserve, 2008
<i>Geranium sylvaticum</i>	SO77P, nr Pound Green Common, 1994
	SO77T, Hawkbatch, 2012
	(probably planted in SO99N, Stow Lane, 2007)
<i>Helianthemum nummularium</i>	21 tetrads: no decrease
<i>Hydrocotyle vulgaris</i>	Reduced to 52 tetrads
<i>Hypericum elodes</i>	SJ71U, Aqualate Mere, 2001
	SJ80M, Chillington Pool, 2014
	(previously c1890, SK02I, Chartley Moss)
<i>Inula helenium</i>	SK12K, E of Woodlane, 2003
	SK20A, Dosthill, 2009
<i>Knautia arvensis</i>	Present in 182 tetrads, but some as a result of introduced seed-mixes
<i>Lepidium campestre</i>	Increased to 16 tetrads
<i>Luronium natans</i>	SJ94Z, Consall, 1991
	SK00C, Cannock Extension canal, 2012 (extending through 00D into 00I)
	SK00K, Rushall Canal, 2005 (and in 00L)
	SK00M, Daw End Branch Canal, 1990
	SK00P, Chasewater, 1999
	SP09I, Rushall Canal, 1998
<i>Melampyrum pratense</i>	Recorded in 19 tetrads
<i>Mentha arvensis</i>	Decreased to 48 tetrads
<i>Mentha suaveolens</i>	SJ80A, Patshull Hall, 1993
	SK20F, Wilnecote, 2006
<i>Myrica gale</i>	SJ72X, Loynton Moss, 2000 (only one plant: conservation in progress)
	SJ80M, near pool, Chillington Estate, 2014
<i>Nardus stricta</i>	Decreased to 186 tetrads
<i>Oenanthe lachenalii</i>	SK20M, Amington, 2002

<i>Ononis spinosa</i>	Some of the following may have been introductions: SO89Z, Newbridge, 2005 SP09S, Queslet, 2005 SP29E, Dost Hill Quarry, 2002
<i>Oxalis acetosella</i>	409 tetrads
<i>Plantago media</i>	75 tetrads
<i>Polygala serpyllifolia</i>	73 tetrads
<i>Potentilla argentea</i>	SO88G, Kinver Edge, 2012 and (second site) 2014 SO88R, E of Whittington, 2014 SO89M, between Seisdon & Trysull, 2002 (There are other, presumably casual records: SJ84X, between Fenton & Mount Pleasant, 2006 SO98I, Merry Hill, c.1998 SP09U, Streetly Cemetery, 2007)
<i>P. erecta</i>	Reduced to 450 tetrads
<i>Prunus cerasus</i>	SJ80S, Codsall, 2000
<i>Pyrola minor</i>	SO89S, Ladywell Wood, 2000 SJ94V, Huntley Wood, 1999 SJ94W, Brookhouses, 2010 SK01M, Brereton Hayes, 2011 & 2015
<i>Rhynchospora alba</i>	SJ75K, Black Firs, 1996
<i>Salix repens</i>	14 tetrads
<i>Salvia pratensis</i>	SK22-, Burton, 1933
<i>Sanicula europaea</i>	Decreased to 60 tetrads
<i>Senecio aquaticus</i>	Reduced to 230 tetrads
<i>Silene nutans</i>	SK05X, above Thor's Cave, Wetton, 2009 SK15C, near Wetton, 2009 SK15G, many small patches in Hall Dale, 2005; one in 2010 SK15H, rock slope, Milldale, 1972 SK15I, Drabber Tor, Alstonefield, 1987 SK15I, Narrowdale, 2000 SK15K, W edge of Bunster Hill, Ilam, 2000 SK15N, Gypsy Bank, 2009
<i>Silene flos-cuculi</i>	Reduced to 300 tetrads
<i>Solidago virgaurea</i>	Reduced to 38 tetrads
<i>Stachys arvensis</i>	Present in 31 tetrads
<i>Succisa pratensis</i>	Reduced to 290 tetrads
<i>Triglochin palustris</i>	Much reduced to 57 tetrads
<i>Valeriana dioica</i>	69 tetrads
<i>Valeriana officinalis</i>	Reduced to 413 tetrads
<i>Veronica officinalis</i>	Still present in 140 tetrads
<i>Veronica scutellata</i>	29 tetrads
<i>Viola lutea</i>	Reduced to 18 tetrads
<i>V. tricolor</i> ssp. <i>tricolor</i>	known from 103 tetrads post-1994 , although many of these may actually be descendants of escaped <i>V. x wittrockiana</i> cultivars, reverting to their ancestral state: it is often difficult to distinguish between these two taxa.

{There are old records for the following (the most recent records are given):

<i>Epipactis palustris</i>	SJ81P, Allimore Green NR, 1989,
<i>Fumaria parviflora</i>	SK22-, Burton, 1946
<i>Genista pilosa</i>	SJ80W, Pendeford, 1817 (originally claimed in Pitt's 1796 <i>General View of the Agriculture of the County of Stafford</i>)
<i>Teesdalia nudicaulis</i>	SK11D, King's Bromley, 1986}

{There are casual or introduced records for the following:

<i>Cyperus longus</i>	17 tetrads,
<i>Geranium sanguineum</i>	33 tetrads: garden throw-out
<i>Lotus angustissimus</i>	SK04M, Oakamoor, 1906
<i>Potentilla fruticosa</i>	14 tetrads
<i>Wahlenbergia hederacea</i>	SJ85Z, Biddulph Grange Gardens, 2009 (first recorded 1967) is thought to be an introduction.}

Waiting List

<i>Bromus hordeaceus</i> ssp. <i>longipedicellatus</i>	SK11I, King's Bromley, 2000
<i>Dactylorhiza incarnata</i> ssp. <i>incarnata</i>	SK21J, Branston, 2002 SK11D, Handsacre, 2011 SO89W, Baggeridge Country Park, 2012
<i>Fritillaria meleagris</i>	SJ81G, Mottey Meadows SSSI, Wheaton Aston, 1997 SK10X, Broad Meadow, Tamworth, each year, including 2014 (Introduced in eleven other tetrads)
<i>Molinia caerulea</i> ssp. <i>arundinacea</i>	SJ96S, near Hanging Stone, 2005 SJ96X, edge of Gradbach Wood, 2005
<i>Montia fontana</i> ssp. <i>variabilis</i>	SK00J, S of Anglesey Branch Canal, 2001 SJ73M, Jugbank, 2003 SJ83S, Swynnerton Grange, 1999
<i>Pilosella peleteriana</i> ssp. <i>tenuiscapa</i>	SJ96Y, N of Gradbach, 2004 SK05X, Ossoms Hill, 2009 SK05Y, Wetton Mill, 2014 & 2016
<i>Rhinanthus minor</i> ssp. <i>stenophyllus</i>	SK14I, above Cuckoo Cliff, 2013 SK15C, Beeston Tor, 2009 & 2016 SK15D, Narrowdale Hill W, SK15D, 2009 SK15I, Narrowdale Hill E, 2009 SJ72X, Loynton Moss, 2016 SJ96V, by Tittesworth Reservoir, 2001
<i>Teucrium chamaedrys</i>	SK05S, Grindon Moor, 2004
<i>Urtica dioica</i> ssp. <i>galeopsifolia</i>	SK05U, S of Swallow Moss, 2001 SK06C, near Goldsitch Moss, 2003 & 2016 SK06D, W of Flash, 2003 SK06J, N of Flash SK06Q, near Swallow Moss, 2001 SJ85K, Westport Lake, 1995
	SJ72Q, Aqualate Mere, 2005 SJ72V, Aqualate Mere, 2005 SJ72W, Norbury Low Moat, 2004 SJ72Z, Cop Mere, 1998 SJ73J, Mucklestone, 2010 SJ82E, Cop Mere, 2005 SJ85V, Stoke, 2004 SJ91U, Oldacre Valley, 2005 SJ94I, W of Washerwell, 2004 SJ94Z, E of Consall, 2015

{There are old records for the following:

<i>Dactylorhiza incarnata</i> ssp. <i>pulchella</i>	SK14I, Cuckoo Cliff, 1993
<i>Montia fontana</i> ssp. <i>amporitana</i>	SJ95-, Horton 1890, probably SK11-, c1950
<i>Muscari neglectum</i>	SJ94F, Meir Heath, 1987}

Pinus sylvestris is not native in the county.

b) Other Categories

Nationally Rare Species (15 or fewer hectads in *Atlas 2000*)

<i>Polemonium caeruleum</i>	SK05X, above Thor's cave, Wetton, 2006 SK15G, Hall Dale, Alstonefield, 1973 (not found in 2000) SK15I, Peasland Rocks, 2007 SK15N, Gypsy Bank, 2007 SK15N, Peasland Rocks, 2009
-----------------------------	---

{There are 25 other records of this (or the cultivated form) as a garden escape/introduction.}

{*Herniaria glabra* was found as a casual at SJ84X, nr Seven Arches, Stoke, 2004; SK20L, E of Arlington, 2006; SO88T, Ashwood Garden Centre, 2014}

Lithospermum purpureocaeruleum was introduced at SO89R, Wombourne, where it persisted for at least three years from 1996.}

Nationally Scarce Species (16-100 hectads in *Atlas 2000*)

Camelina sativa	SJ80R, Codsall, 1993 SK12S, Hanbury Wood Coppice, 2004 SO98T, Blackheath, 1998 (planted as pollinator attractor, Wrottesley Park, SJ80K; set-a-side, Four Ashes, SJ90E: both 2015)
Cardamine bulbifera	[Although "Scarce Plants in Britain" shows this species to be native in SK12, all current records have been determined as the introduced var. <i>ptarmicifolia</i> .] SJ84Q, bank of Longton Brook, 2014 (in diminishing quantity); still hanging on in 2016 SK11C, Slaish Wood, 2002 SK12K, Yoxall Park, 2002 SK12L, Scotch Hills, 2002 SK12L, Slade Covert, 2002 SK12L, nr Yoxall Lodge, 2009
Cardamine impatiens	SK15F, many on E side of R. Manifold, Ilam Park, 2005. One large plant in 2010 SO88M, near The Hyde, NE of Kinver, 2004 SO89W, Baggeridge Country Park, Himley, 2013 SO98E, Barrow Hill, Pensnett, 2011 (casual at SK22B, Battlestead Hill, 2000) SO77P, nr Pound Green Common, 1999 SK05X, Thor's Cave, Wetton, 1989 SK05Y, Ecton Hill, Wetton, 2002 SK15D, nr Gateham Grange, Alstonefield, 2000 SK15D, Narrowdale, 2010 SK15G, Hall Dale, Alstonefield, 2000 SK15H, Mill Dale, Alstonefield, 1985 SK15I, Wolscote Dale, Alstonefield, 1987 SK15I, Drabber Tor, Alstonefield, 1987 SK15I, Narrowdale, 2010 SK15K, E edge of Bunster Hill, Ilam, 2000 SK15L, Dove Dale, 2002 SK15M, Gipsy Bank, 2002 SK15N, Peasland Rocks, Alstonefield, 2000 SK15N, Gipsy Bank, 2002 {a casual, SO99D, Allotments, SW of Wolverhampton, 2008}
Epipactis phyllanthes	SO88X, Wollaston, 2004 SO89R, Wombourne 2009
Gymnocarpium robertianum	SJ85Z, wall, Biddulph Gardens, 2000 SJ96G, railway station, Rushton, 1968 SK04Z, Caldon Low, Cotton, 1962 SK15I, near Drabber Tor, Alstonefield, 1969
Hordelymus europaeus	SK05P, Upper Elkstone, 2009 SK15B, Cheshire Wood, 1968 SK15G, Hurt's Wood, 1968 SK15F, Hinkley Wood, Ilam, 2010 SK15L, Dovedale Wood, 1968
Hornungia petraea	SK15G, Hall Dale, Alstonefield, 2000 SK15K, eastern edge of Bunster Hill, Ilam, 2000 SK15N, Gipsy Bank, 2002
Isatis tinctoria	SO78V, at and near Bellman's Cross, 1995 SO78W, N of Bellman's Cross, 1995

<i>Limosella aquatica</i>	SO98I, Saltwells NR, 1996 SP09D, Pleck, 1999 SJ85X, Knypersley Reservoir, 2011 SJ95F, Stanley Pool, Endon, 2003 SJ95P, Rudyard Reservoir, 2013 SJ96F, NW corner of Rudyard Lake, 2013 SJ96V, Tittesworth Reservoir, Meerbrook, 1999 SK02M, Blithfield Reservoir, 1999 SK02R, Blithfield Reservoir, 2006; also near Branston, 2016
<i>Potentilla tabernaemontani</i>	SK04Z, Milk Hill, Waterhouses, 2014 SK05X, S. side of Ossom's Hill, 2006 SK05X, Ossom's Hill, 2009 SK05X, Thor's Cave, Wetton, 2000 SK05X, S of Wetton Mill, 2010 & 2016 SK05Y, Wetton Mill, 2014 & 2016 SK05Y, Sugarloaf, 2011 SK05Y, Wetton Hill, 2002 SK15C, W of Wetton, 2010 SK15C, Beeston Tor, 2009 SK15F, Bunster Hill, 2002 SK15G, mid Hall Dale, Stanshope, 2010 SK15H, slope, S of Milldale, 2000 SK15K, extreme E slope, Bunster Hill, Ilam, 2000 and (second site) 2014 SK15L, E end of Hall Dale, Stanshope, 2000
<i>Ribes alpinum</i>	SJ83P, hedge, near Knowl Wall, 2005 SJ84Q, Ash Green, 2007 SJ94X, Little Harewood, 2002 SJ95R, hedgerow, Caldon canal, 2000 SK01H, disturbed former field margin, 2015 SK04C, two sites, hedgerows, Clamgoose Lane, 2003 SK04E, Crowgutter Wood, 2002 SK04U, two sites, Cauldon, 2000 & 2014 SK05C, W of Meadow View, 2001 SK05Q, nr Croftshead Waterfall, 1996 SK05Q, W of Waterfall, two sites, 2014 SK05R, two sites near Ford, 2000 SK05T, two sites near Butterton, 2000 SK05V, three sites near Waterfall, 2005 SK05W, Soles Hill, 2002 SK05X, below Thor's Cave, Wetton, 2006 SK05X, abundant, two sites, near Dafar Bridge, Wetton, 2000 SK05X, Grindon, 2001 SK05X, two sites, Ossam's Hill, 2002 SK05X, S of Wetton Mill, 2010 SK05Y, abundant, two sites, E end of Wetton Road, 2000 SK05Y, Wetton Hill, three sites, 2002 SK05Y, five sites between Dale Farm and Sugarloaf, 2002 SK05Y, Wetton Mill, 2014 & 2016 SK05Z, near Ecton, 1999 SK05Z, W of Wetton, 2014 SK12P, Bank Top, 2004 SK14I, Bullgap Lane, 2011 SK14J, Bullgap Lane, 2014 SK15A, Musden Wood, 2002 SK15C, W of Wetton, 2001 SK15C, two sites, Beeston Tor, 2002 SK15C, Wetton Hill S, 2010 SK15D, Brownhills Plantation, 2010 SK15E, near Apes Tor, 2009 SK15F, two sites, Musden Wood, 2002 SK15G, Hall Dale, Stanshope, 2010 SK15H, abundant in wood S of Milldale, 2010 SK15H, 7 sites on Millway Lane, many elsewhere, Milldale, 2000-2009 SK15H, S of Hope, 2001

	SK15J, Beresford Dale, 2010
	SK15L, E end of Hall Dale, Stanshope, 2010
	SK15M, Lode Lane, Alstonefield, 2000
	SK15M, two sites, Milldale, 2002
	SK15M, three sites, Lode Plantation, 2002
Rumex alpinus	SJ74S, Madeley, 2012
	SJ82C, Knightley, 2005
	SJ93S, E of Hilderstone, 2007
	SJ94M, Tickhill, 2001
	SJ94S, Tickhill Lane, 2001
	SJ95I, nr Gratton, 1999
	SJ96A, nr Earlsway House, 2002
	SJ96K, E of New House Farm (and two other sites), 2002
	SJ96R, Gun Moor, 2004
	SJ96X, Below Roach End, 2003
	SK04U, Caldon Low, 2013
	SK05B, Coombes Valley, 2014
	SK05F, by Sexton Farm, 1998 & Caldon Low, 2008
	SK05H, near Morridge, 2006
	SK05J, E of Thorncliffe, 2005
	SK05K, Blackbrook nr Wincle, 1996
	SK05Q, W of Waterfall, 1998
	SK06A, NE of Upper Hulme, 2000
	SK06B, Hazel Barrow (two sites and two further sites), 2014
	SK06C, Gib Tor NR and another site), 1996
	SK06G, School House, 2014
	SK06H, W of Royal Cottage (six sites), 2014
	SK06I, Flash Head (two sites and another site), 2000; Flash, 2014
	SK06J, Cheeks Hill, 2003
	SK06L, Folly, nr Morridgeside, 1997
	SK06M, Hollingsclough Moor, 2004
	SK06R, Barrow Sitch (and two other sites), 2004
Thelypteris palustris	SJ74P, Betley Mere, 2009
	possibly SJ91T, Springslade Pool, 2000
	SJ91U, Oldacre Valley, 2011
	SK02J, Chartley Moss NNR, 2003
Tilia platyphyllos	42 post-94 tetrads: introduced in most, but possibly native in a few woods on base-rich soil e.g. in the Manifold Valley

{Old records exist for:

Carex appropinquata

Cuscuta europaea

Dryopteris x uliginosa (cri x car)

Polygonatum odoratum

Sonchus palustris

SK02E, Chartley Moss, 1975

SJ94I, Ford Hayes, 1870

possibly at SK02J, Chartley Moss, 1886

SK05X, Thor's Cave, 1947 (probably still there c. 1960)

SJ92-, Stafford, 1844, is now regarded as a probable error}

{There are casual or introduced records for the following:

Adiantum capillus-veneris

Arum italicum ssp. neglectum

Helleborus foetidus

SJ91F, Rodbaston, 1990

SO89R, Wombourne, 2002

older records for SJ80R, SO88B & SJ94W

SJ83Y, Meaford, 2010

SJ84J, Burslem, 2011

SJ84R, between Boothen and Sideway, 2014; still present in 2016 but site up for sale for development

SJ85M, Kidsgrove, 2012

SK01F, NW of Burntwood, 2013

SK02K, Colton, 2007

SK10E, by railway, Lichfield, 2010

SK10J, SE of Lichfield, 2009

SO89R, Wombourne, 2001

SO98P, Blower's Green, 2004

38 post-1994 tetrads

Hippophae rhamnoides

Impatiens noli-tangere

Lepidium latifolium

SJ73Z, near Maer & SJ83Z, at Barlaston, prior to 1924: dates uncertain

21 post-94 tetrads

<i>Marrubium vulgare</i>	SK22L, Burton, 1930
<i>Medicago polymorpha</i>	SO88U, Hinksford Farm, 2002
<i>M. sativa</i> ssp. <i>falcata</i>	SO89R, Wombourne, 2004
<i>Nymphoides peltata</i>	SO98N, Rowley Regis, 1985
<i>Polycarpon tetraphyllum</i>	many, including post-94
<i>Primula elatior</i>	SO89R, abundant on a patio, Wombourne, 2006: vector unknown
<i>Sedum forsterianum</i>	SK15H, Alstonfield churchyard, 2002
<i>Senecio camrensis</i>	SJ94P, N of Cellarhead, 2006; SK15H, Milldale, 2009; SJ84X, Stoke, 1995;
<i>Sibthorpia europaea</i>	SK01C, near Brindley Heath, 2014; SK04J, nr Foxt, 2008;
<i>Stratiotes aloides</i>	SK05P, Upper Elkstone, 2000; SO77P, nr Pound Green Common, 2003
<i>Verbascum lychnitis</i>	SO89Y, appearing sporadically in a garden plot at Highfields School, Wolverhampton from 1987 to 1991
<i>V. pulverulentum</i>	SJ85Z, Biddulph Grange Gardens in many places, 2009
<i>Vicia bithynica</i>	Found in sixteen tetrads post-1994
<i>Vulpia ciliata</i>	SO89R, S. Wombourne, 2004 SO98D, Brockmoor, 1995, 1998, 2010 & 2013; second site in 2004 SO98E, Pensnett, 2005 (still there, 2011) SO98J, nr Fens Pool, 2004 SO98T, Saltwells House NR, 1994 SK11V, Elford, 2003 (also doubtful for SJ82D, Lake Covert, 1997) SK22-, Burton, 1927 & c.1931 (this is likely to have been ssp. <i>ciliata</i> , rather than ssp. <i>ambigua</i>)}

Supplementary List

Locally Rare: Native Taxa with only 3 sites, or less.

All post-1994 sites are given, with their most recent record
[*Rubus fruticosus* agg., *Taraxaca* and *Hieracia* records appear in the Appendix]

<i>Agrimonia procera</i>	SJ83M, Swynnerton Army Training Camp, 2002
<i>Agrostis x murbeckii</i> (cap x sto)	SO88I, Edge of The Million, 2009
<i>Allium oleraceum</i>	SK22E, Tutbury, 2002
<i>A. scorodoprasum</i>	SK05Y, Sugarloaf, Wetton, 2011
<i>Aster tripolium</i>	SK06G, near Royal Cottage (status unsure), 2014
<i>Astragalus glycyphylloides</i>	SJ92X, Pasturefields NR, c1999 SJ82Y, several plants, Great Bridgeford, 2001 (also one on other side of railway in 1995) SO89W, E of Wombourne, 2012 SP29E, Dost Hill Quarry, 2002
<i>Bolboschoenus maritimus</i>	SK11D, probably still at Trent Valley, 1994 SK00H, Clayhanger SSSI, 2008 SK00J, Chasewater, 2009 SK04W, well established at Brookleys Lake NR, 2001
<i>Callitrichia hermaphroditica</i>	SJ74N, Betley Mere, 2005 SJ80M, Chillington Estate, 2014 SK04I, Froghall Wharf, 2005
<i>Calystegia sepium</i> ssp. <i>roseata</i>	Three records need confirmation: SO89V, Himley, 2002; SO89Z, Wolverhampton, 2006; SO98E, Pensnett, 2006
<i>Calystegia x howittiorum</i> (pul x sil)	SO88Z, Kingswinford, 2012
<i>Carduus x stangii</i> (= x <i>dubius</i>) (cri x nut)	SO99F, Wren's Nest N.R., 2002 SK11I, bank of R. Trent, 1999 SK11Y, S. of Barton-under-Needwood, 2003 SK21A, Harlaston, 2003
<i>Carex x boenninghausiana</i> (pan x rem)	SJ91W, Sherbrook Valley, 1987
<i>C. x corstorphinei</i> (bin x vir oed)	SO89Q, Hinksford Farm, 1986
<i>C. x elytroides</i> (acuta x nigra)	SK22M, Burton, 2013
<i>Carex hostiana</i> x <i>demissa</i>	SK14I, Stanton, 2013
<i>C. oederi</i>	SO89X, Penn Common, 2011 SP08W, ex-brick works, 1995

<i>Cerastium arvense</i> x <i>tomentosum</i>	SO88Y, Wordsley Churchyard, 2007 SO98U, Portway Hill, Rowley Regis, 1997 SO99D, Goldthorn Hill, 2008
<i>Ceratophyllum submersum</i>	SJ80M, Chillington Pool, 2014
<i>Cirsium eriophorum</i>	SK15K, Bunster Hill, 2002; another site, 2009
<i>Cladium mariscus</i>	SO78K, N of Arley, 2004 SK02E, Chartley Moss, 1997
<i>XDactylodenia st-quintnii</i>	SK04U, nr Cauldon, 1993,
(<i>Gym</i> x <i>D. fuc</i>)	SK05K, Ipstones Edge, 2013
<i>Dactylorhiza x venusta</i> (<i>fuc</i> x <i>pur</i>)	SJ84I, N of Gorsty Bank, 1996 SJ84K, Trentham Park, 1995 SK05S, Grindon Moor, 2011
<i>Elatine hexandra</i>	SJ92C, No 5 scrape, Doxey, 1994: needs confirmation
<i>Eleocharis acicularis</i>	SK00J, Chasewater, 2002; another site, 2010
<i>E. uniglumis</i>	SJ81P, Allimore Green Common, 2013 SJ92H, Astonfields, 1997
<i>Epilobium x aggregatum</i> (<i>mon</i> x <i>obs</i>)	SK20C, Bolehill, 2004 SK20D, Wigginton, 2004 SK20K, Stoneydelph, 2006
<i>E. x dacicum</i> (<i>obs</i> x <i>cil</i>)	SK11H, Alrewas Hayes, 2005
<i>E. x erroneum</i> (<i>hir</i> x <i>mon</i>)	SK10K, nr Hints Church, 2002
<i>E. x floridulum</i> (<i>cil</i> x <i>par</i>)	SJ96Q, nr Gun, 2001 SK00L, Shelfield, 2007
<i>E. x limosum</i> (<i>par</i> x <i>mon</i>)	SP09F, Sandwell Valley, 1998
<i>E. x vicinum</i> (<i>obs</i> x <i>cil</i>)	SJ83Y, Meaford, 2010 SJ96L, Axstones Spring, 2001 SK06N, E of Goldstone Moss, 2016
<i>Equisetum hyemale</i>	SP09R, Perry Park, 2001 SJ93I, Moddershall Oaks, 2011
<i>Euphrasia confusa</i> x <i>nemorosa</i>	SO78Q, Nash Elm Wood, 1996 SO88M, The Million, Enville, 2009 (Edees' Flora mentions fourteen records, but lists no specific sites)
<i>E. x glanduligera</i> (<i>ang</i> x <i>nem</i>)	SO77U, Seckley Wood, 2014
<i>Festuca arundinacea</i> x <i>Lolium multiflorum</i>	SO99G, Sedgley, 2008
<i>F. ovina</i> ssp. <i>hirtula</i>	SK22E, Tutbury Castle, 2008
<i>F. rubra</i> ssp. <i>junccea</i>	SO98C, Amblecote, 2001 (but probably not native at this site)
<i>Gagea lutea</i>	SK05X, Thor's Cave, Wetton, 2010, 2015 & 2016 SK14G, Ousley, 2015 SK14H, Ordley Brook, Stanton, 2007 SK15F, two sites, Ilam, 2015
<i>Galium x pomeranicum</i> (<i>ver</i> x <i>mol</i>)	SP09E, Coal Pool, Walsall, 2001
<i>Glaux maritima</i>	SK00F, E of Coal Pool cemetery, 2001 SJ92X, Pasturefields, nr Ingestre, 2006
<i>Hippocratea comosa</i>	SK05Y, Sugarloaf, 2011 & 2016
<i>Hypericum androsaemum</i>	SK15C, near Wetton, 2010 SK12J, Forest Banks, 1949 SO77T, Hawkbatch, 2014 SO77U, Seckley Bank, 1954, but possibly an introduction at this, its 1874 site (Other recent records exist, but are likely to be bird sown)
<i>Hypericum montanum</i>	SK15C, nr Wetton, 2003 (introduced in SK00E, Cannock Chase, 1996 & naturalised in SK04U Cauldon Lime Works, Waterhouses, 2007 (no sign of it in 2011) Not native in SJ92G, railway sidings, S Stafford, 2015)
<i>Hypochaeris x intermedia</i> (<i>gla</i> x <i>rad</i>)	SO88G, Kinver Edge, 2012
<i>Imperatoria ostruthium</i>	SK06C, Gib Tor NR, 1996 SK06H, Gib Tor NR, 1996 SK06Q, Reaps Moor (West), 1997

<i>Juncus x diffusus</i> (inf x eff)	SK11C, Slaish Wood, 2011
<i>J. x surrejanus</i> (art x acu)	SK22A, Branston, 2003 SJ73V, Jackson's Marsh, 2009 SK00L, Castlehill Fields, 2008
<i>Lithospermum officinale</i>	SJ92B, Stafford Castle, 2011 SO99F, Wren's Nest NNR, 2010 SO99G, Wren's Nest NNR, 2010 (at the site in 1864)
<i>Medicago arabica</i>	probably native at SJ74S, Lower Mills, 2012 possibly native at SK20U, nr Campville House, 2004 certainly so at SO88G, Kinver Edge, 2002 and several sites in SO88L at and near Kinver, 2014 thirteen casual sites, elsewhere
<i>Minuartia verna</i>	SK05Y, nr Wetton Mill, Manifold Valley, 2009
<i>Myriophyllum alterniflorum</i>	SK05Z, nr Ecton, Manifold Valley (two sites), 2009 & 2013 SJ85Z, Biddulph Country Park, 2013 SK21E, Barton Turn, 2014
<i>Oenanthe pimpinelloides</i>	SP09J, Coal Pool, Walsall, 2001
<i>Oenothera biennis</i> x <i>cambrica</i>	SJ85H, Kidsgrove Station, 2008
<i>Ophrys apifera</i> var. <i>chlorantha</i>	SO88S, Stourton, 2004
<i>Ophrys apifera</i> var. <i>trollii</i>	SK01C, Brindley Heath, 2015; did not reappear in 2016 SK01C, Brindley Heath, 2014; did not reappear in 2015 or 2016 SO88S, Dunsley Sand Quarry, 2011
<i>Phegopteris connectilis</i>	SJ73M, Burnt Wood, 2010 SK04J, nr Foxt, 2008 SK06N, nr Tenterhill, 2001; additional site, 2007 (not refound at SJ73K, Bishop's Wood: 300 fronds in 1950)
<i>Pilosella x longisquama</i> (off x pel)	SK05Y, Wetton Mill, 2009 (possibly this taxon)
<i>Plantago maritima</i>	SJ92X, Pasturefields, 2006
<i>Polygonatum multiflorum</i>	SJ72W, Moat Covert, 1997 SJ72X, N of Norbury, 1997 SK03Q, Loxley Bank, 2002 (Sites at SJ80A, SJ90Q, SK01G, SK10U, SK12M & SK12G need verification)
<i>Polypodium cambricum</i>	SK15L, near Ilam Rock, 2005
<i>P. x font-queri</i> (vul x cam)	SK05X, near Thor's Cave, 2009
<i>P. x shivasiae</i> (int x cam)	SK05X, near Thor's Cave, 2009
<i>Potamogeton trichoides</i>	SJ91A, Gailey, 2001
<i>Potentilla x suberecta</i> (ang x ere)	SJ84J, W of Chesterton, 2012 (almost certainly this taxon) SK22G, Shobnall, 2002
<i>Puccinellia rupestris</i>	SJ92W, Ingestre, 2014
<i>Rosa arvensis</i> x <i>caesia</i> ssp. <i>vosagiaca</i>	SK15E, Beresford Dale, 2003
<i>R. caesia</i> x <i>sherardii</i>	SK05W, nr Wetton, 2001
<i>R. caesia</i> ssp. <i>vosagiaca</i> x <i>obtusifolia</i>	SK14D, Lordspiece, nr Stanton, 2001
<i>R. x cottetii</i> (= x <i>rogersii</i>) (cae x tom)	SK05V, Brown End Quarry, 2003 SK14J, Blore Woodhouses, 2001
<i>R. x glaucoides</i> (cae x mol)	SK05X, nr Wetton, 2001
<i>R. x molletorum</i> (can x mol)	SK05Z, Warslow, 1996 SK06W, nr Reapsmoor, 2001 SK06X, Under-the-Hill, 1996
<i>R. mollis</i> x <i>tomentosa</i>	SO78Q, Bateman's Dingle, 1996
<i>R. x nitidula</i> (can x rub)	SJ94J, Wetley Moor, 2003 SK22E, Tutbury Castle, 2001 (22 other records appear to be local authority plantings)
<i>R. obtusifolia</i> x <i>tomentosa</i>	SO78R, Kitlands Coppice, 1996
<i>Rubus chamaemorus</i>	SK06I, Oliver Hill, 2014
<i>R. saxatilis</i>	SK05Z, Manifold Valley, 2003 SK15F, Hinkley Wood, 2011 SP09W, New Oscott, 1997 (a likely error)
<i>Rumex x knafii</i> (con x mar)	SK21J, Branston Leas Nature Reserve, 2016
<i>R. x ruhmeri</i> (con x san)	SK22S, Wetmore, 2008

<i>Salix triandra</i>	SJ72Z, Jackson's Marsh, 2004 SJ85K, Tunstall, 1995 SK11T, Wychnor, 2002
<i>S. x ambigua</i> (aur x rep)	SJ95W, Hardy Wood, 1992 (assumed still present) SK14I, nr Stanton, 2013
<i>S. x calodendron</i> (cap x cin x vim)	SK12E, nr Glasshouse Farm, 1999 SO88Z, Kingswinford, 2005
<i>S. x meyeriana</i> (pen x fra)	SJ74N, Betley Mere, 2005 SJ74P, Betley Mere, 2005
<i>S. x rubra</i> (pur x vim)	SO89Q, nr Himley, 2002 SO89L, W of Wombourne, 2002 SO89R, Wombourne, 2001
<i>Samolus valerandi</i>	SJ71U, nr Walkley Bank, 2007 SJ72Q, Aqualate Mere, 2014
<i>Scrophularia umbrosa</i>	SK21J, Branston Lees N.R., 2016 SO77U, banks of R. Severn, 1996
<i>Scutellaria minor</i>	SO78K, N of Arley, 2004 SK11L, Fradley Junction, 1995
<i>Sorbus rupicola</i>	SO77P, Pound Green Coppice, 2013; nr Pound Green Common, 1999 SO77U, Seckley Wood, 2014 SK15G, Hall Dale, 2009 SK15K, Bunster Hill, 2009
<i>Trichomanes speciosum</i>	known in its gametophyte generation at SJ96X, Lud's Church, 2012
<i>Triglochin maritimum</i>	SJ92X, Pasturefields, 2006
<i>Trollius europaeus</i>	SK06H, Gib Torr, 2000, 2015 & 2016 SK06N, W of Edgetop, 1995
<i>Typha x glauca</i> (lat x ang)	SJ72X, Loynton Moss (several sites), 2005
<i>Ulmus plotii</i>	SJ84C, Keele, 1992 Possibly at SJ82E, Copmere, c1997 SJ92P, Sandon, 1992 SK20H, N of Tamworth, 2003
<i>Vicia lathyroides</i>	SO88R, E of Whittington, 2007 (First record since 1978)
<i>Vicia sylvatica</i>	SK14P, S of Coldwall Bridge, 2011
<i>Viola x bavarica</i> (rei x riv)	SO88C, Roughpark Wood, 2008 SP09P, Dingle Wood, near Hayhead, 2006
<i>X Dactyloglomerum mixtum</i> (Coe vir x Dac fuc)	SK04Y, near Wardlow Quarry, 2016

Locally Scarce and Declining: Native Taxa in 10 sites or less

Figures are for number of tetrads now/number in 1970

<i>Anagallis tenella</i>	9/10
<i>Inula conyzae</i>	10/13
<i>Paris quadrifolia</i>	5/8
<i>Persicaria minor</i>	5/7
<i>Potamogeton x lintonii</i> (cri x fri)	4/8
<i>Silaum silaus</i>	9/11

Last Sightings of Probably Extinct Natives

[Last known records, pre-1995; some may still be in the v.c.: especially if marked “*”]

<i>Alopecurus x brachystylus</i> (pra x gen)	1916, SK01T, Armitage
<i>Anthyllis vulneraria</i> ssp. <i>carpatica</i>	1987, SJ94H, Weston Coney
<i>Asplenium viride</i>	1894, SK15-, Dovedale

<i>Carex distans</i>	1923, SJ92T, Weston-upon-Trent
<i>C. dioica</i>	1969, SJ91U, Oldacre Valley
<i>C. filiformis</i>	1991, SO89X, Penn Common – not found in 1992: must be doubtful
<i>C. lasiocarpa</i>	1844, SJ74-, Madeley
<i>C. limosa</i>	doubtfully 1798, SJ81A, Weston under Lizard
<i>C. viridula</i> ssp. <i>brachyrrhyncha</i>	doubtfully c1994, SK05U, Swallow Moss
<i>Cirsium x forsteri</i> (dis x pal)	1844, SK22-, Burton
<i>Colchicum autumnale</i>	SK01L, Beaudesert Old Park, 1969 (and an introduction at SJ90H, Moseley Old Hall, 1985) Other <i>Colchicum</i> records exist as likely introductions but are not identified as to species
<i>Dactylorhiza x hallii</i>	1983, SJ81L, Mottey Meadows NNR
<i>D. x transiens</i> (fuc x mac)	1989, SK14I, Cuckoo Cliff
<i>Draba incana</i>	1901, SK15-, Dovedale
	1950, SK06N, probably Croftbottom Farm
<i>Eleocharis multicaulis</i>	1910, SO77P, Upper Arley
<i>Epilobium x vicinum</i> (obs x cil)	2001, SJ96L, nr Axstones Spring
<i>E. x schmidianum</i> (obs x pal)*	1941, SK05J, Morridge
<i>Eriophorum latifolium</i>	1884, SO89X, Penn Common
<i>Erodium maritimum</i>	1954, SO89F, nr Highgate Farm
<i>Filipendula vulgaris</i>	1952, SK15K, Bunster Hill (later records exist, but are likely to be introductions/casuals via railway ballast and the like)
<i>Glyceria fluitans</i> x <i>G. declinata</i>	1947, SK14D, Thorswood
<i>Hammarbya paludosa</i>	1796, SK00J, Norton Bog
<i>Huperzia selago</i>	1920, SJ74R, Bar Hill
<i>Hymenophyllum tunbrigense</i>	1920, SK04B, Cheadle
<i>Hymenophyllum wilsonii</i>	1930, SK04X, Wootton Park SJ96X, Gradbach c.1840 is not supported by subsequent sightings or a herbarium specimen c.SK06D, "near Flash", 1840, possibly on Derbyshire side of county boundary SK14C, Wootton, 1907, possibly cultivated
<i>Legousia hybrida</i>	1987, SO88-, Kinver Edge
<i>Luzula forsteri</i>	doubtfully 1863, SK12W, Knightley Park
<i>Melica nutans</i> *	1986, SK15B, Eastern Wood
<i>Oenanthe fluviatilis</i>	1892, SK11-, Barton
<i>Petroselinum segetum</i>	1984, SJ92F, Rickerscote Avenue
<i>Polystichum x bicknellii</i> (set x acu)	1917, SK15B, Throwley Moor
<i>Potamogeton x cooperi</i> (cri x per)	1949, SK10-, Lichfield
<i>P. x angustifolius</i> (gra x luc)	1925, SJ91-, Cannock Chase
<i>Puccinellia maritima</i> *	1987, SJ92X, Pasturefields
<i>Ranunculus baudotii</i>	1890, SK22-, Branston (a salt marsh)
<i>R. x bachii</i> (flu x tri)	C.D.K. Cook, in an article in <i>Taxon</i> , 1970 gives it for Staffs river systems
<i>Rhinanthus angustifolius</i>	1851, SJ92-, Stafford
<i>Rorippa x anceps</i> (syl x amp)	1994, SO78K, W bank of R. Severn
<i>Rosa micrantha</i>	1977, SO88-, Kinver Edge
<i>R. obtusifolia</i> *	1989, SO78Q, Bateman's Dingle (two sites)
<i>R. spinosissima</i>	1993, SO78V, Beans Coppice
<i>Rumex longifolius</i>	1832, SO98C, Amblecote; several modern plantings known
<i>R. palustris</i>	1989, SK05L, Goatfields
	1989, SO98N, Regent Street
<i>Sagina subulata</i>	1901, SK04Y, Weaver Hills
<i>Salix daphnoides</i>	1979, SK02E, Stone
<i>S. x mollisima</i> (tri x vim)	1922, SK01Y, Mavesyn Ridware

<i>Schoenus nigricans</i>	1864, SK00J, Norton Bog
<i>Sorbus x thuringiaca</i>	1987, Hoar Cross, SK12G; (planted in a few places, including SJ95B, 1997)
<i>Sparganium natans</i>	1896, SK12W, Callingwood
<i>Spiranthes spiralis</i>	1871, SK15-, Dovedale
<i>Thymus pulegioides</i>	1994, SO78K, SW of Hexton's Farm
<i>Torilis nodosa</i>	1930, SK22L, Burton
<i>Utricularia vulgaris</i>	1955, SJ74P, Betley Mere c1955, SJ92W, Great Haywood
(<i>Vaccinium uliginosum</i>	a possible record from 1864, SK00J, Norton Bog has not been confirmed. The source of the claim is that this name appears in John Fraser's list in <i>Trans. Dudley & Midland Geol. Sci. Society & Field Club</i> in 1865. It is an almost certain slip for <i>V. vitis-idaea</i> which is not listed.)
<i>Veronica x lackschewitzii</i> (ana x cat)	1961, SJ81S, Longnor Bridge, Lapley
<i>Viola x scabra</i> (odo x hir)	1983, probably in SK15L, Dovedale
<i>V. riviniana</i> ssp. <i>minor</i>	1938, SK05Z, Wetton 1990, SP09P, Hay Head NR

Rare, Significant Non-Natives

An arbitrary selection. Those marked "\$" are native elsewhere in Britain, but almost certainly not at the sites given. If there any post-1994 sites, all are given.

<i>Acaena anserinifolia</i>	SJ84Q, Trentham, 2012 SK10A, Lichfield, 2014
<i>Acaena ovalifolia</i>	SJ84C, Keele, 2016
<i>Allium carinatum</i>	SO89R, Wombourne, 2012
<i>Anisantha rigida</i>	SJ82U, Shallowford, 1998 SK12X, Anslow Gate, 2008
<i>Avena sterilis</i> ssp. <i>Iudoviciana</i>	SK22F, Branston, 2002
\$ <i>Bromus racemosus</i>	SO89R, Wombourne, 2012 SO89W, E of Wombourne, 2002 SK11H, S of King's Bromley, 2004
<i>Cardamine raphanifolia</i>	SK04L, Dimmingsdale, 2014
\$ <i>Carex arenaria</i>	SJ84X, disused railway station, Fenton Low, 1995; also, near to main line, Stoke, 2014
<i>Cicerbita plumieri</i>	SK04R, behind Rambler's Retreat, 2003
\$ <i>Cochlearia officinalis</i>	SK04L, Dimmingsdale, 2003 SO98J, Saltwells, 1999
<i>Conyza bilbaoana</i>	SP08P, Holly Road, Gib Heath, 2005
<i>Cotula coronopifolia</i>	SP09W, Kingstanding, 2006 SP09X, Bannersgate, 2006 SJ92C, Doxey Marsh (two sites), 2013 SJ92H, in several places at Astonfields, 2011
<i>Echium plantagineum</i>	SJ84L, Ferndown Nature Reserve, 2010 SJ84Y, Hanley, in seed mix, 2016 ??SK20H, Amington, 2007 (Now being trialled in parts of UK as an oil seed crop)
<i>Erigeron annuus</i>	SJ84T, Hanley, 2014
\$ <i>Erodium moschatum</i>	SO88X, N of Stourbridge, 2014 SO88S, E of Dunsley, 2008
\$ <i>Euphorbia platyphylllos</i>	SP09R, Perry Barr Stadium, 2005 SO89R, garden weed, Wombourne, 2015 SO98T, Terrace Street, Blackheath, 1987 SO99D; allotment, Wolverhampton, 2015
\$ <i>Linum bienne</i>	SP09E, Coal Pool, Walsall, 2001 (doubtfully for SO99P, Fibbersley, 1999)
<i>L. flavum</i>	SO99S, Gospel Oak, 2001. First British Record

Malva parviflora	SK22M, Burton, 2003 (and in most years since 1970)
Malva pusilla	SK22L, Burton, 2011
\$Orobanche elatior	SK04U, Cauldon, 2007, 2010 & 2011
\$Oxyria digyna	SO88Z, car park, Kingswinford, 2005
\$Papaver hybridum	SK10L, Hints, 1991
Polygonum cognatum	SK22L, Burton, 2008
P. rurivagum	SJ90N, Laney Green, 2003 SJ92G, Stafford, 2009
Plagiobothrys scouleri	SJ91U, Cannock Chase (two sites), 2006
\$Polygonatum verticillatum	SJ93C, Cotwalton Drumble, 1997
Rumex cristatus	SJ92B, Castletown, Stafford, 2013
\$R. palustris	SO98N, Regent Street, 1989
Sisymbrium polyceratum	SO99Z, Bentley, 2000 SP08U, Lozells, Birmingham 19, 2005 SP09E, Navigation St., Walsall, 2002
Trachyspermum ammi	SJ84X, between Shelton & Stoke, 2014
\$Trifolium subterraneum	SJ92L, Beaconside, Baswich, 2016 SO88G, Kinver Edge, 2002
Tulipa saxatilis	SO89R, Wombourne, 2012
T. sylvestris	SK01W, Longdon Green, 2011 (last seen there in 1971) SK04V, Denstone, 1998 (on site since 1925)

{Atriplex littoralis was found, for the first time, on four roadsides, in 2004; Bidens connata, another new v.c. record, was first found, in 4 tetrads of the southern half of SJ95, in 2003.}

Appendix

Hieracia

The v.c. list is as follows, with species recorded since 1994 in bold type. Half a dozen species are frequent or occasional in the vice-county. Most other taxa are confined to the limestone. Those with no recent records, but likely to be still extant are marked “**”. Re-classification follows the treatment of Volume 4 of the *Flora of Great Britain and Ireland* (Sell and Murrell). Last sightings are:

Hieracium acuminatum	Recorded in 141 tetrads (27 hectads) post 1994. However most, if not all, records should be for the newly described <i>H. argillaceum</i> or <i>H. consociatum</i>
H. anglorum	1948, SJ92L, Baswich (as “ <i>H. diaphanum</i> ”) 2006, SO77U, nr Arley Station
H. argillaceum	Recorded in 16 tetrads (14 hectads) post 2003. Under-recorded.
H. britannicum	1993, SK05X, Thor’s Cave 1964, SK15G, Hall Dale (and 2007, 2015) 2015, SK15H, Mill Dale
H. cinderella	2014, SO77T, Hawkbatch Valley 1998, SO77U, Eyemore Wood 1954, SO77U, Seckley Wood
H. consociatum	Recorded in 54 tetrads (19 hectads) post 2003. Under-recorded
<i>H. cymbifolium</i> *	1980, SK15C, Beeston Tor
H. daedalolepioides	1951, SK15-, near Alstonfield 2008, SK22E, Tutbury Castle 2016, SK04Y, S. of Wardlow Quarry
<i>H. dalense</i> *	1877, SK15-, Alstonefield (formerly named as “ <i>H. subplanifolium</i> ”)
<i>H. dentulum</i>	2015, SK15G, Hall Dale
<i>H. decolor</i>	1953, SK05X, Grindon. The specimen has not been seen or checked recently
H. diaphanum	Recorded in 15 tetrads (10 hectads) almost all in the north of the v.c. Most records are now thought likely to be referable to <i>H. anglorum</i> , or <i>H. daedalolepioides</i>

H. exotericum	2007, SK05X, near Thor's Cave 2007, SK15C, Manifold Valley 2007, SK15H, Hall Dale
H. fictum	1899, SK15-, near Alstonefield Vicarage (formerly as "H. maculatum")
H. grandidens	2015, SJ71L, Sheriffhales
H. holophyllum	1985, SK15G, Hall Dale. The specimen has not been seen or checked recently 2009, SK05Z, Ecton 2009, SK15D, Narrowdale (east)
H. peccense	1953, SK15H, Mill Dale (formerly recorded as "H. caledonicum") 1954, SK05Y, Wetton Mill (formerly named as "H. rubiginosum") 2016, SK15G, Hall Dale
H. pollichiae	2008, SK12Y, Fauld Crater, Hanbury: probably this sp.
H. prenanthoides	1992, SO99F, Wren's Nest N.R. Likely to have been introduced.
H. sabaudum®	Recorded in 242 tetrads (38 hectads) post 1994
H. salticola	Recorded in 59 tetrads (17 hectads) largely in the south of the v.c.
H. scotostictum	Recorded in 9 tetrads (9 hectads) post 1999
H. spilophaem	1882, SJ80R, Codsall (formerly as "H. maculatum")
H. subaequale	1954, SK05-, near Wetton 2009, SK05Z, Ecton 2008, SK15C, Manifold Valley 2008, SK15D, Narrow Dale 2008, SK15G, Hall Dale
H. subcrocatum	2003, SK05Z, Ecton
H. sublepidotoides	1997, SO78-, Arley House
H. subprasinifolium	1964, SK15G, Hall Dale 2007, SK15H, Hall Dale
H. trichocaulon	1873, SK04-, Lady Well, Cheadle
H. umbellatum	Recorded in 47 tetrads (24 hectads)
H. vagum	Recorded in 161 tetrads (35 hectads)
H. vulgatum	Recorded in 105 tetrads (31 hectads)

®: over the years, differing opinions have been held as to precisely which features should be used to distinguish between plants that appear to share some characters of both *H. sabaudum* and *H. vagum*. Different recorders may well have given the same plants different names. The 2014 publication "Yorkshire Hawkweeds" gives excellent advice on this matter.

***Rubus fruticosus* agg**

The following have been recorded for the vice-county. The most recent records are given. Frequency indications refer to the whole vice-county and are estimated from the density of dots in Alan Newton/Rob Randall's Bramble Atlas. Rubus daltrii and R. obesifolius are endemic to Staffordshire, confined to five or fewer hectads and, thus, are likely to be threatened.

Rubus accrescens	Eighteen post-1995 records; frequent, endemic to v.c.39, 57-59 & 63
R. adamsii	Bramble Atlas post-1988, SJ82A, Gnosall; rare
R. adenanthoides	Four post-1996 records; occasional; endemic to Britain & Ireland
R. albionis	1973, SK02I, Stowe; rare; British endemic.
R. amplificatus	2000, SO88B, Arley Wood; 2006, SJ73D, Napley; frequent. British & Irish endemic
R. anglocandicans	1946, SK21F, Haunton; rare; English endemic
R. anglofuscus	2006, SO77T, Seckley Wood; 2006, SO88B, Arley Wood; occasional; English endemic
R. angloserpens	2004, SO77U, Arley; 2006, SO77T, Seckley Wood; rare. British endemic
R. anisacanthos	Bramble Atlas post-1988 from SJ80-, 83-, 91-, 93-, 94-; SK14; 1980, SK12L, Newborough & Newchurch; occasional
R. armeniacus	(= R. procerus). Eight post-2001 records; occasional
R. armipotens	1972, SO77U, Seckley Wood; SO77T, Seckley Wood, 2006; rare; British endemic
R. asperidens	Bramble Atlas post-1988, SJ73-
R. bagnallianus	1980, SK12R, Scotch Hill; 1997, SJ80Q, Cranmoor; occasional . Endemic to the English Midlands
R. bartonii	1972, SJ73U, Maer & The Bogs; rare; British endemic
R. bertramii	Bramble Atlas post-1988 from SJ80-, 83- & 85-; 1964, SJ90V, Rough Wood; common

<i>R. bloxamianus</i>	1962, SK10U, Park Lane; rare; British & Irish endemic
<i>R. bloxamii</i>	c1975, 8 records (SJ72-; SJ84-; SJ92-; SK00-; SK01-; SK10-; SK11-; SP09-); 2006, SJ91X, Cannock Chase; occasional
<i>R. boudiccae</i>	Bramble Atlas post-1988 from SO98 & SK02; 1954, SO88-, Kinver & Kinver Edge; rare. A British & Irish endemic
<i>R. caesius</i>	Five post-1994 records; occasional
<i>R. calvatus</i>	Six post-1994 records; common. A British & Irish endemic
<i>R. cardiophyllus</i>	2006, SJ91U & X, Cannock Chase; 2007, SJ75Q, Knowl End; frequent
<i>R. condensatus</i>	Four post-1996 records; occasional; endemic to v.c.37, 39 & 40 and to NE France
<i>R. conjungens</i>	Bramble Atlas recent (SJ82); 1972, SJ82X, Seighford; occasional
<i>R. criniger</i>	Eight post-1997 records; frequent
<i>R. daltrii</i>	1997, SJ84C; 2006, SJ74W & SJ84B, 2006: all near Whitmore; occasional
<i>R. dasypyllus</i>	Recorded in 54 tetrads (16 hectads) post-1996 records; common
<i>R. distractiformis</i>	Eight post-2000 records; frequent, endemic to v.c.39, 57-59 & 63
<i>R. diversus</i>	1980, SK01L, Castle Ring Camp; rare
<i>R. dumnoniensis</i>	1960, SJ73V, Greatwood Farm; rare
<i>R. eboracensis</i>	Nine records in 2006; common
<i>R. echinatoides</i>	Five post-1994 records; a British & Irish endemic; frequent
<i>R. echinatus</i>	1985, SO88B, Kinver; frequent
<i>R. euryanthemus</i>	Eight post-1994 records; frequent
<i>R. fuscus</i>	1972, SJ91U, Cannock Chase; very rare: a doubtful record, not in the Atlas
<i>R. gratus</i>	1965, SJ73K, Bishop's Wood; rare
<i>R. hindii</i>	Four post-1994 records; a British & Irish endemic
<i>R. hylocharis</i>	Seven post-1997 records; common
<i>R. incurvatiformis</i>	Ten post-1997 records; common. A British endemic
<i>R. incurvatus</i>	1967, SJ94T, Blakeley; 1967, SJ94Z, Old Hall; occasional
<i>R. infestus</i>	2006, SJ91X, Cannock Chase; 2007, SJ95E, Biddulph Moor; frequent
<i>R. informifolius</i>	Four post-1994 records; occasional; endemic to v.c.12, 36 & 38-40
<i>R. insectifolius</i>	1971, SK10X, Dunstall Farm; occasional
<i>R. intensior</i>	44 post-1994 records; frequent. A British endemic
<i>R. laciniatus</i>	Twenty post-1997 records; occasional
<i>R. leightonii</i>	2006, SJ91X, Cannock Chase; 2007, SJ85B, Coalpit Hill; frequent
<i>R. lindebergii</i>	c1970, SK06-; 2006: SJ95V, Cheddleton & SK05A, Ipstones; occasional
<i>R. lindleianus</i>	Twenty post-1996 records; common
<i>R. lintonii</i>	2006, SJ74W & SJ84B, Whitmore; occasional
<i>R. longithyrsiger</i>	2000, SO88B, Coldridge Wood; rare
<i>R. macrophyllus</i>	2007, SJ75Q, Balterley Green; occasional
<i>R. mucronulatus</i>	1966, SK10S, Hopwas Hays; occasional
<i>R. murrayi</i>	1998, SJ74W, N of Dab Green; 2006, SJ74W, Whitmore; rare
<i>R. nemoralis</i>	Thirteen post-1996 records; frequent
<i>R. nemorus</i>	1961, SJ71S, Barbers Gorse; rare
<i>R. nessensis</i>	c1975, SJ83-; SK01-; SK02-; occasional
<i>R. obesifolius</i>	1960, SK05B, nr Coombes Valley; 2002, SK05C, Bradnop;
<i>R. obscuriflorus</i>	2006: SJ95V, Cheddleton & SK05A, Ipstones; occasional, endemic to v.c.39
	2006, SO77T, Seckley Wood; rare. Endemic to v.c.33, 34, 36, 37 & 39
<i>R. painteri</i>	Eighteen post-1996 records; frequent, endemic to v.c.39, 58-60 & 64
<i>R. pallidus</i>	1998, SJ83J, Hanchurch Hills; 2006, SJ84F, E of Hanchurch Heath;
<i>R. pampinosus</i>	2006, SJ83P, Hanchurch Hills; frequent
<i>R. pascuorum</i>	2000, Arley Wood, SO88B; 2004, SO77U, Arley; a British endemic
<i>R. pedemontanus</i>	2006, SO77T, Seckley Wood; rare
	1964, SJ82G, Gnosall; occasional; endemic to Britain
	1979, SK04F, Lord's Coppice; occasional

<i>R. pistoris</i>	c1975, SK11-; rare
<i>R. platyacanthus</i>	Eight records in 2006; common
<i>R. plicatus</i>	1967, SJ95V, Hills Wood; occasional
<i>R. polyanthemus</i>	Eight post-1997 records; common
<i>R. pruinosis</i>	1985, SO88G, Kinver; common
<i>R. pyramidalis</i>	1980, SJ82E, Cop Mere; occasional
<i>R. radula</i>	1972, SJ91N, Cock Lane; occasional
<i>R. rhombifolius</i>	In 2006: SJ95K, Cheddleton; SK04J & SK05A, Ipstones; rare
<i>R. robiae</i>	Nine post-1994 records; frequent
<i>R. rubristylus</i>	Seven post-1997 records; common. Endemic to Britain & Ireland
<i>R. rubritinctus</i>	1962, SK21Q, Clifton Campville; rare
<i>R. rufescens</i>	1977, SJ80G, Kingswood Common; 1977, SK02H, Blithfield 2000, SO88B, Arley & Coldridge Woods; 2006, SO77T, Seckley Wood; frequent
<i>R. scaber</i>	1975, SJ80G, Kingswood Common; occasional
<i>R. sciocharis</i>	Bramble Atlas post-1988, SJ93-; 1985, SO88G, Kinver Edge; occasional
<i>R. scissus</i>	1972, SK06G, Ramshaw Rocks; 1972, SO89K, Whitehouse Plantation; 2001, SJ96V, Meerbrook ; common
<i>R. silurum</i>	Bramble Atlas post-1988, SJ11-; 1980, SK11K, Brookhay Bridge; rare. British endemic
<i>R. sneydii</i>	Four post-1996 records; rare, endemic to v.c.39, 40 & 58
<i>R. sprengelii</i>	23 post-1996 records: common
<i>R. subtercanens</i>	c1975, SJ84-; rare
<i>R. surrejanus</i>	Bramble Atlas post-1988, SO77-; 1959, SO77P, Pound Green; rare. British endemic
<i>R. tuberculatus</i>	40 post-1997 records; common
<i>R. turritus</i>	Five post-1995 records; frequent, endemic to v.c.39
<i>R. ulmifolius</i>	Recorded from 55 tetrads (22 hectads) since 1995; actually in many more: 211 in E.S. Edees' Flora
<i>R. ulmifolius x vestitus</i>	2000, SJ73E, Napley; 2006, SO77, Seckley Wood; probably occasional
<i>R. varvicensis</i>	1951, SP09Y, Sutton Park; rare, endemic to v.c.38 & 39
<i>R. vestitus</i>	34 post-1997 records; common
<i>R. warrenii</i>	Seven post-1997 records; frequent
<i>R. wirralensis</i>	1978, SJ81D, Church Eaton; 2006, SJ95W, Cheddleton; occasional

Taraxaca

The following have been seen in the vice-county. The last traced sightings are given.

<i>Taraxacum acutifidum</i>	1993, SK14J, Blore Hall
<i>T. aequilobum</i>	1993, SK04I, Froghall Wharf & SK14J, Blore Hall
<i>T. 'anceps'</i>	A species as yet only informally described .The only report, from an unspecified location in SJ91, was in 1989
<i>T. ancistrolobum</i>	1993, SK04I, Froghall Wharf & SK14J, Blore Hall & SK15K, Dovedale
<i>T. angustisquamum</i>	1993: SK04I, Froghall Wharf, AJR
<i>T. argutum</i>	1993, SK15K, Dovedale
<i>T. atactum</i>	1996, SO77P, Pound Green Common
<i>T. aurosulum</i>	1982, SK02, unknown location
<i>T. boekmanii</i>	1999, SO77T, Hawkbatch
<i>T. brachyglossum</i>	1993, SK14J, Blore Hall
<i>T. bracteatum</i>	1993, SK04I, Froghall Wharf
<i>T. 'cestrense'</i>	A species as yet only informally described. There are two records, from unspecified locations in SJ83 & SK13, in 1989
<i>T. chloroticum</i>	1993, SK14J, Blore Hall
<i>T. cordatum</i>	1993, SK04I, Froghall Wharf

T. dilatatum	1993, SK15K, Dovedale
T. duplidentifrons	1996, SO77P, Pound Green Common
T. ekmanii	1993, SK04I, Froghall Wharf & SK14J, Blore Hall & SK15K, Dovedale
T. euryphyllum	1971, SJ75K, Black Firs & SJ72T, Admaston
T. exacutum	1989, SK15-, no locality specified
T. excellens	1993, SK04I, Froghall Wharf, SK14J, Blore Hall & SK15K, Dovedale
T. expallidiforme	1993, SK04I, Froghall Wharf
T. faeroense	1955, SJ83Y, Barlaston Downs & SK05-, Warslow & SK06-, Flash. Specimens claimed from SK02F, Colton, 1986 & SK01L, Longdon, 1989 were not verified by an expert
T. fasciatum	1993, SK04I, Froghall Wharf & SK14J, Blore Hall & SK15K, Dovedale
T. fulviforme	1993, SK14J, Blore Hall & SK15K, Dovedale
T. gelertii	1971, SJ81P, Allimore Green
T. glauciniforme	1993, SK15K, Dovedale
T. hamatiforme	1993, SK04I, Froghall Wharf
T. hamatum	1993, SK04I, Froghall Wharf & SK14J, Blore Hall & SK15K, Dovedale.
T. hamiferum	1993, SK14J, Blore Hall
T. insigne	1993, SK14J, Blore Hall & SK15K, Dovedale
T. interveniens	2005, SO78Q, Arley
T. intumescens	1993, SK04I, Froghall Wharf
T. laciniosifrons	1993, SK04I, Froghall Wharf
T. lacistophyllum	1993, SK14I, Blore Hall; SK15K, Dovedale
T. laeticolor	1993, SK04I, Froghall Wharf
T. lamprophyllum	1993, SK04I, Froghall Wharf
T. latissimum	1993, SK04I, Froghall Wharf
T. leptodon	1993, SK14J, Blore Hall
T. lingulatum	1993, SK04I, Froghall Wharf & SK14J, Blore Hall & SK15K, Dovedale
T. longisquamum	1993, SK14J, Blore Hall
T. lunare	1993, SK14J, Blore Hall
T. macrolobum	1984, SJ81-, locality unknown
T. maculosum	1971, SK05Y, Ecton
T. marklundii	1993, SK15K, Dovedale
T. necessarium	1993, SK04I, Froghall Wharf
T. nigridentatum	1993, SK14J, Blore Hall
T. nordstedtii	1993, SK14J, Blore Hall & SK04I, Froghall Wharf
T. oblongatum	1993, SK04I, Froghall Wharf & SK14J, Blore Hall & SK15K, Dovedale
T. oxoniense	1993, SK14J, Blore Hall
T. pannulatum	1993, SK04I, Froghall Wharf & SK15K, Dovedale
T. pallidipes	1993, SK04I, Froghall Wharf
T. pannucium	1993, SK14J, Blore Hall & SK15K, Dovedale & SK04I, Froghall Wharf
T. parnassicum	1993, SK14J, Blore Hall
T. piceatum	1993, SK14J, Blore Hall
T. polyodon	1992, SK02-, locality unknown
T. pseudohamatum	1993, SK14J, Blore Hall & SK15K, Dovedale
T. quadrans	1993, Blore Hall, SK14J
T. remenantilobum	1993, SK04I, Froghall Wharf & SK15K, Dovedale
T. rhamphodes	1993, SK14J, Blore Hall
T. rubicundum	1993, SK14J, Blore Hall
T. sagittipotens	1993, SK04I, Froghall Wharf
T. sahlinianum	1993, SK04I, Froghall Wharf & SK14J, Blore Hall; SK15K, Dovedale
T. scoticum	1993, SK14J, Blore Hall
T. sellandii	1993, SK04I, Froghall Wharf & SK14J, Blore Hall & SK15K, Dovedale
T. stenacrum	1993, SK04I, Froghall Wharf & SK14J, Blore Hall
T. stenoglossum	1993, SK04I, Froghall Wharf: previously known as "T. dahlstedtii"

<i>T. subracteatum</i>	1989, SJ73-, locality unknown
<i>T. subcyanolepis</i>	1993, SK15K, Dovedale
<i>T. subexpallidum</i>	1993; SK04I, Froghall Wharf & SK15K, Dovedale
<i>T. subhamatum</i>	1993, SK14J, Blore Hall & SK04I, Froghall Wharf
<i>T. tanyphyllum</i>	1993, SK14J, Blore Hall
<i>T. tumentilobum</i>	2005, SO78Q, Arley
<i>T. undulatiflorum</i>	1999, SO77T, Hawkbatch

Last Sightings of Uncommon Non-Natives

Planted trees are excluded. Those marked "\$" are native elsewhere in Britain, but almost certainly not at the sites given.

a) post-1986

<i>Abutilon theophrasti</i>	SO99B, Gospel End, 1991
<i>Achillea filipendulina</i>	SO89R, Wombourne, 2004
<i>Adiantum raddianum</i>	SO88T, greenhouse weed, Ashwood Nurseries, 2012
<i>Agave americana</i>	S J90B, Fordhouses, 2015
<i>Ageratum houstonianum</i>	SO89R, Wombourne, 2004
<i>Akebia quinata</i>	SO89R, Wombourne, 2006
<i>Alchemilla conjuncta</i>	SJ84J, between Apedale and Chesterton, 1999 SK03X, Uttoxeter, 2000
 	SO99M, Coseley Canal Tunnel, 2014
<i>Allium carinatum</i>	SO77U, Upper Arley, 2009
 	SO89R, Wombourne, 2012
<i>A. moly</i>	SJ84T, Forge Lane, 2012 SJ90G, Moseley, 1991 SK04C, Harewood, 2003
 	SO89Z, self-seeded, Bantock Park, 2004
<i>A. tuberosum</i>	SJ84P, Westport Lake, 2013
<i>Althaea officinalis</i>	SO99E, Wolverhampton, 2005
<i>Amaranthus albus</i>	SO89R, Wombourne, 2006
<i>A. bouchonii</i>	SJ84M, Grosvenor, 1993
<i>A. crispus</i>	SP09G, Sandwell, 1996
<i>Ammi visnaga</i>	(now a regular constituent of amenity seed mixes sown on verges, waste ground, etc.)
 	SK11D, Armitage, 2008
<i>Amsinckia lycopsoides</i>	SO99P, Bilston, 2008
<i>Anchusa azurea</i>	SO98T, Blackheath, 1987
<i>Anchusa officinalis</i>	SJ90G, E of Bushbury, 2008
<i>Anemone apennina</i>	SO88M, The Hyde, Kinver, 2013
 	SO88Y, Wordsley, 2007
<i>A. x hybrida (hup x vit)</i>	SP09K, E of Handsworth, 2005
 	SP09G, Sandwell, 1996
<i>Anethum graveolens</i>	SJ80L, nr Oaken, 2003
\$ <i>Apium graveolens</i>	SO99J, Old Heath Road, Wolverhampton, 2004
 	SJ84L, Northwood, 2005
<i>Arabis arenosa</i>	SO89R, Wombourne, 2012
\$ <i>Armeria maritima</i>	SO89L, Smestow Road, 2002
 	SO99H, Coseley, 2008
<i>Artemisia dracunculus</i>	SO88Y, Wordsley, 2005
<i>Asarina procumbens</i>	SJ85G, Talke, 2014
 	SO93I, Moddershall Oaks, 2016
<i>Astragalus odoratus</i>	SK22G, nr Shobnall Road, Burton 1987
 	SK22M, Derby Road, Burton, 2008
<i>Astrantia major</i>	SJ90H, Wolverhampton, 1990
 	SK05Y, near Ecton Bridge, 2009
<i>Atriplex hortensis</i>	SK13Q, Densy Lodge, 1992 SK20L, E of Amington, 2006

Aurina saxatilis	SJ95Y, Leek, 2014 SO95Y, Wombourne, 2012
Barbarea stricta	SK22T, nr Clay Mills, 2004
Bassia scoparia	SO99E, Broad Street to Railway Drive, 1988
Berberis aggregata	SP09G, Sandwell, 1996
B. wilsoniae	SJ84E, Miles Green, 2007
B. x frikartii	SP89R, Wombourne, 1991
Bergenia cordifolia	SJ91C, Longridge, 2007
Berteroa incana	SJ91J, Acton Gate, 1988
\$Beta vulgaris ssp. maritima	SJ91G, Bentley, 2007
Bidens ferulifolia	SK00Q, Beacon View, 2009
Brassica elongata	SJ92C, Creswell, SJ92C, 2010
B. rapa ssp. oleifera	SP09G, Forge Mill, 1992
B. tournefortii	SJ94K, Blythe Bridge, 2007
Bromus lepidus	SK20A, Two Gates, 2008
Bupleurum subovatum	SP09R, Perry, 2006
Calla palustris	SO89R, Wombourne, 2010
Campanula carpatica	SP09G, Sandwell, 1996
\$C. glomerata	SO98S, Halesowen, 2005
C. medium	SO88I, nr Big Wood, 2000
C. rapunculoides	SJ85R, Turnhurst, 2010
Cardamine corymbosa	SK02K, Stockwell Heath, 1988
C. quinquefolia	SO89R, Wombourne, 2007
Carthamus tinctorius	SK06I, Quarnford Churchyard, 1996
Ceanothus divergens	SK11P, disused garden, Yoxall, 1994
Ceratochloa cathartica	SO89R, Wombourne, 2000
Chaerophyllum aureum	SO98C, Amblecote, 1998
Chenopodium hybridum	SP08E, West Smethwick, 1997
Chionodoxa luciliae	SJ80A, Patshull, 1993
Choisya ternata	SJ80R, Codsall, 1993
Clarkia amoena	SO89Y, Penn, 2006
C. unguiculata	SJ84H, shrub border, Keele University campus, 2016
Clematis tangutica	SJ85Q, by main pool, Burslem Park, 2016
\$Clinopodium calamintha	SJ85Z, three places in Biddulph Grange Gardens, 2013
Cocculus trilobus	SJ73W, Ginger Lane, Croxton, 2016
Colutea arborescens	SO99V, Greets Green, 1997
Conringia orientalis	SP08E, West Smethwick, 1997
Cordyline australis	SP09E, Ryecroft, 1990
Corydalis solida	SO88Z, Kingswinford, 2005
Cosmos bipinnatus	SJ85G, Talke, 2012
Cotinus coggygria	SO99Y, Wolverhampton, 2015
	SJ84X, Fenton Manor, 2002
	SK22M, Burton, 2008
	SK22A, Branson Bridge, 2009
	SP09G, long established, Sandwell Valley, 2016
	SJ84X, Fenton, 2002
	SO89N, Trescott, 1993
	SO99Y, Pleck, 2001
	SO89R, Wombourne, 2006
	SK11A, Lichfield, 2002
	SO89R, Wombourne, 2000
	SJ92V, S of Shugborough Hall, 2007
	SJ91A, Rodebaston, 1987
	SK04I, Froghall, 1989 (probably planted at Millfields, SO99H, 1993)
	SO88Y, Wordsley, 2008
	SO99Y, Pleck, 2001
	SJ93B, Stone, 2002
	SK11F, Lichfield, 2007
	SO88Y, Wordsley, 2002
	SK10E, Lichfield, 2009
	SO88T, N of Prestwood, 2004
	SO88Z, Kingswinford, 2007
	SO99L, Dixon's Green, 1998

<i>Cotoneaster cochleatus</i>	SO99E, Dunstall Hill, 2016
<i>Cotoneaster mairei</i>	SO98E, Bromley, 2006
<i>C. microphyllus</i>	SK15G, Hall Dale (north), 1993
<i>C. prostratus</i>	SO99C, nr Greenleighs, 2000
<i>C. splendens</i>	SJ90T, Cheslyn Hay, 1995
<i>Cotula squalida</i>	SJ84Z, E of Sneyd Green, 2015
<i>Crambe hispanica</i>	SJ80Q, Tettenhall, 1991
<i>Crataegus crus-galli</i>	SP08D, nr Warley Woods, 1998
<i>C. laciniata</i>	SJ92L, Baswich, 2006
<i>C. monogyna</i> ssp. <i>azarella</i>	SJ92M, nr Hopton, 2014
<i>C. orientalis</i>	SO89R, Wombourne, 2010
<i>Crepis nicaeensis</i>	SO89W, Baggeridge, 2000
	SO99S, Moxley, 2011
<i>C. setosa</i>	SJ84N, Cross Heath, 1996
<i>Crocosmia masoniorum</i> 'Lucifer'	SJ93P, Stallington, 2015
<i>Crocus biflorus</i>	SJ84N, Cross Heath, 1995
<i>C. chrysanthus</i>	SJ92H, Astonfields, 1997
	SK11H, Alrewas Hayes Farm, 2005
	SP29E, Tamworth, 2008
<i>C. speciosus</i>	SK08E, Doe buck Lane, 1991
<i>C. sieberi</i>	SO98N, Old Hill, 1991 (two sites)
<i>Cuscuta campestris</i>	SK01G, Hazelslade, 2015
<i>Cyclamen persicum</i>	SO89R, Wombourne, 2007
<i>C. repandum</i>	SO89K, Smestow, 2003
<i>Cynodon dactylon</i>	SO89X, Penn Common, 2002
	SP09B, All Saint's Churchyard, 1996
	SJ73T, Ashley, 2003
	SO89R, Wombourne, 2007
	SP08G, Harborne, 2014
	SO89Y, Highfields School, 1988
	SO88T, Ashwood Nurseries/Garden Centre, 2015
	SJ84N, Newcastle, 2014
	SK90A, Gorsebrook Road sidings, 1994
<i>Daucus carota</i> ssp. <i>sativus</i>	SO89Q, nr Swindon, 2007
<i>Descurania sophia</i>	SP09G, Sandwell, 1996
<i>Deutzia scabra</i>	SJ92P, nr Enson Farm, 1997
	SJ80Z, Brewood, 1991
<i>Dianthus plumarius</i>	SO78Z, Arley Wood, 2002
	SO99X, Wednesbury, 1997
	SJ92B, Castletown, 2003
	SO99A, nr Ruiton, 2001
<i>Diascia barberae</i>	SO88Y, Wordsley, 2007
<i>Dicentra formosa</i>	SJ85L, Kidsgrove, 2012
	SJ93J, Stallington Road, 2004
	SO89W, Baggeridge Country Park, 1998
<i>Digitaria ischaemum</i>	SO89R, Wombourne, 2006
<i>Dipsacus sativus</i>	SJ84J, Apedale Country Park, 1998
	SJ85M, Birchenwood Brickworks, 1998 (site destroyed in 2000)
<i>Disanthus cercidifolius</i>	SJ84H, Barnes Dell, Keele University, 2016
<i>Doronicum x excelsum</i>	SJ83I, Lower Hatton, 1999
	SJ92L, towpath, near Baswich
<i>D. x willdenowii</i>	SJ80A, Patshull Park, 1993
<i>Dorycnium hirsutum</i>	SP09L, Jayshaw Avenue, Great Barr, 2005
<i>Eccremocarpus scaber</i>	SJ84T, Shelton, 2001
<i>Echinochloa colona</i>	SP09G, Sandwell RSPB Reserve, 1996
<i>E. esculenta</i>	SJ84P, by Westport Lakes, 2010
	SJ84R, Levita Road, 1995
<i>E. frumentacea</i>	SK10E, Lichfield, 2010
<i>Echinops sphaerocephalus</i>	SJ94L, Caverswall, 1988 & 2004
	SO88S, Stourton, 2007
<i>Eragrostis curvula</i>	SO89R, Wombourne, 2015
<i>Eructastrum gallicum</i>	SO98J, Hart's Hill, 1992
<i>Erigeron glaucus</i>	SK01N, Brereton, 2008
	SO89R, Wombourne, 2000

<i>E. speciosus</i>	SO89R, Wombourne, 2000
<i>E. philadelphicus</i>	SP09R, N of Perry
<i>Erinus alpinus</i>	SJ84T, Hanley, 2009. Site now destroyed
<i>Erysimum x marshallii</i>	SO89R, Wombourne, 2000 & 2004
<i>Eryngium giganteum</i>	SK02F, Wolseley Hall, 1990
<i>Erythronium dens-canis</i>	SO98I, Saltwells NR, 1998
<i>Escallonia macrantha</i>	SJ80A, Patshull Park, 1993
<i>E. x langleyensis</i>	SO99H, Coseley, 2008
<i>Euonymus japonicus</i>	SJ80V, St Michael's Churchyard, 1996
<i>Euphorbia esula</i>	SO98D, Brierley Hill, 2002
<i>E. stricta</i>	SO98E, nr Pensnett, 2006
<i>E. waldensteinii</i>	SJ84X, Stoke, 1995
<i>E. x pseudovirgata</i>	SJ90A, Dunstall Hill, 2005
	SO99E, Wolverhampton, 2016
<i>Ferula communis</i>	SK11I, King's Bromley, 2008
<i>Festuca glauca:</i>	SO98I, Mushroom Green, 1992
<i>F. heterophylla</i>	SO98P, Blower's Green, 2004
<i>F. longifolia</i>	SK01B, nr Hednesford, 2007
<i>Filipendula camtschatica</i>	SJ84Q, Trentham, 2013
<i>Fraxinus angustifolia</i> ssp. <i>oxycarpa</i>	SO89XC, Penn, 2003
<i>Fumaria officinalis</i> ssp. <i>wirtgenii</i>	SJ91R, W of Huntington, 2014
	SO99L, Birmingham Canal, 2004
<i>F. densiflora</i>	
<i>Galanthus elwesii</i>	SJ80X, bank of M54, 2013
	SO89R, Wombourne, 2015
<i>G. nivalis</i> x <i>plicatus</i>	SJ80A, Patshull churchyard, 1991
<i>G. plicatus</i>	doubtfully, SK00N, Anglesey Bridge, 1993
<i>G. woronowii</i> x <i>nivalis</i>	SJ80K, nr Patshull Church, 1992
<i>Galeopsis segetum</i>	SK22L, edge of Washlands, Burton, 2000
<i>Galium tricornutum</i>	SJ90A, planted street tree, Dunstall, 2015
<i>Gaultheria mucronata</i>	SJ91K, Hatherton, 2003
<i>Genista sagittalis</i>	SJ91H, between The Whittamoors & Lower Drayton, 2007
<i>Geranium dalmaticum</i>	SP09J, Park Lime Pits, 1991
<i>G. nodosum</i>	SJ80V, Tettenhall, 2013
<i>G. psilostemon</i>	
<i>G. x oxonianum</i> var. <i>thurstoniana</i>	SO89R, Wombourne, 2006
<i>Geum macrophyllum</i>	SO99E, Wolverhampton, 2016
<i>Glebionis coronaria</i>	SP08H, St.. Peter's Churchyard, Harborne, 2011 & 2014
<i>Gnaphalium luteoalbum</i>	SJ80V, Tettenhall, 2014
<i>Gunnera manicata</i>	SJ90C, Coven Heath, 1997
<i>Helianthus petiolaris</i>	SJ80P, nr Bishop's Wood, 2003
<i>H. tuberosus</i>	SJ92F, Wildwood Park, Stafford, 2015
	SO89V, Himley Park, 2003
	SO88S, Coombeswood, 2002
	SO90C, Coven Lawn, 1992
	SJ74V, Baldwin's Gate, 2002
	SK01F, NW of Cuckoo Bank, 2015
	SJ74K, Willoughbridge, 1988
	SO88Y, Wordsley, 2007
	SJ82R, near Yarnfield, 2013
	SP09K, S of Handsworth Wood, 2003
	SJ05I, between Joiner's Square & Berry Hill, 2004
	SJ95I, W road verge, Gratton, 2016
	SJ95I, S. of Lea Laughton, 2016
	SK01P, Rugeley, 2005
	SJ84F, N of Acton, 2005
	SJ84Y, Hanley, in seed mix, 2016
	SJ80Q, Woodthorne Road, 1995
	SJ80A, Patshull Park, 2002
	SO99R, Tipton, 1997
	SO99V, Greets Green, 1997
	SP09G, Sandwell Valley, 1996
	SP09F, nr Handsworth, 1997
	SP09F, Sandwell Valley, 1998
	SJ90A, Aldersley, 1993

<i>Helichrysum angustifolia</i>	SO89R, Wombourne, 2002
<i>H. italicum</i>	SO89R, Wombourne, 1998
<i>Helleborus orientalis</i>	SO98D, Brierley Hill, 2016
<i>H. viridis</i>	SO89L, Heathmill Road, 1994
<i>Hemerocallis fulva</i>	SO98S, S of Haden Cross, 2005
<i>H. lilioasphodelus</i>	SJ80A, Patshull Park, 1992
<i>Herniaria hirsuta</i>	SJ82I, Eccleshall, 2004
<i>Hippocrepis emerus</i>	SK12L, nr Yoxall Lodge, 1992
<i>Holodiscus discolor</i>	SJ85F, Red Street, 2008
<i>Hydrocotyle sibthorpioides</i>	SJ91Y, nr White House, 2001
<i>Hypericum 'Hidcote'</i>	SK06T, Hollinsclough, 2004
	SJ94H, Park Hall Pits NR, 2008
	SJ95D, Crowborough, 2002
	SO88U, Wall Heath, 2007
	SK22G, Burton, c1991
	SJ84U, between Etruria and Middleport, 2015
	SK12W, Rangemoor, 1999
	SO89R, Wombourne, 2000
	SO89Y, Highfields School, c1970 to 1987+ (now thought to be gone)
	SJ84Q, Trentham, 2013 (destroyed in 2014)
	SK00Q, Beacon View, 2010
<i>Iberis sempervirens</i>	SJ91A, Gailey, 1988
<i>Impatiens walleriana</i>	SO89C, nr Shipley, 2007
<i>Iris laevigata</i>	SO99D, Jeffcock Road, 2008
<i>I. orientalis</i>	SO88R, Kingswinford, 2005
<i>I. reticulata</i>	SO89R, Womborne, 2004
<i>I. sibirica</i>	SJ74L, Onneley Lane, 2002
<i>Isotoma axillaris</i>	SK01B, near Rawnsley Hills, 2015
<i>Iva xanthiifolia</i>	SO99E, Wolverhampton, 2016
	SO89X, Penn Common, 2002
	SO89R, Wombourne, 2007
	SO99D, Wolverhampton, 2013
	SP09G, Sandwell, 1996
<i>Jasminum nudiflorum</i>	SJ91G, Penkridge, 2003
<i>J. officinale</i>	SO88Y, Wordsley, 2010
<i>Knautia macedonica</i>	SO99D, Penn, 2007
<i>Lactuca sativa</i>	SJ84X, Fenton, 2011
<i>Lathyrus hirsutus</i>	SJ84U, Cobridge, 1997
<i>L. odoratus</i>	SJ94M, Tickhill, 2001
<i>Lavendula angustifolia</i>	SO99G, nr Woodsetton, 2004
<i>Leonurus cardiaca</i>	SJ90S, nr Essington, 2007
<i>Lilium martagon</i>	SK01P, Rugeley, 1993
<i>L. pardalinum</i>	SO88G, track verge, SW of Kinver, 2015
<i>Linaria maroccana</i>	SP09I, by Rushall canal, E of Walsall, 2002
<i>L. x dominii (pur x rep)</i>	SP09B, self-set in allotments, E of Charlemont, 1998
<i>Linum grandiflorum</i>	SK01B, near Rawnsley Hills, 2015
<i>Liriodendron tulipifera</i>	SO98T, Blackheath, 1987
<i>Lonicera caprifolium</i>	SP09A, West Bromwich, 1997
	SJ74S, 2007, The Lum
	SJ80A, nr Patshull Church, 1992
	SJ84R, Trent Vale, 1995
	SK00G, Petsall Ford Brook, 2004
	SK03W, Uttoxeter, 2002
	(Now a regular constituent of seed mixes sown on verges, waste ground and amenity areas)
	SO98P, Blower's Green, 2004
	SO89U, Bushbury Hill, 2015
	(Also in some seed mixes e.g at SJ84Y, Hanley, 2016)
	SJ83U, by Trentham Lake, 2015
	SJ84Q at Trentham Shopping Village, 2015
	SJ90H, Wolverhampton, 1990

<i>L. tatarica</i>	SJ90B, Fordhouses, 2015 SJ91G, nr Penkridge, 2007 SO89V N. of Kingswinford, 2007 SK22I, Beam Hill, 1995 SP09M, Great Barr Park, 1997 SJ84M, E of Keele University, 2016 SP08H, Peirera Road allotments, 2008
<i>Macleaya x kewensis</i>	SK01P, Rugeley, 2004
<i>Magnolia liliiflora 'Nigra'</i>	SJ84C, planted in the grounds of Keele University, 2016
<i>Malus baccata</i>	SJ92C, Creswell, 2004; street tree at another site, 2012
<i>Malva trimestris</i>	SJ94T, Blakeley Lane, 2002 SK00I, Brown Hills Nature Trail, 1991
<i>Matthiola longipetala</i>	SK20C, Tamworth, 2004
<i>Matteuccia struthiopteris</i>	SK15F, Ilam Park, 2002 SJ80A, Patsull Park, 2003
<i>Mauranthemum paludosum</i>	SJ95P, by Rudyard Reservoir, 2013 SP08I, Bearwood, 2004
<i>Medicago sativa nothossp. varia</i>	SO99I, Monmore, 1995
<i>Mentha x rotundifolia (lon x sua)</i>	SJ90E, Four Ashes, 2015
<i>M. x villosonervata (lon x spi)</i>	SK22L, Burton, 2010 SK05Z, nr Warslow, 2001 SO89M, Seisdon, 2007
<i>Mimulus luteus</i>	SK12W, Tatenhill Common, 1999
<i>Miscanthus sinensis</i>	SJ84X, Stoke-on-Trent, 2002 SO89R, Wombourne, 2007
<i>Narcissus x medioluteus</i>	SO89R, Wombourne, 2002
<i>Nectaroscordum siculum</i>	SJ73Z, Maer, 2002 SJ84Q, Trentham, 2012 SJ84V, canal between Trentham and Hem Heath, 2012
<i>Nemesia strumosa</i>	SJ84N, Basford, 2013
<i>Nemophila menziesii</i>	SJ85F, High Carr, 2008
<i>Nicotiana forgetiana</i>	SJ84Y, Berry Hill, 2004
<i>N. x sanderae (ala x for)</i>	SO88S, Stourton, 2004 SO98M, Cradley Heath, 2005
<i>Onoclea sensibilis</i>	SK03R, Bramshall, 2002
<i>Osteospermum ecklonis</i>	SK22T, Stretton, 2007
<i>Oxalis rosea</i>	SJ91K, Hatherton, 2007 SK20L, E of Avington, 2006 SK20M, W of Alvecote, 2007
<i>Panicum capillare</i>	SK00B, Little Bloxwich, 2003 SO89R, Wombourne, 2005 SP09G, Sandwell RSPB Reserve, 1996 SO89R, Wombourne, 2006
<i>Peperomia pellucida</i>	SO98Z, nr Tat Bank, 1998 (for at least 15 years)
<i>Persicaria alpina</i>	SJ84K, Trentham Park, c. 2000
<i>Petasites japonicus</i>	SJ84Q, Trentham, 2014 & 2016
<i>Phalaris paradoxa</i>	SJ90U, Bridgtown, 2003
<i>Phlox paniculata</i>	SK10H, E of Shenstone, 2007
<i>Phygelia capensis</i>	SP09L, nr Garden Grove, 1999
<i>Physalis alkekengi</i>	SO99E, Wolverhampton, 2016 SO98N, Dudley Wood, 2005 SJ95C, Brown Edge, 2011 SJ94B, nr Longton, 2015
<i>P. ixocarpa</i>	SJ92L, Walton-on-the-Hill, 2009 (1 st record since 1984)
<i>P. philadelphica</i>	SJ92G, Cotonfields Allotments, Stafford, 2011
<i>Physocarpus opulifolius</i>	SJ80Z, Brewood, 2003
<i>Phytolacca acinosa group</i>	SO89R, Wombourne, 2002
<i>Pilosella flagellaris s.s.</i>	SJ83M, Swynnerton Army Training Area, 1988 SJ85W, Whitfield Chatterley Country Park, SJ85W, 2013 SO98I, Saltwells, 1999
<i>P. praealta</i>	SJ85W, Whitfield Chatterley Country Park, SJ85W, 2013

<i>P. x floribunda</i>	SK01G, Cannock Wood, 2008 & 2015
<i>Plantago arenaria</i>	SK11D, Netherton, 2014
<i>Poa chaixii</i>	SJ80A, Patshull Park, 1993
<i>Pontederia cordata</i>	SK00J, NW of Chasetown, 2015
<i>Potentilla norvegica</i>	SJ80A, Patshull Church, 1988
<i>Prunus persica</i>	SO88Z, Kingswinford, 2005
	SO99D, Penn, 2006
\$ <i>Pulmonaria longifolia</i>	SK04I, Froghall Wharf, 1993
<i>P. 'Mawson's Blue'</i>	SJ80A, Patshull Church, 1994
<i>Pyracantha coccinea x rogersiana</i>	SJ85F, Red Street, 2009
<i>Rhododendron x kosteranum</i>	SJ84H, Barnes Dell, Keele University, 2016
<i>Ribes odoratum</i>	SO88Y, Wordsley, 1987
<i>Rosa gallica</i>	SK00L, Latham's Bridge, 1991
<i>R. virginiana</i>	SJ90A, Wolverhampton Racecourse, 2007; another site nearby, 2013
 	SP09G, Sandwell Valley Country Park, 2013
<i>Rosmarinus officinalis</i>	SO99S, E of Gospel Oak, 2007
 	SP09B, West Bromwich, 2000
<i>Rubus loganobaccus</i>	SK22G, Shobnall Road, 1987
	SO89L, W. of Wombourne, 2002
<i>R. parviflorus</i>	SJ70V, Patshull Park, 2002
	SJ80A, nr Patshull Church, 2002
	SJ84Q, Trentham, 2012, but destroyed soon thereafter
<i>R. phoenicolasius</i>	SO89R, Wombourne, 2007
<i>Ruscus hypoglossum</i>	SO88F, Blakeshall Common, 2005
<i>Ruta graveolens</i>	SO89R, Wombourne, 2007
	SO89Y, Penn, 2007
<i>Sagittaria latifolia</i>	SJ84C, nr Keele University, 2000
<i>Salix acutifolia</i>	SK00B, Little Bloxwich, 2002
	SO98E, nr Pensnett Church, 2007
	SO99D, Penn, 2006
 	SJ72Z, Jackson's Marsh, 2004
<i>S. x forbyana</i> (cin x pur x vim)	SK22I, Alder Moor, Rolleston, 1995
	SK22M, Burton, 2002
<i>S. udensis</i>	SJ74Z, bank of Minnie Lake, 2016
<i>S. x mollisma</i> var. <i>undulata</i>	SJ81T, near Church Eaton, 2016
<i>Salvia nemorosa</i>	SJ94B, Longton Railway Station, 2015 (last seen: SK22L, Wetmoor Road, 1938)
	SJ84M, Grosvenor, 1993
<i>S. reflexa</i>	SJ94J, near Wetley Moor, 2010
<i>S. glutinosa</i>	SJ84Y, Hanley, in seed mix, 2016
<i>S. sclarea</i>	SO89R, Wombourne, 2005
	SJ99L, Coseley, 1987
<i>S. verticillata</i>	SP09F, Silvercroft Avenue, 1997
<i>Sambucus canadensis</i>	SK00J, 'Lemon Queen', established by light railway, Chasewater, 2015
<i>Santolina chamaecyparissus</i>	SO99V, post industrial site, Union Road, Oldbury, 2009
	SJ92M, nr Hopton Pools Covert, 2004
<i>Saponaria ocymoides</i>	SK03W, Uttoxeter, 2002
	SO89R, Wombourne, site 2000
 	SP09A, nr Park Farm Country Park, 2000
<i>Sasaella rimosa</i>	SK14M, Mayfield, 1997
<i>Saxifraga cuneifolia</i>	SJ82V, Wolverhampton, 2014
<i>S. cymbalaria</i>	SO89R, Wombourne, 2006
	SO99D, Allotments, Wolverhampton, 2009
 	SK0437, Fole, 2016
<i>S. x arendsi</i>	SJ80V, Tettenhall, 1997
<i>Scilla siberica</i>	SO98P, Tansley Hill, 2008
	SO99J, Wednesfield, 1990
 	SP08E, Smethwick, 1989
<i>Scorpiurus muricatus</i>	SJ80S, Watery Lane, 1996
<i>Scorzonera hispanica</i>	SO98T, Terrace Street, 1987
<i>Scrophularia vernalis</i>	SJ83I, Upper Hatton, 1999
\$ <i>Sedum anglicum</i>	SJ90J, Four Ashes Bridge, 2015
	SJ90Q, N of Willenhall, 2015
 	SJ92H, Stafford, 2014

<i>S. hybridum</i>	SJ82V, near Newhaven Farm, 2006
<i>S. nicaeense</i>	SO88Y, Wordsley, 2007
<i>S. praeltum</i>	SO98E, Pensnett, 2008
<i>S. saxatile</i>	SO88Y, Wordsley, 2007
<i>Selaginella kraussiana</i>	SO89Q, Swindon, 2007
<i>Senecio x baxteri (squ x vul)</i>	SJ80A, Patshull Churchyard, 2003
<i>Setaria italica</i>	SJ81A, Weston Park, 2003
<i>Sicyos angulatus</i>	SJ85H, Kidsgrove, 2003; another nearby site, 2013
<i>Silene armeria</i>	SO89R, Wombourne, 2009
<i>Silene chalcedonica</i>	SO89V, Ham Lane, 2008
<i>Silybum marianum</i>	SP09G, Sandwell Valley, 1996
<i>Sisymbrium loeselii</i>	SK12G, Hoar Cross, 1987
<i>Sisyrinchium bermudiana</i>	SO98D, The Leys, 1991
<i>S. californica</i>	SO99P, Wolverhampton, 2008
<i>Smyrnium perfoliatum</i>	SO99Y, Wood Green, 1991
<i>Solanum chenopodioides</i>	SK12Z, Stonepit Hills, Fauld, 2004
<i>S. rostratum</i>	SK20G, Amington, 2008
<i>S. sarachoides</i>	SJ74P, Betley, 1996
<i>S. villosum</i>	SJ91F, Peakridge, 1993
<i>Sorbaria kirilowii</i>	SJ84T, Hanley, 2009
<i>S. tomentosa</i>	SK21E, N of Barton Turn, 2014
<i>S. thibetica</i>	SK22G, Shobnall, 2002 (1 st record since 1926)
<i>Spiraea alba</i>	SJ85W, Whitfield, 2007
<i>S. canescens</i>	SO89X, Penn, 2003
<i>S. douglasii</i> ssp. <i>menziesii</i>	SP09T, NE of Pheasey, 2006
<i>S. x vanhouttei</i>	SO99M, Coseley, 2016
<i>Staphylea pinnata</i>	SO89L, Trysull, 2011
<i>Symphytum asperum</i>	SJ84X, Fenton Manor, 2002
<i>Tagetes erecta</i>	SO99Q, Rowley Regis, 1994
<i>T. patula</i>	SJ84Q, Dairyfields, 1990
<i>Telekia speciosa</i>	SJ84Q, Trentham, c.1998
<i>Tiarella cordifolia</i>	SJ92G, Stafford, 2009
<i>Trachystemon orientalis</i>	SJ89R, Wombourne, 2000
<i>Tradescantia virginiana</i>	SJ90K, Wednesfield, 2004
<i>Tragopogon pratensis</i> ssp. <i>pratensis</i>	SO89R, Common Lane, 1987
	SP09X, Banners Gate, 2006
	SO89R, Wombourne, 2012
	SO99Q, Sandwell, 1999
	SO99R, Tipton, 1998
	SJ94Q, roadside, nr Blythe Bridge, 2015
	SJ93E, planted, roadside, Hartwell, 2008
	SJ93J, roadside tree, Hilderstone Road, W of Fulford, 2015
	SJ85W, Whitfield, 2003
	SJ85F, Red Street, 2009
	SK00J, near Norton East, 2015
	SJ92K, Walton-on-the-Hill, 2002
	SJ84C, planted, Keele University campus, 2016
	SO78Q, Nash Elm Wood, 1989
	SJ81F, Ivetsey Bank corner, 2003
	SJ81V, Stretton, 2003
	SJ91F, Rodbaston, 1993
	SK20A, Two Gates, 2006
	SO89J, near Pattingham, 2001
	SO89R, Wombourne, 2004
	SO99J, Wolverhampton, 2000
	SJ95G, Endon, 1999
	SK15J, Beresford Dale, 2010
	SO89V, Himley Hall, 2002
	SJ84C, Barnes Dell, Keele University, 2016
	SJ71R, Heath Hill, 2007
	SJ80A, Patshull Park, 2003
	SJ81A, Weston Park, 2003
	SO89R, Wombourne, 2002
	SP09X, Kingstanley, 2006
	SO98I, Saltwells NR, 1998

<i>Trifolium alexandrinum</i>	SJ84Q, Trentham, 2008
<i>T. incarnatum</i>	SJ94M, Tickhill, 2001
	SJ84Q, Trentham, 2008
	SO89Y, Upper Penn, 1993
\$ <i>T. scabrum</i>	SO99L, nr Owen St. Station, 1998
	SO89L, Wombourne, 2002
	SO89R, Wombourne, 2012
<i>Trigonella foenum-graecum</i>	SP09F, nr Handsworth, 1997
	SP09Q, Witton, 2005
<i>Tristagma uniflorum</i>	SO98P, Tansley Hill, 2008
	SO98U, Dudley, 2008
<i>Triticum turgidum</i>	SO89R, Wombourne, 2005
	SO98E, Brierley Hill, 2006
	SO99G, Sedgley, 2008
<i>Tulipa tarda</i>	SJ94W, Brookhouses, 2003
\$ <i>Ulmus minor</i>	SJ74Z, Bateswood Open Space, 1999
	SJ92L, E of Stafford, 1999
	SJ95W, Cheddleton Heath, 1999
<i>Urtica membranacea</i>	SJ85V, Ford Green Road, Smallthorne, 2016
<i>Vaccaria hispanica</i>	SO89R, Wombourne, 2006
<i>Valeriana pyrenaica</i>	SK04H, Hawksmoor Wood, 2007
<i>Verbascum phoeniceum</i>	SK04S, Star Wood, c1997 & 2016
<i>V. speciosum</i>	SO89L, Wombourne, 2015
<i>V. virgatum</i>	SK22L, Burton, 2010, 2011 & 2012
	S099M, Coseley, 2004
<i>Veronica austriaca</i>	SJ95U, Sprink Wood, 1998
<i>V. crista-galli</i>	SO89M, Seisdon Sand Pit, 2002
	SP09G, Sandwell Valley, 2004
<i>V. pannonica</i>	SK04U, Honey Holes, 1991
\$ <i>V. spicata</i>	SO89Y, Highfields School, 1992
	SO99D, Allotments SW of Wolverhampton, 2009
	SP09S, Queslett, 2013
<i>Viburnum trilobum</i>	SO98J, Holly Hall, 1991
	SJ91Y, White House Car Park, 2001
	SK04U, Cauldon, 2007 & 2011
	SO89M, Trysull Sand Pit, 2002
	SJ84S, Hem Heath, 2007
	SJ84W, Mount Pleasant, 2007
	SJ91H, Penkridge, 2007
<i>Viola labradorica</i>	SO88Y, Wordsley, 2007
<i>Xanthophthalmum coronarium</i>	SJ84F, N of Acton, 2005
<i>Zantedeschia aethiopica</i>	SK03H, Withington, 2002
<i>Zea mays</i>	SP09W, S of Kingstanding, 2006 (Now widespread as a crop plant)

b) Pre-1987

<i>Acaena novae-zelandiae</i>	SK05Y, Wetton Mill, 1975
<i>Adonis aestivalis</i>	SK22-, Burton, 1931
<i>Aegilops triuncialis</i>	SK22-, Burton, 1929
<i>Agrostemma githago</i>	SJ83G, Nelson Hall, 1947 (several more recent records result from seed-sowing)
<i>Alkanna lutea</i>	SK22-, Burton, 1928
<i>Allium sativum</i>	SJ92-, Gayton Meadows, 1885
<i>Althaea hirsuta</i>	SK22-, Burton, 1931
<i>Alyssum alyssoides</i>	SK04X, Weaver Hills, 1903
<i>A. montanum</i>	SK22-, Burton, 1926
<i>Amaranthus quitensis</i>	SO89R, Giggetty, 1984
<i>Ambrosia trifida</i>	SO99-, West Bromwich, 1948
<i>Anacyclus clavatus</i>	SK22-, Burton, 1930
<i>A. radiatus</i>	SK22-, Burton, 1930
<i>A. valentinus</i>	SK22-, Burton, 1930

<i>Anemone coronaria</i>	SK22-, Burton, 1930
<i>A. ranunculoides</i>	SK22L, Stapenhill Vicarage, c1890
<i>Anisantha rubens</i>	SK22-, Burton, 1931
<i>A. tectorum</i>	SK22-, Burton, 1931
<i>Anthemis altissima</i>	SK22-, Burton, 1944
<i>Anthoxanthum aristatum</i> ssp. <i>puelii</i>	SK22-, Burton, 1929
<i>Arenaria balearica</i>	SJ84G, Shutlanehead, 1966
<i>Aristolochia clematitis</i>	SK04M, Oakamoor, 1903
<i>Artemisia biennis</i>	SJ84-, Stoke, 1932
<i>Asperugo procumbens</i>	SJ84T, North Street, Stoke, 1922
<i>Asperula arvensis</i>	SJ84G, Harrowby Drive, 1970
<i>Asphodelus fistulosus</i>	SK22-, Burton, 1929
<i>Astragalus boeticus</i>	SK22-, Burton, 1929
<i>A. cicer</i>	SK22-, Burton, 1940
<i>Atriplex portulacoides</i>	SK04M, Oakamoor, 1906
<i>A. tatarica</i>	SK22-, Burton, 1928
<i>Avena strigosa</i>	SO89M, Trysull, 1879
<i>Axyris amaranthoides</i>	SJ91-, Brocton Camp, 1914
<i>Bidens subalternans</i>	SO89Q, Himley, 1983
<i>Brachypodium distachyon</i>	SJ84G, Harrowby Drive, 1971
<i>Bromus arvensis</i>	SK22-, Burton, 1926
<i>B. hordeaceus</i> ssp. <i>molliformis</i>	SK22-, Burton, 1946
<i>B. squarrosum</i>	SK22-, Burton, 1931
<i>Bunias erucago</i>	SK22-, Burton, 1931
<i>B. orientalis</i>	SK22-, Burton, 1938
<i>Calendula arvensis</i>	SK22-, Burton, 1929
<i>Carduus tenuiflorus</i>	SK22-, Burton, 1930
<i>Carthamus lanatus</i>	SK22-, Burton, 1946
<i>C. tenuis</i>	SK22-, Burton, 1929
<i>Caucalis platycarpos</i>	SK22-, Burton, 1931
<i>Centaurea aspera</i>	SK22-, Burton, 1929
<i>C. calcitrapa</i>	SK22-, Burton, 1930
<i>C. diluta</i>	SJ84G, Harrowby Drive, 1970
<i>C. halolepis</i>	SK22-, Burton, 1937
<i>C. jacea</i>	SO99L, Tipton, 1923
<i>C. melitensis</i>	SK22-, Burton, 1944
<i>C. nicaeensis</i>	SK22-, Burton, 1930
<i>C. solstitialis</i>	SJ84K, Trentham, 1970
<i>C. triumfetti</i>	SK22-, Burton, 1928
<i>C. verutum</i>	SK22-, Burton, 1944
<i>Cerinthe glabra</i>	SK22-, Burton, 1907
<i>C. minor</i>	SK22-, Burton, 1930
<i>Chenopodium berlandieri</i>	SK22-, Burton, 1930
<i>C. desiccatum</i>	SK22-, Burton, 1926
<i>C. foliosum</i>	SJ80-, nr Patshull, 1917
<i>C. opulifolium</i>	SO99-, West Bromwich, 1948
<i>C. strictum</i>	SK22-, Burton, 1930
<i>C. suecicum</i>	SK22-, Burton, 1908
<i>C. vulvaria</i>	SK22-, Burton, 1930
<i>C. x borbasii</i>	SK22-, Burton, 1929
<i>Chorispora tenella</i>	SK22-, Burton, 1930
<i>Conringia austriaca</i>	SK22-, Burton, 1930
<i>Coronilla scorpioides</i>	SK22-, Burton, 1928
<i>Convolvulus althaeoides</i>	SK22-, Burton, 1944
<i>C. pentapetaloides</i>	SK22-, Burton, 1938
<i>C. tricolor</i>	SK22-, Burton, 1928
<i>Coriandrum tordylium</i>	SK22-, Burton, 1930
<i>Corydalis cava</i>	SO89-, Trysull, 1900
<i>Crambe cordifolia</i>	SO99J, Horseley Fields, 1975
<i>Crucianella angustifolia</i>	SJ84G, Harrowby Drive, 1970
<i>Cynosurus echinatus</i>	SK22-, Burton, 1935
<i>Diplotaxis erucoides</i>	SK00D, School Lane, 1971

<i>Dracocephalum parviflorum</i>	SK22-, Burton, 1929
<i>Echium italicum</i>	SK22-, Burton, 1928
<i>Emex spinosa</i>	SK22-, Burton, 1938
<i>Epimedium alpinum</i>	SJ93B, Stone, 1883
<i>Erucaria hispanica</i>	SK22-, Burton, 1929
<i>Falcaria vulgaris</i>	SK22-, Burton, 1944
<i>Fallopia x bohemica</i> (jap x sac)	SJ80A, Church Dell, 1984
<i>Fragaria moschata</i>	SK02A, Little Haywood, 1957
<i>Fumaria agraria</i>	SK22-, Burton, 1936
<i>Galium spurium</i>	SK22-, Burton, 1951
<i>G. verrucosum</i>	SK22-, Burton, 1930
<i>Gastridium ventricosum</i>	SK22-, Burton, 1946
<i>Geranium x monacense</i>	SJ83X, Meaford, 1920
<i>Geropogon hybridus</i>	SJ84G, Harrowby Drive, 1970
<i>Gilia achilleifolia</i>	SK22-, Burton, 1926
<i>G. capitata</i>	SK00-, Aldridge, 1929
<i>Glaucium corniculatum</i>	SK22-, Burton, 1941
<i>G. flavumargin</i>	SK22-, Burton, 1929
<i>Glycine max</i>	SJ84G, Harrowby Drive, 1970
<i>Gnaphalium undulatum</i>	SO89Q, Himley, 1983
<i>Hemizonia kelloggii</i>	SK22-, Burton, 1926
<i>H. pungens</i>	SK22-, Burton, 1945
<i>Hibiscus trionum</i>	SO89R, Common Lane, 1984 (destroyed by 1987)
<i>Hippocrepis unisiliquosa</i>	SK22-, Burton, 1938
§ <i>Hordeum marinum</i>	SK22-, Burton, 1931
<i>Iberis odorata</i>	SK22-, Burton, 1929
<i>Ipomoea purpurea</i>	SK22-, Burton, 1944
<i>Lallemantia iberica</i>	SK22-, Burton, 1929
<i>Lappula squarrosa</i>	SK22-, Burton, 1926
<i>Lathyrus annuus</i>	SK22-, Burton, 1938
<i>L. gorgoni</i>	SK22-, Burton, 1944
<i>L. hierosolymitanus</i>	SK22-, Burton, 1939
<i>L. ochrus</i>	SK22-, Burton, 1930
<i>L. tuberosus</i>	SK22L, Wetmore Road, 1946
<i>Lavatera punctata</i>	SK22-, Burton, 1938
<i>Lepidium draba</i> ssp. <i>chalepense</i>	SK22-, Burton, 1947
<i>L. lasiocarpum</i>	SK22-, Burton, 1930
<i>L. perfoliatum</i>	SK22-, Burton, 1941
<i>L. virginicum</i>	SK22-, Burton, 1944
<i>Leucojum vernum</i>	SO99E, Wolverhampton, 1956
<i>Linum angustifolium</i>	SK04-, nr Denstone, 1876
§ <i>L. perenne</i> ssp. <i>anglicum</i>	SK00K, Aldridge, 1901
<i>Lolium rigidum</i>	SJ84G, Harrowby Drive, 1970
<i>Lupinus albus</i>	SK22-, Burton, 1927
<i>Lythrum junceum</i>	SJ84G, Harrowby Drive, 1970
<i>Malva nicaeensis</i>	SK22-, Burton, 1939
<i>Mantisalca salmantica</i>	SK22-, Burton, 1929
<i>Matricaria aurea</i>	SK22-, Burton, 1929
<i>Matthiola incana</i>	SJ90W, Bloxwich, 1976
<i>Medicago blancheana</i>	SK22-, Burton, 1944
<i>M. laciniata</i>	SK22-, Burton, 1944
<i>M. truncatula</i>	SK22-, Burton, 1940
<i>M. turbinata</i>	SK22-, Burton, 1938
<i>Melilotus infestus</i>	SK22-, Burton, 1928
<i>M. sulcatus</i>	SJ84G, Harrowby Drive, 1971
<i>Mitella diphylla</i>	SJ84-, Stoke, 1844
<i>Myagrum perfoliatum</i>	SK22-, Burton, 1929
<i>Neslia paniculata</i>	SK00I, Brownhills, 1985

<i>Notobasis syriaca</i>	SK22-, Burton, 1937
<i>Oenothera laciniata</i>	SK22-, Burton, 1929
<i>O. sinuata</i>	SJ84-, Gipsy Lane, Stoke, 1933
<i>Omphaloides verna</i>	SK15F, Ilam, 1799
<i>Oncosiphon suffruticosum</i>	SK22-, Burton, 1930
<i>Onobrychis caput-galli</i>	SK22-, Burton, 1938
<i>O. crista-galli</i>	SK22-, Burton, 1946
<i>Onopordum illyricum</i>	SK22-, Burton, 1930
<i>O. tauricum</i>	SK22-, Burton, 1929
<i>Papaver bracteatum</i>	SP09E, Walsall, 1931
<i>Pennisetum glaucum</i>	SK08H, 26 St Mary's Road, 1942
<i>Petrorhagia prolifera</i>	SK04M, Oakamoor, 1906
<i>Phacelia ciliata</i>	SK22-, Burton, 1921
<i>P. parviflora</i>	SK22-, Burton, 1924
<i>Phalaris aquatica</i>	SK22-, Burton, 1931
<i>P. minor</i>	SK22-, Burton, 1931
<i>Physalis peruviana</i>	SK22-, Burton, 1946
<i>Plantago lagopus</i>	SK22-, Burton, 1928
<i>Polygonum bellardii</i>	SK22-, Burton, 1928
<i>Proboscidea louisianica</i>	SK22-, Burton, 1937
<i>Prunus dulcis</i>	SO99D, Merridale cemetery, 1981 (Sandon Hall, garden, SJ92P, 1991)
<i>Raphanus raphanistrum</i> ssp. <i>landra</i>	SK22-, Burton, 1930
<i>Rhagadiolus stellatus</i>	SK22-, Burton, 1946
<i>Ricinus communis</i>	SK22-, Burton, 1944
<i>Roemeria hybrida</i>	SK22-, Burton, 1930
<i>Rumex dentatus</i>	SK05-, Manifold Valley, 1925
<i>R. obovatus</i>	SK22-, Burton, 1930
<i>R. obtusifolius</i> ssp. <i>sylvestris</i>	SK22N, Rolleston, c1900
<i>R. patientia</i>	SK22-, Burton, 1929
\$ <i>R. pulcher</i>	SK22-, Burton, 1901
<i>R. salicifolius</i>	SK22-, Burton, 1929
<i>Salix x capreola</i> (cap x aur)	SK22-, Tatenhill, 1889
<i>Salvia aethiops</i>	SK22-, Burton, 1930
<i>Salsola kali</i>	SK22-, Burton, 1928
<i>Schkuhria pinnata</i>	SO89Q, Himley, 1983
<i>Scolymus hispanicus</i>	SK22-, Burton, 1944
<i>Scorpiurus vermiculatus</i>	SJ84G, Harrowby Drive, 1971
<i>Senecio pterophorus</i>	SO89Q, Himley, 1983
<i>S. sarracenicus</i>	SJ84P, Wolstanton, 1878
<i>S. x viscidulus</i> (syl x vis)	doubtfully at SK11D, King's Bromley, 1984
<i>Sideritis montana</i>	SK22-, Burton, 1929
<i>S. romana</i>	SJ84-, Stoke, 1932
<i>Silene conoidea</i>	SK22-, Burton, 1930
<i>S. dichotoma</i>	SK22-, Burton, 1928
<i>S. italica</i>	SK22-, Blanchford St., 1907
<i>S. muscipula</i>	SK22-, Burton, 1929
<i>Sisymbrium irio</i>	SK22-, Burton, 1928
<i>Stachys annua</i>	SK04-, Cheadle, 1839
<i>Sorghum halepense</i>	SO89R, Giggetty, 1984
<i>Tagetes minuta</i>	SO89Q, Himley, 1983
<i>Tetragonolobus purpureus</i>	SK22-, Burton, 1928
<i>Thelypodium lasiophyllum</i>	SK22-, Burton, 1946
<i>Torilis leptophylla</i>	SK22-, Burton, 1938 and, possibly, 1944
<i>Tribulus terrestris</i>	SK22-, Burton, 1937
(<i>Trifolium aureum</i>	SK04V, nr Denstone, 1876: a probable error)
<i>T. nigrescens</i>	SK22-, Burton, 1930
<i>Trigonella arabica</i>	SK22-, Burton, 1938
<i>T. aurantiaca</i>	SK22-, Burton, 1943
<i>T. procumbens</i>	SK22-, Burton, 1930
<i>Tripleurospermum decipiens</i>	SK22-, Burton, 1928

<i>T. disciformis</i>	SK22-, Burton, 1930
<i>Turgenia latifolia</i>	SK13E, Rochester, 1907
<i>Valerianella eriocarpa</i>	SK04B, Cheadle, 1844
	SK10E, Lichfield, 1844
<i>Veronica peregrina</i>	SJ84Q, Trentham, 1982
<i>Vicia benghalensis</i>	SK22-, Burton, 1944
<i>V. hybrida</i>	SO99N, Bilston, 1977
<i>V. monantha</i>	SK22L, Burton, 1946
<i>V. narbonensis</i>	SK22-, Burton, 1944
<i>V. peregrina</i>	SK22-, Burton, 1930
<i>V. pubescens</i>	SK22-, Burton, 1930
<i>Vulpia ligustica</i>	SK22-, Burton, 1931
<i>Wiedemannia orientalis</i>	SK22-, Burton, 1928
<i>Xanthium spinosum</i>	SO89Q, Himley, 1983