

Staffordshire Rare Plant Register, 2018

Contents

Introduction	2
<u>Main List</u>	
a) <u>Red List Categories</u>	
Critically Endangered	3
Endangered	3
Vulnerable	5
Data Deficient	9
Near Threatened	9
Waiting List	12
b) <u>Other Categories</u>	
Nationally Rare Species	12
Nationally Scarce Species	13
<u>Supplementary List</u>	
Locally Rare Species	16
Locally Scarce and Declining Species	19
Last Sightings of Probably Extinct Natives	19
Rare Significant Non-Natives	21
<u>Appendix</u>	
<i>Hieracium</i> Species	22
<i>Rubus fruticosus</i> agg.	23
<i>Taraxacum</i> Species	24
Last Sightings of Uncommon Non-Natives	
a) Post-1986	27
b) Pre-1987	35

Introduction

The records in these lists are given, where possible, to a tetrad level. When insufficient information to do this is available, and the reference is to hectad accuracy, a dash is used (as in "SK22-").

A survey took place from 1998 to 2008 (-2011) for the county *Flora* published in 2011. As a result of further recording, in subsequent seasons, it is intended to revise the *Register* annually. The list incorporates the changes in classification published in *A Vascular Plant Red List For England* (2014). Names are according to Stace, C.A. *New Flora of the British Isles*, Edn 3 (2010).

Initially, the largest source of data was the vast card index system produced and maintained by Bryan Fowler, V.C. Recorder for many years up to 1998. Work by members of the Flora Group and species lists from Staffordshire Wildlife Trust Reserves raised the total number of records very considerably. Local Authority & Wildlife Trust surveys from 1995 onwards have produced another large database; this has also been consulted. Mike Poulton has passed on many lists from Birmingham & The Black Country; Bill Thompson from tetrads shared with Worcestershire. Much additional information and advice has been provided by members of the Flora Group Committee, Alex Lockton (BSBI Co-ordinator), Ian Trueman and Elaine Radford. David McCosh (*Hieracium*), David Earl (*Rubus*) and Bert Read (*Taraxacum*) have provided much data and expertise, which allowed massive revisions of these genera (in the Appendix). Individuals continue to work enthusiastically and the total number of records entered on to the BSBI Distribution Database has now reached more than 560,000.

I am very grateful for the help of all these recorders and experts and to the staff of The Wildlife Trust and at The Potteries Museum for their advice and for allowing me access to their records. Ian Hopkins has provided much guidance and many record updates based on his own unrivalled knowledge of the Staffordshire flora. I am also indebted to him for pointing out a large number of errors and omissions in the draft documents.

References

BSBI Website *New Lists of British Rare Plants* (2005); *Checklist of British & Irish Plants* (2007)
Cheffings, C. and Farrell, L. *The Vascular Red Plant Data List for Great Britain* (2005).

Joint Nature Conservation Committee

Clement, E.J. and Foster, M.C. (1994) *Alien Plants of the British Isles*. BSBI

Dudman, A.A. and Richards, A.J. (1997) *Dandelions of Great Britain and Ireland*. BSBI

Edees, E.S. (1972) *Flora of Staffordshire*. David and Charles (and his additional unpublished notes, mainly pertaining to aliens, which are stored at the Potteries Museum)

Edees, E.S. and Newton, A. (1988) *Brambles of the British Isles*. The Ray Society

Hawksford, J.E. and Hopkins, I.J. (2011) *The Flora of Staffordshire*. Staffordshire Wildlife Trust

Hopkins, I.J. (1985) *Staffordshire Flowering Plants and Ferns*. Stoke-on-Trent City Museum and Art Gallery

Jones, V. (2014) *Yorkshire Hawkweeds*. Yorkshire Naturalists' Union.

Newton, A. and Randall, R.D. (2004) *Atlas of British and Irish Brambles*. BSBI.

Perring, F.H. and Walters, S.M. (1976) *Atlas of the British Flora*, Edn 2. EP Publishing

Perring, F.H. (1968) *Critical Supplement to the Atlas of the British Flora*. Thomas Nelson and Sons

Preston, C.D., Pearman, D.A. and Dines, T.D. (2002) *New Atlas of the British & Irish Flora*. Oxford

Ryves, T.B., Clement, E.J and Foster, M.C. (1996) *Alien Grasses of the British Isles*. BSBI

Sell, P. and Murrell, G. *Flora of Great Britain and Ireland*, Volume 2 (2014), Volume 3 (2009), Volume 4 (2006) and Volume 5 (1996). Cambridge University Press

Stace, C.A. (2010) *New Flora of the British Isles*, Edn 3. Cambridge University Press

Stace, C.A. et al (2003) *Vice-County Census Catalogue of the Vascular Plants of Great Britain*. BSBI

Stewart, A., Pearman, D.A. and Preston, C.D. (1994) *Scarce Plants in Britain*. JNCC

Stroh, P.A. et al (2014) *A Vascular Plant Red List For England*. BSBI

Trueman, I., Poulton, M. and Reade, P. (2013) *Flora of Birmingham and the Black Country*.

Pisces Publications

John Hawksford, February 2018

Main List

a) Red List Categories

Critically Endangered

Campanula patula SO78V, Upper Arley, 1990

{There are older records for the following (the most recent records are given):

Bupleurum rotundifolium	SJ84L, Ferndown Nature Reserve, in a strip seeded with arable weed spp., 2010
Chenopodium urbicum	SJ84S, North Street, Stoke, 1922
Damasonium alisma	SJ93-, nr Hilderstone, 1912
Lysimachia thyrsifolia	SJ83R, Yarnfield, 1860: a doubtful record}
	SK12H, Holly Bush Park, 1984 (first recorded at this site in 1952)

{There are casual or introduced records for the following:

Carum carvi	SK00M, Clayhanger, 1991
Galeopsis angustifolia	SO91U, Brocton, 1969; SK00J, Chasewater, 2002
Lolium temulentum	SJ84G, Harrowby Drive, 1970
Mentha pulegium	possibly SJ95A, Stockton Brook, 1982
	SJ85T, Newpool Meadows, 2012 & 2013
	SK22G, Shobnall, 2007
	SK00E, W of Bleak House, 2002 & colliery spoil, Norton Canes, 2016
	SK02M, Blithfield Reservoir, 2003
	SK04F, Croxden Gravel Quarry, 2002
	SO99I, Wolverhampton SE, 2006
	SO99K, Brewery Field Allotments, Dudley, 2000
Veronica triphyllus	SK04M, Oakamoor, 1906}

Phyllitis scolopendrium x Asplenium trichomanes (X Asplenophyllitis confluens) was found on a wall in Leek, SJ95Y, in 2000. It was the first British record since the 19th century and the most southerly site, but was stolen a few months later.

Endangered

Anthemis arvensis SJ84A, Whitmore (two sites, 1995 & 96): introduced

SJ84L, Ferndown Nature Reserve, 2010: introduced

SJ91H, between The Whittamoors and Lower Drayton, 2007

SJ95B, roadside, Stockton Brook, 1997

SK01A, Heath Hayes, 2007: introduced

SK12K, Yoxall, 2001

SO99D, Phoenix Park, S. of Wolverhampton, 2008: introduced

SO99Y & SO99T, canal bank near Darlaston, 2010, introduced

(There is the possibility of confusion with A. austriaca, which is a constituent of seed-mixes)

Centunculus minima **SO88M, The Million, 2009**

SO88N, The Million, 2009

Chenopodium murale **SJ81Q, Belvide, 1995**

Euphrasia officinalis ssp. anglica **SJ96T, between Ludchurch & Back Dane, 2005**

SK05Q, Crowtrees, 2000

SK06G, Morridge, 2014

SK06J, Drystone Edge, 2003

SK06K, Fleet Green, 1998

SK06M, Pyeclough, 1998

SO77U, Seckley Wood, 2014

SK0956, SW slope of Wetton Hill, Manifold Valley, 2016

SK06N, nr Colshaw, 2001 (known here since 1982); possibly still present in 2006, but not seen since

SO88G, Kinver Edge, 2014

SO88I, The Million, 2000

Hieracium subprasinifolium	SK15G, Hall Dale, 1964 SK15H, Hall Dale, 2007
Hypopitys monotropa	SJ84I, Whitebarn, 1996
ssp. <i>hypophegea</i>	SJ84J, W of Chesterton, 2011
H. monotropa	SJ84X, Mount Pleasant, 2006 SJ85K, near Tunstall, 2012 SJ94H, Park Hall Country Park, 2015 SK01H, Cannock Chase, 2003 SK04F, Croxton Sand & Gravel Pit, 2003 SO98J, Fens Pools, 2016 SO99I, Bilston, 1997 SO99J, Wolverhampton, 2016
Papaver argemone	SJ82Y, Bridgeford Hall, 2001 SJ90B, Ford Houses, 2002 SJ91H, nr Wood Bank, 2007 SJ91K, nr Mansty Wood, 2007 SJ91T, nr Spring Slade, 2001 SJ91X, nr Huntingdon Belt, 2004 SJ92F, near Wildwood, 2014 SJ92K, nr Weeping Cross (two sites), 1996 & 2002 SJ93A, Acton-by-Stone, 2014 SJ93F, between Acton-by-Stone and Burston, 2014 SK00X, nr Lynn, 2002 SK01J, nr Rugeley, 2008 SK01V, nr Farewell, 2008 SK11D, NW of Nethertown, 1999 SK12F, Forest Covert, 1996 SO89G, Castle Hill, 1995 SO89L, W of Wombourne, 2002 SO99E, Bell Place, 2002 SP09T, Pheasey, 2006
Platanthera bifolia	SK05U, Swallow Moss, present annually up to and including 2015
Potamogeton compressus	SJ92W, Shugborough Park, 2013
Scleranthus annuus	SK22G, Old River Dove, 2000 SJ91K, N of Hatherton, 2007 SK00T, S of Hammerwich, 2007 SO88S, Dunsley Bank, 2012 SO89I, S of Pattingham, 2011 SO89L, Trysull, 2002

{There are old records for the following (the most recent records are given):

Adonis annua	SJ83H, Nelson Hall, Swynnerton, 1947
Campanula rapunculus	SO88I, Enville, 1879
Cephalanthera longifolia	SJ71T, Moreton Moors, pre-1798, was almost certainly an error for Epipactis palustris
Dianthus armeria	SK10E, Lichfield, 1901
Drosera anglica	SJ91U, Oldacre Valley, 1970
Dryopteris cristata	SJ92L, Kingston Pool, 1888
Euphrasia micrantha	SK15-, Alstonfield, c. 1895
Illecebrum verticillatum	SJ82-, nr Ranton Abbey, 1878: a likely error
Lycopodiella inundata	SJ72Z, Offleyhay, 1844
Minuartia hybrida	SK15D, Wetton Hill & SK15G, Hall Dale: both 1947
Neotinea ustulata	SK04Y, Wootton, 1909
Potamogeton praelongus	SJ86V, Biddulph, 1982
Pyrola media	SO98M, Cradley Park, 1817 is likely to have been P. minor
Scandix pecten-veneris	SK14-, Okeover, 1951 (SJ84G, Harrowby Drive, 1970: bird seed alien)
Silene gallica	c. SO89B, between Hillend and Seisdon, 1954
Turritis glabra	SO90B Wolverhampton, 1993,
Valerianella dentata	SK05Y, Sugarloaf, 1946
V. rimosa	SJ73I, Mucklestone, 1951}

{There are casual or introduced records for the following:

Adonis annua	SO89R, Wombourne, 2004
--------------	------------------------

<i>Fumaria vaillantii</i>	SK22-, Burton, 1940: introduced
<i>Hieracium prenanthoides</i>	SO99F, Wren's Nest N.R., 1992 is likely to have been introduced
<i>Lithospermum arvense</i>	SJ84L, Ferndown Nature Reserve, 2010
<i>Lythrum hyssopifolia</i>	SJ92G, Cotonfields Allotments, 2003
	SJ84G, Harrowby Drive, 1971
<i>Phyteuma spicatum</i>	SK22G, Burton, 1971
<i>Ranunculus arvensis</i>	SO78Z, Four Ashes Hall, 1942
	SJ84L, Ferndown Nature Reserve, 2010; SJ84Q, Dairyfields, c1998; SK09J, Limepits Farm, Walsall, 2006 & 2007
<i>Silene conica</i>	SK22-, Burton, 1930
<i>Torilis arvensis</i>	SJ72Y, High Offley, 1901
	SO89U, Perton, 1901
<i>Veronica verna</i>	SK22-, Peel's Cut, 1902}

Vulnerable Species

<i>Anacamptis morio</i>	(SJ90R, Ashmore Park, 2004 & 2007: introduced in a spread of meadow hay) (SJ82W, Derrington Meadow:seeded from SJ90R site) SK01C, Furnace Coppice, Cannock Chase, 2014 SO77P, Buttonoak, 1996
<i>Anthemis cotula</i>	Reduced to 27 post-1994 tetrads
<i>Apium inundatum</i>	SJ90V, W of Dudley Fields, 2008 SJ90W, NW of Wallington Heath, 2004 SJ90X, SW of Landywood, 2003 SK00I, Brownhills Common, 2010 SK00J, E of Chasewater, 2010 SK03D, W of Checkley, 1996 SJ96W, below The Roaches, 1998 SK05B, site details unknown, 1999 SK05K, SW of Winkhill, 1998 SK05L, S of Onecote, 2006 SK06L, NW of Noon Sun, 2015 SK14D, NW of Stanton, 2003 SK15A, NE of Calton, 2002 SK16B, N W of Sheen, 2004
<i>Botrychium lunaria</i>	SJ74Y, Walton's Wood, c.1997: a very doubtful record SJ72Q, Aqualate Mere, 2013 SJ73H, Hales Estate, 2010 SJ83X, Trent Wood, 2014 SJ85X, Greenway Bank Country Park, Biddulph, 2017 SJ92D, E of Whitgreave, 2005 SK10E, Beacon Park, 2013 SK10Y, canal, N of Hopwas, 2005 SJ73G, E of Chipnall Mill, 1995 SJ73Q, Blorepipe Meadows, 2005 SJ73S, Gerrard's Bromley, 2004 SJ74J, Mere Gutter, 1997 SJ74N, Betley Mere, 2005 SJ81G, Mottey Meadows, 2007 SJ84H, E of Keele, 2016 SJ85B, W of Dunkirk, 2007 SJ92J, W of Sandon, 1998 SJ95N, Narrowdale, 2009 SK14E, NW of Swinscoe, 1996 SJ80M, Chillington Estate, 2002 SJ80R, nr Codswall, 2000 SJ80S, Gunstone, 2013 SJ80U, Brewood, 2002 SJ81F, nr Blymhill Lawns, 2003 SJ84C, Keele University Campus, 2012 SJ84S, Keele, 2011 SJ85A, 1999 SJ92B, Stafford Castle, 2003
<i>Catabrosia aquatica</i>	
<i>Chenopodium bonus-henricus</i>	

	SJ95J, NW of Rudyard, 2005 SJ95T, Bridge End, 1997 SK05L, nr Pethillshead, 2002 SK11J, Morrey, 2003 SK11T, Wychnor, 2002 SK11U, Barton Gate, 2003 SK12K, 2003 SK12Q, W of Dunstall, 2003 SK14P, nr Coldwall Bridge, 2008 SK15B, W of Beeston Tor Farm, 2002 & 2009 SK15E, 1999 SK15K, Bunster Hill (East), 2002 SK15N, 2009 SK22N, Stretton, 2006 SK22P, N of Rolleston on Dove, 2008 SK22R, Winshill, 2005 SO88T, nr Lawns Wood, 2003 SO89T, NW of Langley Hall Farm, 2000 SO98D, Brierley Hill, 2017 SO98U, Rowley Regis, 2011 SP09S, Queslett, 2002 SP29E, Dosthill, 2009 SJ84X, Stoke, 2006 SK22J, E of Tutbury, 2006 SK22G, Burton, 1992 & 2006 SO98Z, Langley, 2003 Present in 32 tetrads; often introduced SK05X, near Wetton, 2009; another site, 2010 SK05Y, W of Wetton Mill, 2014; still present by limestone outcrops near Nan Tor overlooking Wetton Mill, 2016 SK05Z, Ecton, 1997 SK15C, Beeston Tor, 2009 (and near Wetton) SK15G, Hall Dale, 2009 (in a few places) SK15K, Bunster Hill, 2009 (in a few places) SK15L, Hall Dale, 2000 SK04T, Rue Hill, 2008 SK04U, Caldon Low, 2013 SK04Y, Rue Hill, 2008; another site, 2010 & 2016 SK04Z, Caldon Low Quarry, 2008 SK14D, Thorswood Nature Reserve, 2011 SK14E, Dale Tor, 2008 Still known from 56 tetrads Decreasing: found in 23 tetrads SJ95S, Ladder Edge, 2001 SJ72W, Woodseaves, 2013 SK01B, Hednesford, 2007 SO98P, Tansley Hill, 2008 SJ72Y, 1999 SJ74N, Cracow Moss, 1996 SJ74R, Madeley Manor, 1995 SJ80V, Stockwell Heath, 2000 SJ80W, W of Pendeford, 2002 SJ84R, Trent Vale, Stoke, 1995 SJ85B, Dunkirk, 2004 SJ90Z, 1997 SK06J, Drystone Edge, 2015 SK11R, Fradley, 2003 SP09B, Sandwell Valley, 2005 known from 60 tetrads, post-1994: SJ72Y, 74V, 75W, 80V, 83S, 84A, 84G, 84L, 84Q, 84Y, 85K, 85M, 85Q, 91E, 91V, 92B, 92G, 92H, 92Q, 94H, 95B, 95G, 95T; SK00S, 01A, 01H, 01J, 01S, 01T, 01Y, 02M, 03V, 10G, 11D, 11I, 11L, 11M, 11R, 12K; SO88L, 88S, 88T, 88V, 89E, 89F, 89G, 89H, 89K, 89L, 89M, 89Q, 89R, 89L, 89R; SO89W, 89Z, 98C, 99D, 99L, 99P, 99T, 99V & SP09P. The situation is complicated by the fact that the species is now a regular constituent of seed mixes sown on verges, waste ground and amenity areas. Many of the records will be from such a source.
C. glaucum	
Cichorium intybus	
Clinopodium acinos	
Coeloglossum viride	
Eriophorum angustifolium	
Euphrasia confusa	
E. officinalis ssp. pratensis	
Euphorbia exigua	
Galeopsis speciosa	
Glebionis segetum	

<i>Hottonia palustris</i>	SJ72K, W of Aqualate Mere, 2005 SJ72Q, Aqualate Mere, 2005 SJ75K, Balterley Heath, 2005 SJ93Z, NE of Newton, 2000 SK11U, site details unknown, 2003 SK20B, Tamworth, 2010
<i>Hydrocharis morsus-ranae</i>	SJ93J, edge of Rough Close Pond, 2015 SK02K, Stockwell Heath, 1988 – may still be there
<i>Hyoscyamus niger</i>	SK04E, cleaned-up pool, Consall Woods, 2005
<i>Hypochaeris glabra</i>	SK22E, Tutbury Castle, 2004 SO98N, Rowley Regis, 1989 SJ90Z, nr Churchbridge, c.1997 possibly at SJ80L, East End, Oaken Lawn, 1996 possibly at SK14E, Dale Tor, 1996 possibly at SK20M, The Decoy, 1998 SO88G, Kinver Edge, 2014 SO88R, E of Kinver, 2007 SO88S, Stourton, 2007 & 2012 SO98J, nr Russell's Hall Hospital, 2012
<i>Jasione montana</i>	SJ73L, N of Park House, 2004 SJ94H, Parkhall Country Park, 2008 SJ94Y, E of Broadoak Wood, 2004 SJ95R, N of St. Edward's Hospital, 2000 & 2001 SJ95T, W of Leek, 2009 SK01A, S of Church Hill, 2002 SK04I, S of Froghall, 2001 SK06S, Hillend, 2006
<i>Juncus compressus</i>	(SJ81P, S of Wheaton Aston, 1999: probable error for J. gerardii) SJ83L, Swynnerton Army Training Area, 2002 SJ92H, Astonfields (two sites), 2001 (still there in 2011) SO78L, below Highley, 2011
<i>Lathyrus aphaca</i>	SO89R, Ounsdale School, 1999
<i>L. linifolius</i>	SO98I, Dudley, 1994
<i>Lycopodium clavatum</i>	Still known from 129 tetrads SJ73L, Burnt Wood, 2006 SJ73P, quarry N of Lordsley, 2001
	SJ84K, site details unknown, c. 1998
	SJ91Y, Brocton Field, 2006
	SJ94H, Parkhall Country Park, 1995
	SK04I, site details unknown, 1999
<i>Misopates orontium</i>	SJ84Q, Dairyfields, c. 1998 SO89Y, allotment, Penn, 2011
	SO98N, three allotment gardens, Old Hill, 2008
	SO98Z, Langley/Pounds Green, 2003
<i>Myosurus minimus</i>	SK2009, SE of Elford, 2004
<i>Neottia nidus-avis</i>	SK15F, Hinkley Wood, 2011
<i>Nepeta cataria</i>	SO88Y, canal, Wordsley, 1999 (where seen from 1959 to at least 1980)
<i>Oenanthe fistulosa</i>	SJ72K, Meretown, 2005 SJ72Q, Aqualate Mere (in several places), 2005 SJ72X, Loynton Moss, 2013
	SJ81P, Allimore Green Common, 2001
	SJ82X, Foster's Pasture, 2006
	SJ91C, Longridge, 2007
	SJ92B, Doxey, 2009 & 2015
	SJ92C, Doxey Marsh, 2009 & 2015
	SJ92F, Rickerscote, 2004
	SJ92M, Hopton Pools (probably an accidental introduction), 2004
	SJ95W, Oldfield, (probably an introduction) 1998
	SK00N, Anglesey Wharf, 2010
	SK11T, Wychnor, 2002
	SK22K, W of Stapenhill, 2006
	SO77T, Hawkbatch, 2004
	SO99N, Bilston, 2000
	SO99T, Darlaston, c.1998
<i>Orobanche rapum-genistae</i>	SJ92K, N of Walton-on-the-Hill, 2011 SJ92Q, N of Walton-on-the-Hill, 2011

Parnassia palustris	SJ81P, Allimore Green Common, 1996 SK04U, Caldonlow, c. 1997 SK04Y, near Rue Hill, 1996 & (another site) 2009 & 2016 SK04Z, E of Caldon Low, 1996 SK05K, W of Swineholes Wood, 1998 SK14E, Dale Tor, 2005 SK06M, Pyeclough, 1998 SK06Q, Reaps Moor, 1996 & (another site) 2011 SK06V, nr Spout Farm, 2012
Pedicularis palustris	
P. sylvatica	Reduced to 45 tetrads
Persicaria mitis	SJ80M, Wrottesley, 2014 SJ96F, Rudyard Lake, Horton, 2013 SK22M, Burton, 2008 (First record since 1934)
Pilularia globulifera	SJ85X, Knypersley Reservoir, 1990
Pinguicula vulgaris	SJ91Z, Sherbrook Valley, Cannock Chase, 2016
Potamogeton alpinus	SK14D, between Blakelow and Thorswood, 2010 & Stanton Pastures, 2011 SK00J, Southacres Farm, 1995 SK04F, Croxton Quarry, 2003 SK22M, Burton, 2003
P. friesii	SJ90K, Wednesfield, 2004 SJ90Q, W of Walsall, 2003 SJ92W, Shugborough Park, 2000 SK00A, nr Harden, 2003 SK00B, Little Bloxwich, 2003 SK00H, nr High Bridge, 2001 SK00I, Cannock Extension Canal, 2005 SK00N, Cannock Extension Canal, 2012 SO88X, nr Wollaston, 2004
Pyrola rotundifolia ssp. <i>rotundifolia</i>	SK00J, nr Chasetown, 2011: two sites; still at the drier one in 2015
Ranunculus flammula	Reduced to 310 tetrads
Sagina nodosa	SJ91Y, Brocton Field, 2003 SK05U, S of Swallow Moss, 2003 SK05Z, Ecton, 2003 SK06C, Gib Torr, 2014 SK06G, Morridge (3 sites), 2014 SK06J, Orchard Common, 2003 & 2016 SK06K, Lady Edge, 2007
Spergula arvensis	Still known from 245 tetrads post-1994
Stellaria palustris	SJ82X, nr Ashes Covert, 2006 SK02N, N of Blithfield Reservoir, 2015
Trifolium fragiferum	SJ81P, Allimore Green Common, 2001 SJ92C, Stafford Common, c1997
Viola canina	SO88G, Kinver Edge, 2002 SO88P, Envile Golf Course, 2008

{There are old records for the following (the most recent records are given):

<i>Antennaria dioica</i>	SK05-, Wetton Valley, 1844
<i>Baldellia ranunculoides</i>	SJ81P, Allimore Green Common, 1985
<i>Blysmus compressus</i>	SK20C, Warwickshire Moor, 1962
<i>Cuscuta epithymum</i>	SK22A, Tatenhill, 1974
<i>Daphne mezereum</i>	SK15B, Bincliff Thicket, Wetton, 1972 had died by 1974; there were half a dozen plants on inaccessible cliffs, near Thor's Cave, SK05X, in 1968: much searching, in the area, from 1972 onwards, was unsuccessful. This sp. can be spread by birds and, as there are sites nearby, in Derbyshire, it may re-appear in such wooded areas on limestone. Apparently bird-sown in neglected garden, Butters Green, SJ85A., 2012
<i>Dianthus deltoides</i>	SO98T, Tippity Green, Rowley Regis, 1988 (and as a non-native at SJ83Y, Barton Land, 1999 (not found there in 2009); SJ85A, Audley, 1999; SK00L, Walsall, 2006, SO98I, Saltwells Local NR, 1998 & Mushroom Green, 1999)
<i>Drosera intermedia</i>	SJ91U, Oldacre Valley (probably an error for <i>D. anglica</i>), 1944
<i>Elatine hydropiper</i>	SK02J, Chartley Moss, probably 1886 (and possibly a little later)
<i>Genista anglica</i>	SK01I, Slitting Mill, nr Rugeley 1923
<i>Groenlandia densa</i>	SK14D, Tinsell Brook, 1980 SK14-, nr Mayfield, 1901

<i>Medicago minima</i>	SO88U, Hinksford, 1985
<i>Melittis melissophyllum</i>	SO89Q, Himley, 1983
<i>Moenchia erecta</i>	SO88X, Stourbridge, 1832
	SO88J, Enville, 1983
<i>Myriophyllum verticillatum</i>	(possibly SK11D, King's Bromley, 1986)
<i>Pseudorchis albida</i>	SO89N, Perton Pool, 1864
<i>Silene noctiflora</i>	doubtfully SK14D, Wards Quarry, 1979
	SK04U, Caldon Low, Waterhouses, 1957

{There are casual or introduced records for the following:

<i>Chamaemelum nobile</i>	possibly SK01B, below Hednesford Hills Reservoir, 1969
<i>Dianthus gratianopolitanus</i>	SJ90J, Hatherton, 1996
<i>Galium parisiense</i>	SK01, Longdon, 1993
<i>Onobrychis viciifolia</i>	records from thirteen tetrads post-1994
<i>Ophrys insectifera</i>	SK15C, Beeston Tor, 1972
<i>Pseudorchis albida</i>	doubtfully SK14D, Wards Quarry, 1979
<i>Radiola linoides</i>	SJ93J, Barlaston Common, 1844
	SJ72Z, Offley Hay, 1844
<i>Trifolium ochroleucum</i>	SK22-, Burton, 1930
<i>Utricularia minor</i>	SJ74U, Craddocks Moss, 1844,
<i>Vicia lutea</i>	SK00I, edge of Chasewater Reservoir, 2015
	SO89P, Wrottesley, 1987 (recorded there from 1954)

Data Deficient Species

Anagallis arvensis ssp. *foemina*

SJ84Q, Trentham, 1998

SP09F, plants from Upland Allotments, Handsworth (two sites) may have been this, 2010

Reduced to 18 tetrads

1993, SK05X, Thor's Cave

2016, SK15G, Hall Dale

2007, SK15H, Hall Dale & 2016, Mill Dale

{ There are old records for:

Gymnadenia densiflora

Hieracium dalense

SJ81P, Allimore Green NR, 1987

SK15-, Alstonefield, 1877 (formerly named as "H. subplanifolium")

{ *Buxus sempervirens* has been seen in 40 tetrads since 1994: either planted, escaped or a relic of introduction.}

Near Threatened Species

Althaea officinalis

a seedling at **SJ84P, Westport Lakes, appeared to be this taxon, 2012**

Andromeda polifolia

SK02J, Chartley Moss, Stowe, 2014

SK06C, Goldstitch Moss, Quarnford, c1997

In 26 tetrads: no recorded decline

Reduced to 162 tetrads

Increasing: now in 28 tetrads

In 257 tetrads: no recorded decline

Reduced to 356 tetrads

57 tetrads

SJ72Q, Aqualate Mere, 2002 and (second site) 2005

SJ72X, Loynton Moss, 2014 & 2016

SJ75K, Balterley Heath, 2005

SJ81D, High Onn Wood, 2003

SJ92D, N of Trinity Fields, 2005

SJ72X, Loynton Moss, Norbury, 2014 & 2016

SJ75K, Black Firs, 2005

SJ75K, Cranberry Bog, 2005

SJ81P, Allimore Green Common, 2013

SJ91U, S of Tar Hill, 2006

SK04S, Cotton, 2013

SK04T, Cotton, 2013

SK04Y, W of Rue Hill, 2009 & 2016 and another site to the E, 2010

SK05B, N of Coombes Valley Nature Reserve, 1998

SK05U, S of Swallow Moss, 2000

SK06D, W of Turn Edge, 2002

SK06Q, W of Reaps Moor, 1996

<i>Carlina vulgaris</i>	SK06V, S of Reaps Moor, 2010
<i>Cerastium arvense</i>	SK14D, W of Bullgap Lane, 2009; second site, 2013
	SK14I, W of Bullgap Lane, 2003
	SO77P, Pound Green Common, 2013
	SO99C, Penn Common, 2010
	Apparently Increased to 24 tetrads
	SK10E, Lichfield Cathedral Close, 2000
	SO88P, Camp Farm, 2008
	SO88R, E of Whittington Hall, 2013
	SO89K, E of Highgate Common, 2007
	SO98E, NE of Middle Pool, 2007
<i>Cirsium heterophyllum</i>	Still in 17 tetrads, but the number of individual sites is falling
<i>Comarum palustre</i>	49 tetrads
<i>Corynephorus canescens</i>	SO88G, very well naturalised in two sites, Kinver Edge, 2014
<i>Cruciata laevipes</i>	Much reduced to 217 tetrads
<i>Cynoglossum officinale</i>	SJ71U, Aqualate Mere, 2002
	SJ72Q, Aqualate Mere, 2013
	{previously SJ84Q, Dairyfields, 1991}
	SJ92G, garden weed, Stafford, 2013
	SJ92L, wall of bridge, Baswich, 2016
	SO98E, Barrow Hill, Pensnett, 2005
<i>Eleocharis acicularis</i>	SK00J, Chasewater, 2002; another site, 2010
<i>Erica cinerea</i>	Still in 50 tetrads
<i>E. tetralix</i>	Still in 67 tetrads
<i>Filago minima</i>	Much increased to 48 tetrads
<i>F. vulgaris</i>	Much increased to 60 tetrads
<i>Fragaria vesca</i>	Increased to 249 tetrads
<i>Gentianella amarella</i>	SK04T, three sites at Ribden, 2001
	SK04U, W of Caldonlow, c. 1997
	SK04Y, Wardlow, 1996 & Weaver Hills, 2000; S of Wardlow Quarry, 2016; and Rue Hill, 2016
	SK04Z, W of Rue Hill, 2001
	SK05V, E of The Manifold Way, 2005
	SK05X, Ossoms Hill, 2009
	SK05Z, Ecton, c. 1997
	SK14D, E of Wardlow, 2003
	SK14E, W of Dale Tor, 2001
	SK15G, Hall Dale, 2002
	SO99E, Wren's Nest Nature Reserve, 2008
<i>Geranium sylvaticum</i>	SO77P, nr Pound Green Common, 1994
	SO77T, Hawkbatch, 2012
	(probably planted in SO99N, Stow Lane, 2007)
<i>Helianthemum nummularium</i>	21 tetrads: no decrease
<i>Hydrocotyle vulgaris</i>	Reduced to 53 tetrads
<i>Hypericum elodes</i>	SJ71U, Aqualate Mere, 2001
	SJ80M, Chillington Pool, 2014
	(previously c1890, SK02I, Chartley Moss)
<i>Inula helenium</i>	SK12K, E of Woodlane, 2003
	SK20A, Dosthill, 2009
<i>Knautia arvensis</i>	Present in 195 tetrads, but some as a result of introduced seed-mixes
<i>Lepidium campestre</i>	Increased to 16 tetrads
<i>Luronium natans</i>	SJ94Z, Consall, 1991
	SK00C, Cannock Extension canal, 2012 (extending through 00D into 00I)
	SK00K, Rushall Canal, 2005 (and in 00L)
	SK00M, Daw End Branch Canal, 1990
	SK00P, Chasewater, 1999
	SP09I, Rushall Canal, 1998
<i>Melampyrum pratense</i>	Recorded in 20 tetrads
<i>Mentha arvensis</i>	Decreased to 56 tetrads
<i>M. suaveolens</i>	SJ80A, Patshull Hall, 1993
	SK20F, Wilnecote, 2006
<i>Myrica gale</i>	SJ72X, Loynton Moss, 2000 (only one plant: conservation in progress)
	SJ80M, near pool, Chillington Estate, 2014
<i>Nardus stricta</i>	Decreased to 193 tetrads
<i>Oenanthe lachenalii</i>	SK20M, Amington, 2002

<i>Ononis spinosa</i>	Some of the following may have been introductions: SO89Z, Newbridge, 2005 SP09S, Queslet, 2005 SP29E, Dost Hill Quarry, 2002
<i>Oxalis acetosella</i>	419 tetrads
<i>Plantago media</i>	76 tetrads
<i>Polygala serpyllifolia</i>	75 tetrads
<i>Potentilla argentea</i>	SO88G, Kinver Edge, 2012 and (second site) 2014 SO88R, E of Whittington, 2014 SO89M, between Seisdon & Trysull, 2002 (There are other, presumably casual records: SJ84X, between Fenton & Mount Pleasant, 2006 SO98I, Merry Hill, c.1998 SP09U, Streetly Cemetery, 2007)
<i>P. erecta</i>	Reduced to 457 tetrads
<i>Prunus cerasus</i>	SJ80S, Codsall, 2000 SO89S, Ladywell Wood, 2000 SJ94V, Huntley Wood, 1999 SJ94W, Brookhouses, 2010 SK01M, Brereton Hayes, 2011 & 2015
<i>Pyrola minor</i>	SJ75K, Black Firs, 1996 14 tetrads
<i>Rhynchospora alba</i>	SK22-, Burton, 1933
<i>Salix repens</i>	Decreased to 65 tetrads
<i>Salvia pratensis</i>	Reduced to 243 tetrads
<i>Sanicula europaea</i>	SK05X, above Thor's Cave, Wetton, 2009
<i>Senecio aquaticus</i>	SK15C, near Wetton, 2009 SK15G, many small patches in Hall Dale, 2005; one in 2010
<i>Silene nutans</i>	SK15H, rock slope, Milldale, 1972 SK15I, Drabber Tor, Alstonefield, 1987 SK15I, Narrowdale, 2000 SK15K, W edge of Bunster Hill, Ilam, 2000 SK15N, Gypsy Bank, 2009
<i>S. flos-cuculi</i>	Reduced to 323 tetrads
<i>Solidago virgaurea</i>	Reduced to 43 tetrads
<i>Stachys arvensis</i>	34 tetrads
<i>Succisa pratensis</i>	Reduced to 299 tetrads
<i>Triglochin palustris</i>	Much reduced to 61 tetrads
<i>Valeriana dioica</i>	73 tetrads
<i>V. officinalis</i>	Reduced to 429 tetrads
<i>Veronica officinalis</i>	158 tetrads
<i>V. scutellata</i>	31 tetrads
<i>Viola lutea</i>	Reduced to 20 tetrads
<i>V. tricolor</i> ssp. <i>tricolor</i>	known from 121 tetrads post-1994 , although many of these may actually be descendants of escaped <i>V. x witrockiana</i> cultivars, reverting to their ancestral state: it is often difficult to distinguish between these two taxa.

{There are old records for the following (the most recent records are given):

<i>Epipactis palustris</i>	SJ81P, Allimore Green NR, 1989,
<i>Fumaria parviflora</i>	SK22-, Burton, 1946
<i>Genista pilosa</i>	SJ80W, Pendeford, 1817 (originally claimed in Pitt's 1796 <i>General View of the Agriculture of the County of Stafford</i>)
<i>Teesdalia nudicaulis</i>	SK11D, King's Bromley, 1986}

{There are casual or introduced records for the following:

<i>Cyperus longus</i>	22 tetrads
<i>Geranium sanguineum</i>	36 tetrads: garden throw-out
<i>Lotus angustissimus</i>	SK04M, Oakamoor, 1906
<i>Potentilla fruticosa</i>	16 tetrads
<i>Wahlenbergia hederacea</i>	SJ85Z, Biddulph Grange Gardens, 2009 (first recorded 1967) is thought to be an introduction.}

Waiting List

<i>Bromus hordeaceus</i> ssp. <i>longipedicellatus</i>	SK11I, King's Bromley, 2000
<i>Dactylorhiza incarnata</i> ssp. <i>incarnata</i>	SK21J, Branston, 2002 SK11D, Handsacre, 2011 SO89W, Baggeridge Country Park, 2012
<i>Fritillaria meleagris</i>	SJ81G, Mottey Meadows SSSI, Wheaton Aston, 1997 SK10X, Broad Meadow, Tamworth, each year, including 2017 (Introduced in seventeen other tetrads)
<i>Molinia caerulea</i> ssp. <i>arundinacea</i>	SJ96S, near Hanging Stone, 2005 SJ96X, edge of Gradbach Wood, 2005
<i>Montia fontana</i> ssp. <i>variabilis</i>	SK00J, S of Anglesey Branch Canal, 2001 SJ73M, Jugbank, 2003 SJ83S, Swynnerton Grange, 1999
<i>Pilosella peleteriana</i> ssp. <i>tenuiscapa</i>	SJ96Y, N of Gradbach, 2004 SK05X, Ossoms Hill, 2009 SK05Y, Wetton Mill, 2014 & 2016
<i>Rhinanthus minor</i> ssp. <i>stenophyllus</i>	SK14I, above Cuckoo Cliff, 2013 SK15C, Beeston Tor, 2009 & 2016 SK15D, Narrowdale Hill W, SK15D, 2009 SK15I, Narrowdale Hill E, 2009 SJ72X, Loynton Moss, 2016 SJ96V, by Tittesworth Reservoir, 2001
<i>Teucrium chamaedrys</i>	SK05S, Grindon Moor, 2004
<i>Urtica dioica</i> ssp. <i>galeopsifolia</i>	SK05U, S of Swallow Moss, 2001 SK06C, near Goldsitch Moss, 2003 & 2016 SK06D, W of Flash, 2003 SK06J, N of Flash SK06Q, near Swallow Moss, 2001 SJ85K, Westport Lake, 1995
	SJ72Q, Aqualate Mere, 2005 SJ72V, Aqualate Mere, 2005 SJ72W, Norbury Low Moat, 2004 SJ72Z, Cop Mere, 1998 SJ73J, Mucklestone, 2010 SJ82E, Cop Mere, 2005 SJ85V, Stoke, 2004 SJ91U, Oldacre Valley, 2005 SJ94I, W of Washerwell, 2004 SJ94Z, E of Consall, 2015

{There are old records for the following:

<i>Dactylorhiza incarnata</i> ssp. <i>pulchella</i>	SK14I, Cuckoo Cliff, 1993
<i>Montia fontana</i> ssp. <i>amporitana</i>	SJ95-, Horton 1890, probably SK11-, c1950
<i>Muscari neglectum</i>	SJ94F, Meir Heath, 1987}

Pinus sylvestris is not native in the county.

b) Other Categories

Nationally Rare Species (15 or fewer hectads in Atlas 2000)

<i>Polemonium caeruleum</i>	SK05X, above Thor's cave, Wetton, 2006 SK15G, Hall Dale, Alstonefield, 1973 (not found in 2000) SK15I, Peasland Rocks, 2007 SK15N, Gypsy Bank, 2007 SK15N, Peasland Rocks, 2009
-----------------------------	---

{There are 28 other records of this (or the cultivated form) as a garden escape/introduction.}

{*Herniaria glabra* was found as a casual at SJ84X, nr Seven Arches, Stoke, 2004; SK20L, E of Arlington, 2006; SO88T, Ashwood Garden Centre, 2014}

Lithospermum purpureocaeruleum was introduced at SO89R, Wombourne, where it persisted for at least three years from 1996.}

Nationally Scarce Species (16-100 hectads in Atlas 2000)

Camelina sativa	SJ80R, Codsall, 1993 SK12S, Hanbury Wood Coppice, 2004 SO98T, Blackheath, 1998 (planted as pollinator attractor, Wrottesley Park, SJ80K; set-a-side, Four Ashes, SJ90E: both 2015)
Cardamine bulbifera	[Although "Scarce Plants in Britain" shows this species to be native in SK12, all current records have been determined as the introduced var. <i>ptarmicifolia</i> .] SJ84Q, bank of Longton Brook, 2014 (in diminishing quantity); still hanging on in 2016 and 2017 SK11C, Slaish Wood, 2002 SK12K, Yoxall Park, 2002 SK12L, Scotch Hills, 2002 SK12L, Slade Covert, 2002 SK12L, nr Yoxall Lodge, 2009
C. impatiens	SK15F, many on E side of R. Manifold, Ilam Park, 2005. One large plant in 2010 SO88M, near The Hyde, NE of Kinver, 2004 SO89W, Baggeridge Country Park, Himley, 2013 SO98E, Barrow Hill, Pensnett, 2011 (casual at SK22B, Battlestead Hill, 2000)
Carex montana	SO77P, nr Pound Green Common, 1999
Draba muralis	SK05X, Thor's Cave, Wetton, 1989 SK05Y, Ecton Hill, Wetton, 2002 SK15D, nr Gateham Grange, Alstonefield, 2000 SK15D, Narrowdale, 2010 SK15G, Hall Dale, Alstonefield, 2000 SK15H, Mill Dale, Alstonefield, 1985 SK15I, Wolfscote Dale, Alstonefield, 1987 SK15I, Drabber Tor, Alstonefield, 1987 SK15I, Narrowdale, 2010 SK15K, E edge of Bunster Hill, Ilam, 2000 SK15L, Dove Dale, 2002 SK15M, Gipsy Bank, 2002 SK15N, Peasland Rocks, Alstonefield, 2000 SK15N, Gipsy Bank, 2002 {a casual, SO99D, Allotments, SW of Wolverhampton, 2008}
Epipactis phyllanthes	SO88X, Wollaston, 2004 SO89R, Wombourne 2009
Gymnocarpium robertianum	SJ85Z, wall, Biddulph Gardens, 2000 SJ96G, railway station, Rushton, 1968 SK04Z, Caldon Low, Cotton, 1962 SK15I, near Drabber Tor, Alstonefield, 1969 SK05P, Upper Elkstone, 2009 SK15B, Cheshire Wood, 1968 SK15G, Hurt's Wood, 1968 SK15F, Hinkley Wood, Ilam, 2010 SK15L, Dovedale Wood, 1968 SK15G, Hall Dale, Alstonefield, 2000 SK15K, eastern edge of Bunster Hill, Ilam, 2000 SK15N, Gipsy Bank, 2002
Hordelymus europaeus	SJ85W, Whitfield Valley, 2017 SO78V, at and near Bellman's Cross, 1995 SO78W, N of Bellman's Cross, 1995 SO98I, Saltwells NR, 1996 SP09D, Pleck, 1999
Hornungia petraea	SJ85X, Knypersley Reservoir, 2011 SJ95F, Stanley Pool, Endon, 2003 SJ95P, Rudyard Reservoir, 2013 SJ96F, NW corner of Rudyard Lake, 2013 SJ96V, Tittesworth Reservoir, Meerbrook, 1999 SK02M, Blithfield Reservoir, 1999 SK02R, Blithfield Reservoir, 2006; also near Branston, 2016
Isatis tinctoria	
Limosella aquatica	

<i>Potentilla tabernaemontani</i>	SK04Z, Milk Hill, Waterhouses, 2014 SK05X, S. side of Ossom's Hill, 2006 SK05X, Ossom's Hill, 2009 SK05X, Thor's Cave, Wetton, 2000 SK05X, S of Wetton Mill, 2010 & 2016 SK05Y, Wetton Mill, 2014 & 2016 SK05Y, Sugarloaf, 2011 SK05Y, Wetton Hill, 2002 SK15C, W of Wetton, 2010 SK15C, Beeston Tor, 2009 SK15F, Bunster Hill, 2002 SK15G, mid Hall Dale, Stanshope, 2010 SK15H, slope, S of Milldale, 2000 SK15K, extreme E slope, Bunster Hill, Ilam, 2000 and (second site) 2014 SK15L, E end of Hall Dale, Stanshope, 2000 SJ83P, hedge, near Knowl Wall, 2005 SJ84Q, Ash Green, 2007 SJ94X, Little Harewood, 2002 SJ95L, S. of Denford, 2017 SJ95R, hedgerow, Caldon canal, 2000 & 2017 SK01H, disturbed former field margin, 2015 SK04C, two sites, hedgerows, Clamgoose Lane, 2003 SK04E, Crowgutter Wood, 2002 SK04U, two sites, Cauldon, 2000 & 2014 SK05C, W of Meadow View, 2001 SK05Q, nr Croftshead Waterfall, 1996 SK05Q, W of Waterfall, two sites, 2014 SK05R, two sites near Ford, 2000 SK05T, two sites near Butterton, 2000 SK05V, three sites near Waterfall, 2005 SK05W, Soles Hill, 2002 SK05X, below Thor's Cave, Wetton, 2006 SK05X, abundant, two sites, near Dafar Bridge, Wetton, 2000 SK05X, Grindon, 2001 SK05X, two sites, Ossam's Hill, 2002 SK05X, S of Wetton Mill, 2010 SK05Y, abundant, two sites, E end of Wetton Road, 2000 SK05Y, Wetton Hill, three sites, 2002 SK05Y, five sites between Dale Farm and Sugarloaf, 2002 SK05Y, Wetton Mill, 2014 & 2016 SK05Z, near Ecton, 1999 SK05Z, W of Wetton, 2014 SK12P, Bank Top, 2004 SK14I, Bullgap Lane, 2011 SK14J, Bullgap Lane, 2014 SK15A, Musden Wood, 2002 SK15C, W of Wetton, 2001 SK15C, two sites, Beeston Tor, 2002 SK15C, Wetton Hill S, 2010 SK15D, Brownhills Plantation, 2010 SK15E, near Apes Tor, 2009 SK15F, two sites, Musden Wood, 2002 SK15G, Hall Dale, Stanshope, 2010 SK15H, abundant in wood S of Milldale, 2010 SK15H, 7 sites on Millway Lane, many elsewhere, Milldale, 2000-2009 SK15H, S of Hope, 2001 SK15J, Beresford Dale, 2010 SK15L, E end of Hall Dale, Stanshope, 2010 SK15M, Lode Lane, Alstonefield, 2000 SK15M, two sites, Milldale, 2002 SK15M, three sites, Lode Plantation, 2002 SJ74S, Madeley, 2012 SJ82C, Knightley, 2005 SJ93S, E of Hilderstone, 2007
<i>Ribes alpinum</i>	
<i>Rumex alpinus</i>	

	SJ94M, Tickhill, 2001
	SJ94S, Tickhill Lane, 2001
	SJ95I, nr Gratton, 1999
	SJ96A, nr Earlsway House, 2002
	SJ96K, E of New House Farm (and two other sites), 2002
	SJ96R, Gun Moor, 2004
	SJ96X, Below Roach End, 2003
	SK04U, Caldon Low, 2013
	SK05B, Coombes Valley, 2014
	SK05F, by Sexton Farm, 1998 & Caldon Low, 2008
	SK05H, near Morridge, 2006
	SK05J, E of Thorncliffe, 2005
	SK05K, Blackbrook nr Wincle, 1996
	SK05Q, W of Waterfall, 1998
	SK06A, NE of Upper Hulme, 2000
	SK06B, Hazel Barrow (two sites and two further sites), 2014
	SK06C, Gib Tor NR and another site), 1996
	SK06G, School House, 2014
	SK06H, W of Royal Cottage (six sites), 2014
	SK06I, Flash Head (two sites and another site), 2000; Flash, 2014
	SK06J, Cheeks Hill, 2003
	SK06L, Folly, nr Morridgeside, 1997
	SK06M, Hollingsclough Moor, 2004
	SK06R, Barrow Sitch (and two other sites), 2004
Thelypteris palustris	SJ74P, Betley Mere, 2009
	possibly SJ91T, Springslade Pool, 2000
Tilia platyphyllos	SJ91U, Oldacre Valley, 2011
	SK02J, Chartley Moss NNR, 2003
	75 post-94 tetrads: introduced in most, but possibly native in a few woods on base-rich soil e.g. in the Manifold Valley

{Old records exist for:

Carex appropinquata	SK02E, Chartley Moss, 1975
Cuscuta europaea	SJ94I, Ford Hayes, 1870
Dryopteris x uliginosa (cri x car)	possibly at SK02J, Chartley Moss, 1886
Polygonatum odoratum	SK05X, Thor's Cave, 1947 (probably still there c. 1960)
Sonchus palustris	SJ92-, Stafford, 1844, is now regarded as a probable error}

{There are casual or introduced records for the following:

Adiantum capillus-veneris	SJ91F, Rodbaston, 1990
Arum italicum ssp. neglectum	SO89R, Wombourne, 2002
Helleborus foetidus	older records for SJ80R, SO88B & SJ94W
	SJ83Y, Meaford, 2010
	SJ84J, Burslem, 2011
	SJ84R, between Boothen and Sideway, 2014; still present in 2016 but site up for sale for development
	SJ85M, Kidsgrove, 2012
Hippophae rhamnoides	SK01F, NW of Burntwood, 2013
Impatiens noli-tangere	SK02K, Colton, 2007
Lepidium latifolium	SK10E, by railway, Lichfield, 2010
Marrubium vulgare	SK10J, SE of Lichfield, 2009
Medicago polymorpha	SO89R, Wombourne, 2001
M. sativa ssp. falcata	SO98P, Blower's Green, 2004
Nymphoides peltata	43 post-1994 tetrads
Polycarpon tetraphyllum	SJ73Z, near Maer & SJ83Z, at Barlaston, prior to 1924: dates uncertain
Primula elatior	21 post-94 tetrads
	SK22L, Burton, 1930
	SO88U, Hinksford Farm, 2002
	SO89R, Wombourne, 2004
	SO98N, Rowley Regis, 1985
	many, including post-94
	SO89R, abundant on a patio, Wombourne, 2006: vector unknown
	SK15H, Alstonfield churchyard, 2002

<i>Sedum forsterianum</i>	SJ94P, N of Cellarhead, 2006; SK15H, Milldale, 2009; SJ84X, Stoke, 1995; SK01C, near Brindley Heath, 2014; SK04J, nr Foxt, 2008;
<i>Senecio camrensis</i>	SK05P, Upper Elkstone, 2000; SO77P, nr Pound Green Common, 2003
<i>Sibthorpia europaea</i>	SO89Y, appearing sporadically in a garden plot at Highfields School, Wolverhampton from 1987 to 1991
<i>Stratiotes aloides</i>	SJ85Z, Biddulph Grange Gardens in many places, 2009
<i>Verbascum lychnitis</i>	Found in 21 tetrads post-1994
	SO89R, S. Wombourne, 2004
	SO98D, Brockmoor, 1995, 1998, 2010 & 2013; second site in 2004
	SO98E, Pensnett, 2005 (still there, 2011)
	SO98J, nr Fens Pool, 2004
<i>V. pulverulentum</i>	SO98T, Saltwells House NR, 1994
<i>Vicia bithynica</i>	SK11V, Elford, 2003 (also doubtful for SJ82D, Lake Covert, 1997)
<i>Vulpia ciliata</i>	SK22-, Burton, 1927 & c.1931 (this is likely to have been ssp. <i>ciliata</i> , rather than ssp. <i>ambigua</i>)

Supplementary List

Locally Rare: Native Taxa with only 3 sites, or less.

All post-1994 sites are given, with their most recent record

[*Rubus fruticosus agg.*, *Taraxaca* and *Hieracia* records appear in the Appendix]

<i>Agrimonia procera</i>	SJ83M, Swynnerton Army Training Camp, 2002
<i>Agrostis x murbeckii</i> (cap x sto)	SO88I, Edge of The Million, 2009
<i>Allium oleraceum</i>	SK22E, Tutbury, 2002
<i>A. scorodoprasum</i>	SK05Y, Sugarloaf, Wetton, 2011
<i>Aster tripolium</i>	SK06G, near Royal Cottage (status unsure), 2014
<i>Astragalus glycyphylloides</i>	SJ92X, Pasturefields NR, c1999
	SJ82Y, several plants, Great Bridgeford, 2001
	(also one on other side of railway in 1995)
	SO89W, E of Wombourne, 2012
	SP29E, Dost Hill Quarry, 2002
<i>Bolboschoenus maritimus</i>	SK11D, probably still at Trent Valley, 1994
	SK00H, Clayhanger SSSI, 2008
	SK00J, Chasewater, 2009
	SK04W, well established at Brookleys Lake NR, 2001
<i>Callitrichia hermaphroditica</i>	SJ74N, Betley Mere, 2005
	SJ80M, Chillington Estate, 2014
	SK04I, Frogall Wharf, 2005
<i>Calystegia sepium</i> ssp. <i>roseata</i>	Three records need confirmation: SO89V, Himley, 2002; SO89Z, Wolverhampton, 2006; SO98E, Pensnett, 2006
<i>C. x howittiorum</i> (pul x sil)	SO88Z, Kingswinford, 2012
<i>Carduus x stangii</i> (= x <i>dubius</i>) (cri x nut)	SO99F, Wren's Nest N.R., 2002
	SK11I, bank of R. Trent, 1999
	SK11Y, S. of Barton-under-Needwood, 2003
	SK21A, Harlaston, 2003
<i>Carex x boenninghausiana</i> (pan x rem)	SJ91W, Sherbrook Valley, 1987
<i>C. x corstorphinei</i> (bin x vir oed)	SO89Q, Hinksford Farm, 1986
<i>C. x elytroides</i> (acuta x nigra)	SK22M, Burton, 2013
<i>C. hostiana</i> x <i>demissa</i>	SK14I, Stanton, 2013
	SO89X, Penn Common, 2011
	SO99C, Alder Coppice, 2017
<i>C. oederi</i>	SP08W, ex-brick works, 1995
<i>Cerastium arvense</i> x <i>tomentosum</i>	SO88Y, Wordsley Churchyard, 2007
	SO98U, Portway Hill, Rowley Regis, 1997
	SO99D, Goldthorn Hill, 2008
<i>Ceratophyllum submersum</i>	SJ80M, Chillington Pool, 2014
<i>Cirsium eriophorum</i>	SK15K, Bunster Hill, 2002; another site, 2009
	SO78K, N of Arley, 2004

<i>Cladonia mariscus</i>	SK02E, Chartley Moss, 1997
<i>XDactylodenia st-quintnii</i> (Gym x D. fuc)	SK04U, nr Cauldon, 1993, SK05K, Ipstones Edge, 2013
<i>Dactylorhiza x venusta</i> (fuc x pur)	SJ84I, N of Gorsty Bank, 1996 SJ84K, Trentham Park, 1995 SK05S, Grindon Moor, 2011
<i>Elatine hexandra</i>	SJ92C, No 5 scrape, Doxey, 1994: needs confirmation
<i>Eleocharis acicularis</i>	SK00J, Chasewater, 2002; another site, 2010
<i>E. uniglumis</i>	SJ81P, Allimore Green Common, 2013
<i>Epilobium x aggregatum</i> (mon x obs)	SJ92H, Astonfields, 1997 SK20C, Bolehill, 2004 SK20D, Wigginton, 2004 SK20K, Stoneydelph, 2006
<i>E. x dacicum</i> (obs x cil)	SK11H, Alrewas Hayes, 2005
<i>E. x erroneum</i> (hir x mon)	SK10K, nr Hints Church, 2002
<i>E. x floridulum</i> (cil x par)	SJ96Q, nr Gun, 2001 SK00L, Shelfield, 2007 SP09F, Sandwell Valley, 1998
<i>E. x limosum</i> (par x mon)	SJ83Y, Meaford, 2010
<i>E. x vicinum</i> (obs x cil)	SJ96L, Axstones Spring, 2001 SK06N, E of Goldstone Moss, 2016
<i>Equisetum hyemale</i>	SP09R, Perry Park, 2001 SJ93I, Moddershall Oaks, 2011
<i>Euphrasia confusa x nemorosa</i>	SO78Q, Nash Elm Wood, 1996
<i>E. x glanduligera</i> (ang x nem)	SO88M, The Million, Envile, 2009 (Edees' Flora mentions fourteen records, but lists no specific sites) SO77U, Seckley Wood, 2014
<i>Festuca arundinacea</i> x <i>Lolium multiflorum</i>	SO99G, Sedgley, 2008
<i>F. ovina</i> ssp. <i>hirtula</i>	SK22E, Tutbury Castle, 2008
<i>F. rubra</i> ssp. <i>junccea</i>	SO98C, Amblecote, 2001 (but probably not native at this site)
<i>Gagea lutea</i>	SK05X, Thor's Cave, Wetton, 2010, 2015 & 2016 SK14G, Ousley, 2015 SK14H, Ordley Brook, Stanton, 2007
<i>Galium x pomeranicum</i> (ver x mol)	SK15F, two sites, Ilam, 2015 SP09E, Coal Pool, Walsall, 2001
<i>Glaux maritima</i>	SK00F, E of Coal Pool cemetery, 2001 SJ92X, Pasturefields, nr Ingestre, 2006
<i>Hippocratea comosa</i>	SK05Y, Sugarloaf, 2011 & 2016
<i>Hypericum androsaemum</i>	SK15C, near Wetton, 2010 SK12J, Forest Banks, 1949 SO77T, Hawkbatch, 2014
<i>H. montanum</i>	SO77U, Seckley Bank, 1954, but possibly an introduction at this, its 1874 site (Other recent records exist, but are likely to be bird sown) SK15C, nr Wetton, 2003 (introduced in SK00E, Cannock Chase, 1996 & naturalised in SK04U Cauldon Lime Works, Waterhouses, 2007 (no sign of it in 2011)) Not native in SJ92G, railway sidings, S Stafford, 2015
<i>Hypochaeris x intermedia</i> (gla x rad)	SO88G, Kinver Edge, 2012
<i>Imperatoria ostruthium</i>	SK06C, Gib Tor NR, 1996 SK06H, Gib Tor NR, 1996 SK06Q, Reaps Moor (West), 1997
<i>Juncus x diffusus</i> (inf x eff)	SK11C, Slaish Wood, 2011
<i>J. x surrejanus</i> (art x acu)	SK22A, Branston, 2003 SJ73V, Jackson's Marsh, 2009 SK00L, Castlehill Fields, 2008

<i>Lithospermum officinale</i>	SJ92B, Stafford Castle, 2011 SO99F, Wren's Nest NNR, 2010 SO99G, Wren's Nest NNR, 2010 (at the site in 1864)
<i>Medicago arabica</i>	probably native at SJ74S, Lower Mills, 2012 possibly native at SK20U, nr Campville House, 2004 certainly so at SO88G, Kinver Edge, 2002 and several sites in SO88L at and near Kinver, 2014 sixteen casual sites, elsewhere
<i>Minuartia verna</i>	SK05Y, nr Wetton Mill, Manifold Valley, 2009
<i>Myriophyllum alterniflorum</i>	SK05Z, nr Ecton, Manifold Valley (two sites), 2009 & 2013 SJ85Z, Biddulph Country Park, 2013 SK21E, Barton Turn, 2014
<i>Oenanthe pimpinelloides</i>	SP09J, Coal Pool, Walsall, 2001
<i>Oenothera biennis</i> x <i>cambrica</i>	SJ85H, Kidsgrove Station, 2008
<i>Ophrys apifera</i> var. <i>chlorantha</i>	SO88S, Stourton, 2004
<i>O. apifera</i> var. <i>trollii</i>	SK01C, Brindley Heath, 2015; did not reappear in 2016 SK01C, Brindley Heath, 2014; did not reappear in 2015 or 2016 SO88S, Dunsley Sand Quarry, 2011
<i>Phegopteris connectilis</i>	SJ73M, Burnt Wood, 2010 SK04J, nr Foxt, 2008 SK06N, nr Tenterhill, 2001; additional site, 2007 (not refound at SJ73K, Bishop's Wood: 300 fronds in 1950)
<i>Pilosella</i> x <i>longisquama</i> (off x pel)	SK05Y, Wetton Mill, 2009 (possibly this taxon)
<i>Plantago maritima</i>	SJ92X, Pasturefields, 2006
<i>Polygonatum multiflorum</i>	SJ72W, Moat Covert, 1997 SJ72X, N of Norbury, 1997 SK03Q, Loxley Bank, 2002 (Sites at SJ80A, SJ90Q, SK01G, SK10U, SK12M & SK12G need verification)
<i>Polypodium cambricum</i>	SK15L, near Ilam Rock, 2005
<i>P. x font-queri</i> (vul x cam)	SK05X, near Thor's Cave, 2009
<i>P. x shivasiae</i> (int x cam)	SK05X, near Thor's Cave, 2009
<i>Potamogeton trichoides</i>	SJ91A, Gailey, 2001
<i>Potentilla</i> x <i>suberecta</i> (ang x ere)	SJ84J, W of Chesterton, 2012 (almost certainly this taxon) SK22G, Shobnall, 2002
<i>Puccinellia rupestris</i>	SJ92W, Ingestre, 2014
<i>Rosa arvensis</i> x <i>caesia</i> ssp. <i>vosagiaca</i>	SK15E, Beresford Dale, 2003
<i>R. caesia</i> x <i>sherardii</i>	SK05W, nr Wetton, 2001
<i>R. caesia</i> ssp. <i>vosagiaca</i> x <i>obtusifolia</i>	SK14D, Lordspiece, nr Stanton, 2001
<i>R. x cottetii</i> (= x <i>rogersii</i>) (cae x tom)	SK05V, Brown End Quarry, 2003 SK14J, Blore Woodhouses, 2001
<i>R. x glaucoides</i> (cae x mol)	SK05X, nr Wetton, 2001
<i>R. x molletorum</i> (can x mol)	SK05Z, Warslow, 1996 SK06W, nr Reapsmoor, 2001 SK06X, Under-the-Hill, 1996
<i>R. mollis</i> x <i>tomentosa</i>	SO78Q, Bateman's Dingle, 1996
<i>R. x nitidula</i> (can x rub)	SJ94J, Wetley Moor, 2003 SK22E, Tutbury Castle, 2001 (40 other records appear to be local authority plantings)
<i>R. obtusifolia</i> x <i>tomentosa</i>	SO78R, Kitlands Coppice, 1996
<i>Rubus chamaemorus</i>	SK06I, Oliver Hill, 2014
<i>R. saxatilis</i>	SK05Z, Manifold Valley, 2003 SK15F, Hinkley Wood, 2011
<i>Rumex</i> x <i>knafii</i> (con x mar)	SP09W, New Oscott, 1997 (a likely error)
<i>R. x ruhmeri</i> (con x san)	SK21J, Branston Leas Nature Reserve, 2016 SK22S, Wetmore, 2008
<i>Salix triandra</i>	SJ72Z, Jackson's Marsh, 2004 SJ85K, Tunstall, 1995 SK11T, Wychnor, 2002
<i>S. x ambigua</i> (aur x rep)	SJ95W, Hardy Wood, 1992 (assumed still present) SK14I, nr Stanton, 2013

<i>S. x calodendron</i> (cap x cin x vim)	SK12E, nr Glasshouse Farm, 1999 SO88Z, Kingswinford, 2005
<i>S. x meyeriana</i> (pen x fra)	SJ74N, Betley Mere, 2005 SJ74P, Betley Mere, 2005
<i>S. x rubra</i> (pur x vim)	SO89Q, nr Himley, 2002 SO89L, W of Wombourne, 2002
<i>Samolus valerandi</i>	SO89R, Wombourne, 2001 SJ71U, nr Walkley Bank, 2007
<i>Scrophularia umbrosa</i>	SJ72Q, Aqualate Mere, 2014 SK21J, Branston Lees N.R., 2016
<i>Scutellaria minor</i>	SO77U, banks of R. Severn, 1996 SO78K, N of Arley, 2004
<i>Sorbus rupicola</i>	SK11L, Fradley Junction, 1995 SO77P, Pound Green Coppice, 2013; nr Pound Green Common, 1999
	SO77U, Seckley Wood, 2014
	SK15G, Hall Dale, 2009
	SK15K, Bunster Hill, 2009
<i>Trichomanes speciosum</i>	known in its gametophyte generation at SJ96X, Lud's Church, 2012
<i>Triglochin maritimum</i>	SJ92X, Pasturefields, 2006
<i>Trollius europaeus</i>	SK06H, Gib Torr, 2000, 2015 & 2016
<i>Typha x glauca</i> (lat x ang)	SK06N, W of Edgetop, 1995 SJ72X, Loynton Moss (several sites), 2005
<i>Ulmus plotii</i>	SJ84C, Keele, 1992 Possibly at SJ82E, Copmere, c1997 SJ92P, Sandon, 1992 SK20H, N of Tamworth, 2003
<i>Vicia lathyroides</i>	SO88R, E of Whittington, 2007 (First record since 1978)
<i>V. sylvatica</i>	SK14P, S of Coldwall Bridge, 2011
<i>Viola x bavarica</i> (rei x riv)	SO88C, Roughpark Wood, 2008 SP09P, Dingle Wood, near Hayhead, 2006
<i>X Dactyloglossum mixtum</i> (Coe vir x Dac fuc)	SK04Y, near Wardlow Quarry, 2016

Locally Scarce and Declining: Native Taxa in 10 sites or less

Figures are for number of tetrads now/number in 1970

<i>Paris quadrifolia</i>	7/8
<i>Persicaria minor</i>	5/7
<i>Potamogeton x lintonii</i> (cri x fri)	4/8
<i>Silaum silaus</i>	9/11

Last Sightings of Probably Extinct Natives

[Last known records, pre-1995; some may still be in the v.c.: especially if marked “*”]

<i>Alopecurus x brachystylus</i> (pra x gen)	1916, SK01T, Armitage
<i>Anthyllis vulneraria</i> ssp. <i>carpatica</i>	1987, SJ94H, Weston Coney
<i>Asplenium viride</i>	1894, SK15-, Dovedale
<i>Carex distans</i>	1923, SJ92T, Weston-upon-Trent
<i>C. dioica</i>	1969, SJ91U, Oldacre Valley
<i>C. filiformis</i>	1991, SO89X, Penn Common – not found in 1992: must be doubtful
<i>C. lasiocarpa</i>	1844, SJ74-, Madeley
<i>C. limosa</i>	doubtfully 1798, SJ81A, Weston under Lizard
<i>C. viridula</i> ssp. <i>brachyrrhyncha</i>	doubtfully c1994, SK05U, Swallow Moss
<i>Cirsium x forsteri</i> (dis x pal)	1844, SK22-, Burton

<i>Colchicum autumnale</i>	SK01L, Beaudesert Old Park, 1969 (and an introduction at SJ90H, Moseley Old Hall, 1985) Other <i>Colchicum</i> records exist as likely introductions but are not identified as to species
<i>Dactylorhiza x hallii</i>	1983, SJ81L, Mottey Meadows NNR
<i>D. x transiens</i> (fuc x mac)	1989, SK14I, Cuckoo Cliff
<i>Draba incana</i>	1901, SK15-, Dovedale 1950, SK06N, probably Croftbottom Farm
<i>Eleocharis multicaulis</i>	1910, SO77P, Upper Arley
<i>Epilobium x vicinum</i> (obs x cil)	2001, SJ96L, nr Axstones Spring
<i>E. x schmidtianum</i> (obs x pal)*	1941, SK05J, Morridge
<i>Eriophorum latifolium</i>	1884, SO89X, Penn Common
<i>Erodium maritimum</i>	1954, SO89F, nr Highgate Farm
<i>Filipendula vulgaris</i>	1952, SK15K, Bunster Hill (later records exist, but are likely to be introductions/casuals via railway ballast and the like)
<i>Glyceria fluitans</i> x <i>G. declinata</i>	1947, SK14D, Thorswood
<i>Hammarbya paludosa</i>	1796, SK00J, Norton Bog
<i>Huperzia selago</i>	1920, SJ74R, Bar Hill
<i>Hymenophyllum tunbrigense</i>	1920, SK04B, Cheadle
<i>H.wilsonii</i>	1930, SK04X, Wootton Park c.1840, SJ96X, Gradbach is not supported by subsequent sightings or a herbarium specimen 1840, c.SK06D, "near Flash", possibly on Derbyshire side of county boundary 1907, SK14C, Wootton, possibly cultivated
<i>Legousia hybrida</i>	1987, SO88-, Kinver Edge
<i>Luzula forsteri</i>	doubtfully 1863, SK12W, Knightley Park
<i>Melica nutans</i> *	1986, SK15B, Eastern Wood
<i>Oenanthe fluviatilis</i>	1892, SK11-, Barton
<i>Petroselinum segetum</i>	1984, SJ92F, Rickerscote Avenue
<i>Polystichum x bicknellii</i> (set x acu)	1917, SK15B, Throwley Moor
<i>Potamogeton x cooperi</i> (cri x per)	1949, SK10-, Lichfield
<i>P. x angustifolius</i> (gra x luc)	1925, SJ91-, Cannock Chase
<i>Puccinellia maritima</i> *	1987, SJ92X, Pasturefields
<i>Ranunculus baudotii</i>	1890, SK22-, Branston (a salt marsh)
<i>R. x bachii</i> (flu x tri)	C.D.K. Cook, in an article in <i>Taxon</i> , 1970 gives it for Staffs river systems
<i>Rhinanthus angustifolius</i>	1851, SJ92-, Stafford
<i>Rorippa x anceps</i> (syl x amp)	1994, SO78K, W bank of R. Severn
<i>Rosa micrantha</i>	1977, SO88-, Kinver Edge
<i>R. obtusifolia</i> *	1989, SO78Q, Bateman's Dingle (two sites) 1993, SO78V, Beans Coppice
<i>R. spinosissima</i>	1832, SO98C, Amblecote; several modern plantings known
<i>Rumex longifolius</i>	1989, SK05L, Goatfields
<i>R. palustris</i>	1989, SO98N, Regent Street
<i>Sagina subulata</i>	1901, SK04Y, Weaver Hills
<i>Salix daphnoides</i>	1979, SK02E, Stone
<i>S. x mollisima</i> (tri x vim)	1922, SK01Y, Mavesyn Ridware
<i>Schoenus nigricans</i>	1864, SK00J, Norton Bog
<i>Sorbus x thuringiaca</i>	1987, Hoar Cross, SK12G; (planted in a few places, including SJ95B, 1997)
<i>Sparganium natans</i>	1896, SK12W, Callingwood
<i>Spiranthes spiralis</i>	1871, SK15-, Dovedale
<i>Thymus pulegioides</i>	1994, SO78K, SW of Hexton's Farm
<i>Torilis nodosa</i>	1930, SK22L, Burton

<i>Utricularia vulgaris</i>	1955, SJ74P, Betley Mere c1955, SJ92W, Great Haywood
(<i>Vaccinium uliginosum</i>	a possible record from 1864, SK00J, Norton Bog has not been confirmed. The source of the claim is that this name appears in John Fraser's list in <i>Trans. Dudley & Midland Geol. Sci. Society & Field Club</i> in 1865. It is an almost certain slip for <i>V. vitis-idaea</i> which is not listed.)
<i>Veronica x lackschewitzii</i> (ana x cat)	1961, SJ81S, Longnor Bridge, Lapley
<i>Viola x scabra</i> (odo x hir)	1983, probably in SK15L, Dovedale
<i>V. riviniana</i> ssp. <i>minor</i>	1938, SK05Z, Wetton 1990, SP09P, Hay Head NR

Rare, Significant Non-Natives

An arbitrary selection. Those marked "\$" are native elsewhere in Britain, but almost certainly not at the sites given. If there any post-1994 sites, all are given.

<i>Acaena anserinifolia</i>	SJ84Q, Trentham, 2012 SK10A, Lichfield, 2014
<i>Acaena ovalifolia</i>	SJ84C, Keele, 2016
<i>Allium carinatum</i>	SO89R, Wombourne, 2012
<i>Anisantha rigida</i>	SJ82U, Shallowford, 1998 SK12X, Anslow Gate, 2008
<i>Avena sterilis</i> ssp. <i>ludoviciana</i>	SK22F, Branston, 2002
\$ <i>Bromus racemosus</i>	SO89R, Wombourne, 2012 SO89W, E of Wombourne, 2002 SK11H, S of King's Bromley, 2004
<i>Cardamine raphanifolia</i>	SK04L, Dimmingsdale, 2014
\$ <i>Carex arenaria</i>	SJ84X, disused railway station, Fenton Low, 1995; also, near to main line, Stoke, 2014
<i>Cicerbita plumieri</i>	SK04R, behind Rambler's Retreat, 2003 SK04L, Dimmingsdale, 2003
\$ <i>Cochlearia officinalis</i>	SO98J, Saltwells, 1999 SP08P, Holly Road, Gib Heath, 2005
<i>Conyza bilbaoana</i>	SP09W, Kingstanding, 2006 SP09X, Bannersgate, 2006
<i>Cotula coronopifolia</i>	SJ92C, Doxey Marsh (two sites), 2013 SJ92H, in several places at Astonfields, 2011
<i>Dittrichia graveolens</i>	SJ75Q, central reservation of M6, 2017 SJ75R, central reservation of M6, 2017 SJ83S, central reservation of M6, 2017
<i>Echium plantagineum</i>	SJ84L, Ferndown Nature Reserve, 2010 SJ84Y, Hanley, in seed mix, 2016 ??SK20H, Amington, 2007 (Now being trialled in parts of UK as an oil seed crop)
<i>Erigeron annuus</i>	SJ84T, Hanley, 2014
\$ <i>Erodium moschatum</i>	SO88X, N of Stourbridge, 2014 SO88S, E of Dunsley, 2008 SP09R, Perry Barr Stadium, 2005
\$ <i>Euphorbia platyphyllus</i>	SO89R, garden weed, Wombourne, 2015 SO98T, Terrace Street, Blackheath, 1987 SO99D; allotment, Wolverhampton, 2015
\$ <i>Linum bienne</i>	SP09E, Coal Pool, Walsall, 2001 (doubtfully for SO99P, Fibbersley, 1999)
<i>L. flavum</i>	SO99S, Gospel Oak, 2001. First British Record
<i>Malva parviflora</i>	SK22M, Burton, 2003 (and in most years since 1970)
<i>M. pusilla</i>	SK22L, Burton, 2011

\$Orobanche elatior	SK04U, Cauldon, 2007, 2010 & 2011
\$Oxyria digyna	SO88Z, car park, Kingswinford, 2005
\$Papaver hybridum	SK10L, Hints, 1991
Polygonum cognatum	SK22L, Burton, 2008
P. rurivagum	SJ90N, Laney Green, 2003
Plagiobothrys scouleri	SJ92G, Stafford, 2009
\$Polygonatum verticillatum	SJ91U, Cannock Chase (two sites), 2006
	SJ93C, Cotwalton Drumble, 1997
Rumex cristatus	SJ92B, Castletown, Stafford, 2013
\$R. palustris	SO98N, Regent Street, 1989
Sisymbrium polyceratum	SO99Z, Bentley, 2000
	SP08U, Lozells, Birmingham 19, 2005
	SP09E, Navigation St., Walsall, 2002
Trachyspermum ammi	SJ84X, between Shelton & Stoke, 2014
\$Trifolium subterraneum	SJ92L, Beaconside, Baswich, 2016
Tulipa saxatilis	SO88G, Kinver Edge, 2002
T. sylvestris	SO89R, Wombourne, 2012
	SK01W, Longdon Green, 2011 (last seen there in 1971)
	SK04V, Denstone, 1998 (on site since 1925)
\$ Ulex minor	SK00I, Norton Canes Services, M6 Toll, 2017

{Atriplex littoralis was found, for the first time, on four roadsides, in 2004; Bidens connata, another new v.c. record, was first found, in 4 tetrads of the southern half of SJ95, in 2003.}

Appendix

Hieracia

The v.c. list is as follows, with species recorded since 1994 in bold type. Half a dozen species are frequent or occasional in the vice-county. Most other taxa are confined to the limestone. Those with no recent records, but likely to be still extant are marked “*”. Re-classification follows the treatment of Volume 4 of the *Flora of Great Britain and Ireland* (Sell and Murrell). Last sightings are:

Hieracium acuminatum	Recorded in 141 tetrads (27 hectads) post 1994. However most, if not all, records should be for the newly described <i>H. argillaceum</i> or <i>H. consociatum</i>
H. angulum	1948, SJ92L, Baswich (as “ <i>H. diaphanum</i> ”)
H. argillaceum	2006, SO77U, nr Arley Station
H. britannicum	Recorded in 18 tetrads (13 hectads) post 2003. Under-recorded.
H. cinderella	1993, SK05X, Thor’s Cave
	1964, SK15G, Hall Dale (and 2007, 2015)
	2015, SK15H, Mill Dale
H. cinderella	2014, SO77T, Hawkbatch Valley
	1998, SO77U, Eyemore Wood
	1954, SO77U, Seckley Wood
H. consociatum	Recorded in 62 tetrads (21 hectads) post 2003. Under-recorded
<i>H. cymbifolium</i> *	1980, SK15C, Beeston Tor
H. daedalolepioides	1951, SK15-, near Alstonfield
	2008, SK22E, Tutbury Castle
	2016, SK04Y, S. of Wardlow Quarry
<i>H. dalense</i> *	1877, SK15-, Alstonefield (formerly named as “ <i>H. subplanifolium</i> ”)
<i>H. dentulum</i>	2015, SK15G, Hall Dale
<i>H. decolor</i>	1953, SK05X, Grindon. The specimen has not been seen or checked recently
H. diaphanum	Recorded in 15 tetrads (10 hectads) almost all in the north of the v.c. Most records are now thought likely to be referable to <i>H. angulum</i> , or <i>H. daedalolepioides</i>

H. exotericum	2007, SK05X, near Thor's Cave 2007, SK15C, Manifold Valley 2007, SK15H, Hall Dale
H. fictum	1899, SK15-, near Alstonefield Vicarage (formerly as "H. maculatum")
H. grandidens	2015, SJ71L, Sheriffhales
H. holophyllum	1985, SK15G, Hall Dale. The specimen has not been seen or checked recently 2009, SK05Z, Ecton 2009, SK15D, Narrowdale (east)
H. peccense	1953, SK15H, Mill Dale (formerly recorded as "H. caledonicum") 1954, SK05Y, Wetton Mill (formerly named as "H. rubiginosum") 2016, SK15G, Hall Dale
H. pollichiae	2008, SK12Y, Fauld Crater, Hanbury: probably this sp.
H. prenanthoides	1992, SO99F, Wren's Nest N.R. Likely to have been introduced.
H. sabaudum®	Recorded in 226 tetrads (38 hectads) post 1994
H. salticola	Recorded in 62 tetrads (17 hectads) largely in the south of the v.c.
H. scotostictum	Recorded in 9 tetrads (9 hectads) post 1999
H. spilophaem	1882, SJ80R, Codsall (formerly as "H. maculatum")
H. subaequale	1954, SK05-, near Wetton 2009, SK05Z, Ecton
	2008, SK15C, Manifold Valley
	2008, SK15D, Narrow Dale
	2008, SK15G, Hall Dale
H. subcrocatum	2003, SK05Z, Ecton
H. sublepidotoides	2017, SJ73Z, Maer
H. subprasinifolium	1997, SO78-, Arley House
H. trichocaulon	1964, SK15G, Hall Dale
H. umbellatum	2007, SK15H, Hall Dale
H. vagum	1873, SK04-, Lady Well, Cheadle
H. vulgatum	Recorded in 49 tetrads (25 hectads) Recorded in 164 tetrads (35 hectads) Recorded in 109 tetrads (33 hectads)

®: over the years, differing opinions have been held as to precisely which features should be used to distinguish between plants that appear to share some characters of both *H. sabaudum* and *H. vagum*. Different recorders may well have given the same plants different names. The 2014 publication "Yorkshire Hawkweeds" gives excellent advice on this matter.

Rubus fruticosus agg

The following have been recorded for the vice-county. The most recent records are given. Frequency indications refer to the whole vice-county and are estimated from the density of dots in Alan Newton/Rob Randall's Bramble Atlas. *Rubus daltrii* and *R. obesifolius* are endemic to Staffordshire, confined to five or fewer hectads and, thus, are likely to be threatened.

<i>Rubus accrescens</i>	Eighteen post-1995 records; frequent, endemic to v.c.39, 57-59 & 63
<i>R. adamsii</i>	Bramble Atlas post-1988, SJ82A, Gnosall; rare
<i>R. adenanthoides</i>	Four post-1996 records; occasional; endemic to Britain & Ireland
<i>R. albionis</i>	1973, SK02I, Stowe; rare; British endemic.
<i>R. amplificatus</i>	2000, SO88B, Arley Wood; 2006, SJ73D, Napley; frequent. British & Irish endemic
<i>R. anglocandicans</i>	1946, SK21F, Haunton; rare; English endemic
<i>R. anglofuscus</i>	2006, SO77T, Seckley Wood; 2006, SO88B, Arley Wood; occasional; English endemic
<i>R. angloserpens</i>	2004, SO77U, Arley; 2006, SO77T, Seckley Wood; rare. British endemic
<i>R. anisacanthos</i>	Bramble Atlas post-1988 from SJ80-, 83-, 91-, 93-, 94-; SK14; 1980, SK12L, Newborough & Newchurch; occasional
<i>R. armeniacus</i>	(= <i>R. procerus</i>). Eight post-2001 records; occasional
<i>R. armipotens</i>	1972, SO77U, Seckley Wood; SO77T, Seckley Wood, 2006; rare; British endemic
<i>R. asperidens</i>	Bramble Atlas post-1988, SJ73-
<i>R. bagnallianus</i>	1980, SK12R, Scotch Hill; 1997, SJ80Q, Cranmoor; occasional . Endemic to the English Midlands
<i>R. bartonii</i>	1972, SJ73U, Maer & The Bogs; rare; British endemic

<i>R. bertramii</i>	Bramble Atlas post-1988 from SJ80-, 83- & 85-; 1964, SJ90V, Rough Wood; common
<i>R. bloxamianus</i>	1962, SK10U, Park Lane; rare; British & Irish endemic
<i>R. bloxamii</i>	c1975, 8 records (SJ72-; SJ84-; SJ92-; SK00-; SK01-; SK10-; SK11-; SP09-); 2006, SJ91X, Cannock Chase; occasional
<i>R. boudiccae</i>	Bramble Atlas post-1988 from SO98 & SK02; 1954, SO88-, Kinver & Kinver Edge; rare. A British & Irish endemic
<i>R. caesius</i>	Five post-1994 records; occasional
<i>R. calvatus</i>	Six post-1994 records; common. A British & Irish endemic
<i>R. cardiophyllus</i>	2006, SJ91U & X, Cannock Chase; 2007, SJ75Q, Knowl End; frequent
<i>R. condensatus</i>	Four post-1996 records; occasional; endemic to v.c.37, 39 & 40 and to NE France
<i>R. conjungens</i>	Bramble Atlas recent (SJ82); 1972, SJ82X, Seighford; occasional
<i>R. criniger</i>	Eight post-1997 records; frequent
<i>R. daltrii</i>	1997, SJ84C; 2006, SJ74W & SJ84B, 2006: all near Whitmore; occasional
<i>R. dasyphyllus</i>	Recorded in 54 tetrads (16 hectads) post-1996 records; common
<i>R. distractiformis</i>	Eight post-2000 records; frequent, endemic to v.c.39, 57-59 & 63
<i>R. diversus</i>	1980, SK01L, Castle Ring Camp; rare
<i>R. dumnoniensis</i>	1960, SJ73V, Greatwood Farm; rare
<i>R. eboracensis</i>	Nine records in 2006; common
<i>R. echinatoides</i>	Five post-1994 records; a British & Irish endemic; frequent
<i>R. echinatus</i>	1985, SO88B, Kinver; frequent
<i>R. euryanthemus</i>	Eight post-1994 records; frequent
<i>R. fuscus</i>	1972, SJ91U, Cannock Chase; very rare: a doubtful record, not in the Atlas
<i>R. gratus</i>	1965, SJ73K, Bishop's Wood; rare
<i>R. hindii</i>	Four post-1994 records; a British & Irish endemic
<i>R. hylocharis</i>	Seven post-1997 records; common
<i>R. incurvatiformis</i>	Ten post-1997 records; common. A British endemic
<i>R. incurvatus</i>	1967, SJ94T, Blakeley; 1967, SJ94Z, Old Hall; occasional
<i>R. infestus</i>	2006, SJ91X, Cannock Chase; 2007, SJ95E, Biddulph Moor; frequent
<i>R. informifolius</i>	Four post-1994 records; occasional; endemic to v.c.12, 36 & 38-40
<i>R. insectifolius</i>	1971, SK10X, Dunstall Farm; occasional
<i>R. intensior</i>	44 post-1994 records; frequent. A British endemic
<i>R. laciniatus</i>	Twenty post-1997 records; occasional
<i>R. leightonii</i>	2006, SJ91X, Cannock Chase; 2007, SJ85B, Coalpit Hill; frequent
<i>R. lindebergii</i>	c1970, SK06-; 2006: SJ95V, Cheddleton & SK05A, Ipstones; occasional
<i>R. lindleianus</i>	Twenty post-1996 records; common
<i>R. lintonii</i>	2006, SJ74W & SJ84B, Whitmore; occasional
<i>R. longithyrsiger</i>	2000, SO88B, Coldridge Wood; rare
<i>R. macrophyllus</i>	2007, SJ75Q, Balterley Green; occasional
<i>R. mucronulatus</i>	1966, SK10S, Hopwas Hays; occasional
<i>R. murrayi</i>	1998, SJ74W, N of Dab Green; 2006, SJ74W, Whitmore; rare
<i>R. nemoralis</i>	Thirteen post-1996 records; frequent
<i>R. nemorosus</i>	1961, SJ71S, Barbers Gorse; rare
<i>R. nessensis</i>	c1975, SJ83-; SK01-; SK02-; occasional
<i>R. obesifolius</i>	1960, SK05B, nr Coombes Valley; 2002, SK05C, Bradnop;
<i>R. obscuriflorus</i>	2006: SJ95V, Cheddleton & SK05A, Ipstones; occasional, endemic to v.c.39
<i>R. obesifolius</i>	2006, SO77T, Seckley Wood; rare. Endemic to v.c.33, 34, 36, 37 & 39
<i>R. painteri</i>	Eighteen post-1996 records; frequent, endemic to v.c.39, 58-60 & 64
<i>R. pallidus</i>	1998, SJ83J, Hanchurch Hills; 2006, SJ84F, E of Hanchurch Heath;
<i>R. pampinosus</i>	2006, SJ83P, Hanchurch Hills; frequent
<i>R. pampinosus</i>	2000, Arley Wood, SO88B; 2004, SO77U, Arley; a British endemic
<i>R. pampinosus</i>	2006, SO77T, Seckley Wood; rare

<i>R. pascuorum</i>	1964, SJ82G, Gnosall; occasional; endemic to Britain
<i>R. pedemontanus</i>	1979, SK04F, Lord's Coppice; occasional
<i>R. pistoris</i>	c1975, SK11-; rare
<i>R. platyacanthus</i>	Eight records in 2006; common
<i>R. plicatus</i>	1967, SJ95V, Hills Wood; occasional
<i>R. polyanthemus</i>	Eight post-1997 records; common
<i>R. pruinosus</i>	1985, SO88G, Kinver; common
<i>R. pyramidalis</i>	1980, SJ82E, Cop Mere; occasional
<i>R. radula</i>	1972, SJ91N, Cock Lane; occasional
<i>R. rhombifolius</i>	In 2006: SJ95K, Cheddleton; SK04J & SK05A, Ipstones; rare
<i>R. robiae</i>	Nine post-1994 records; frequent
<i>R. rubristylus</i>	Seven post-1997 records; common. Endemic to Britain & Ireland
<i>R. rubritinctus</i>	1962, SK21Q, Clifton Campville; rare
<i>R. rufescens</i>	1977, SJ80G, Kingswood Common; 1977, SK02H, Blithfield 2000, SO88B, Arley & Coldridge Woods; 2006, SO77T, Seckley Wood; frequent
<i>R. scaber</i>	1975, SJ80G, Kingswood Common; occasional
<i>R. sciocharis</i>	Bramble Atlas post-1988, SJ93-; 1985, SO88G, Kinver Edge; occasional
<i>R. scissus</i>	1972, SK06G, Ramshaw Rocks; 1972, SO89K, Whitehouse Plantation; 2001, SJ96V, Meerbrook ; common
<i>R. silurum</i>	Bramble Atlas post-1988, SJ11-; 1980, SK11K, Brookhay Bridge; rare. British endemic
<i>R. sneydii</i>	Four post-1996 records; rare, endemic to v.c.39, 40 & 58
<i>R. sprengelii</i>	23 post-1996 records: common
<i>R. subtercanens</i>	c1975, SJ84-; rare
<i>R. surrejanus</i>	Bramble Atlas post-1988, SO77-; 1959, SO77P, Pound Green; rare. British endemic
<i>R. tuberculatus</i>	40 post-1997 records; common
<i>R. turritus</i>	Five post-1995 records; frequent, endemic to v.c.39
<i>R. ulmifolius</i>	Recorded from 55 tetrads (22 hectads) since 1995; actually in many more: 211 in E.S. Edees' Flora
<i>R. ulmifolius x vestitus</i>	2000, SJ73E, Napley; 2006, SO77, Seckley Wood; probably occasional
<i>R. varicensis</i>	1951, SP09Y, Sutton Park; rare, endemic to v.c.38 & 39
<i>R. vestitus</i>	34 post-1997 records; common
<i>R. warrenii</i>	Seven post-1997 records; frequent
<i>R. wirralensis</i>	1978, SJ81D, Church Eaton; 2006, SJ95W, Cheddleton; occasional

Taraxaca

The following have been seen in the vice-county. The last traced sightings are given.

<i>Taraxacum acutifidum</i>	1993, SK14J, Blore Hall
<i>T. aequilobum</i>	1993, SK04I, Frogshall Wharf & SK14J, Blore Hall
<i>T. 'anceps'</i>	A species as yet only informally described .The only report, from an unspecified location in SJ91, was in 1989
<i>T. ancistrolobum</i>	1993, SK04I, Frogshall Wharf & SK14J, Blore Hall & SK15K, Dovedale
<i>T. angustisquamum</i>	1993: SK04I, Frogshall Wharf, AJR
<i>T. argutum</i>	1993, SK15K, Dovedale
<i>T. atactum</i>	1996, SO77P, Pound Green Common
<i>T. aurosulum</i>	1982, SK02, unknown location
<i>T. boekmanii</i>	1999, SO77T, Hawkbatch
<i>T. brachyglossum</i>	1993, SK14J, Blore Hall
<i>T. bracteatum</i>	1993, SK04I, Frogshall Wharf
<i>T. 'cestrense'</i>	A species as yet only informally described. There are two records, from unspecified locations in SJ83 & SK13, in 1989
<i>T. chloroticum</i>	1993, SK14J, Blore Hall

<i>T. cordatum</i>	1993, SK04I, Froghall Wharf
<i>T. dilatatum</i>	1993, SK15K, Dovedale
<i>T. duplidentifrons</i>	1996, SO77P, Pound Green Common
<i>T. ekmanii</i>	1993, SK04I, Froghall Wharf & SK14J, Blore Hall & SK15K, Dovedale
<i>T. euryphyllum</i>	1971, SJ75K, Black Firs & SJ72T, Admaston
<i>T. exacutum</i>	1989, SK15-, no locality specified
<i>T. excellens</i>	1993, SK04I, Froghall Wharf, SK14J, Blore Hall & SK15K, Dovedale
<i>T. expallidiforme</i>	1993, SK04I, Froghall Wharf
<i>T. faeroense</i>	1955, SJ83Y, Barlaston Downs & SK05-, Warslow & SK06-, Flash. Specimens claimed from SK02F, Colton, 1986 & SK01L, Longdon, 1989 were not verified by an expert
<i>T. fasciatum</i>	1993, SK04I, Froghall Wharf & SK14J, Blore Hall & SK15K, Dovedale
<i>T. fulviforme</i>	1993, SK14J, Blore Hall & SK15K, Dovedale
<i>T. gelertii</i>	1971, SJ81P, Allimore Green
<i>T. glauciniforme</i>	1993, SK15K, Dovedale
<i>T. hamatiforme</i>	1993, SK04I, Froghall Wharf
<i>T. hamatum</i>	1993, SK04I, Froghall Wharf & SK14J, Blore Hall & SK15K, Dovedale.
<i>T. hamiferum</i>	1993, SK14J, Blore Hall
<i>T. insigne</i>	1993, SK14J, Blore Hall & SK15K, Dovedale
<i>T. interveniens</i>	2005, SO78Q, Arley
<i>T. intumescens</i>	1993, SK04I, Froghall Wharf
<i>T. laciniosifrons</i>	1993, SK04I, Froghall Wharf
<i>T. lacistophyllum</i>	1993, SK14I, Blore Hall; SK15K, Dovedale
<i>T. laeticolor</i>	1993, SK04I, Froghall Wharf
<i>T. lamprophyllum</i>	1993, SK04I, Froghall Wharf
<i>T. latissimum</i>	1993, SK04I, Froghall Wharf
<i>T. leptodon</i>	1993, SK14J, Blore Hall
<i>T. lingulatum</i>	1993, SK04I, Froghall Wharf & SK14J, Blore Hall & SK15K, Dovedale
<i>T. longisquamum</i>	1993, SK14J, Blore Hall
<i>T. lunare</i>	1993, SK14J, Blore Hall
<i>T. macrolobum</i>	1984, SJ81-, locality unknown
<i>T. maculosum</i>	1971, SK05Y, Ecton
<i>T. marklundii</i>	1993, SK15K, Dovedale
<i>T. necessarium</i>	1993, SK04I, Froghall Wharf
<i>T. nigridentatum</i>	1993, SK14J, Blore Hall
<i>T. nordstedtii</i>	1993, SK14J, Blore Hall & SK04I, Froghall Wharf
<i>T. oblongatum</i>	1993, SK04I, Froghall Wharf & SK14J, Blore Hall & SK15K, Dovedale
<i>T. oxoniense</i>	1993, SK14J, Blore Hall
<i>T. pannulatum</i>	1993, SK04I, Froghall Wharf & SK15K, Dovedale
<i>T. pallidipes</i>	1993, SK04I, Froghall Wharf
<i>T. pannucium</i>	1993, SK14J, Blore Hall & SK15K, Dovedale & SK04I, Froghall Wharf
<i>T. parnassicum</i>	1993, SK14J, Blore Hall
<i>T. piceatum</i>	1993, SK14J, Blore Hall
<i>T. polyodon</i>	1992, SK02-, locality unknown
<i>T. pseudohamatum</i>	1993, SK14J, Blore Hall & SK15K, Dovedale
<i>T. quadrans</i>	1993, Blore Hall, SK14J
<i>T. remenantilobum</i>	1993, SK04I, Froghall Wharf & SK15K, Dovedale
<i>T. rhamphodes</i>	1993, SK14J, Blore Hall
<i>T. rubicundum</i>	1993, SK14J, Blore Hall
<i>T. sagittipotens</i>	1993, SK04I, Froghall Wharf
<i>T. sahlirianum</i>	1993, SK04I, Froghall Wharf & SK14J, Blore Hall; SK15K, Dovedale
<i>T. scoticum</i>	1993, SK14J, Blore Hall
<i>T. sellandii</i>	1993, SK04I, Froghall Wharf & SK14J, Blore Hall & SK15K, Dovedale

<i>T. stenacrum</i>	1993, SK04I, Froghall Wharf & SK14J, Blore Hall
<i>T. stenoglossum</i>	1993, SK04I, Froghall Wharf: previously known as "T. dahlstedtii"
<i>T. subbracteatum</i>	1989, SJ73-, locality unknown
<i>T. subcyanolepis</i>	1993, SK15K, Dovedale
<i>T. subexpallidum</i>	1993; SK04I, Froghall Wharf & SK15K, Dovedale
<i>T. subhamatum</i>	1993, SK14J, Blore Hall & SK04I, Froghall Wharf
<i>T. tanyphyllum</i>	1993, SK14J, Blore Hall
<i>T. tumentilobum</i>	2005, SO78Q, Arley
<i>T. undulatiflorum</i>	1999, SO77T, Hawkbatch

Last Sightings of Uncommon Non-Natives

Planted trees are excluded. Those marked "\$" are native elsewhere in Britain, but almost certainly not at the sites given.

a) post-1986

<i>Abutilon theophrasti</i>	SJ84T, Cliff Vale, 2017
<i>Achillea filipendulina</i>	SO99B, Gospel End, 1991
<i>Adiantum raddianum</i>	SJ84N, Newcastle-under-Lyme, 2017
<i>Agave americana</i>	SO89R, Wombourne, 2004
<i>Ageratum houstonianum</i>	SO88T, greenhouse weed, Ashwood Nurseries, 2012
<i>Akebia quinata</i>	S J90B, Fordhouses, 2015
<i>Alchemilla conjuncta</i>	SO89R, Wombourne, 2004
	SO89R, Wombourne, 2006
	SJ84J, between Apedale and Chesterton, 1999
	SK03X, Uttoxeter, 2000
<i>Allium carinatum</i>	SO99M, Coseley Canal Tunnel, 2014
<i>A. moly</i>	SO77U, Upper Arley, 2009
	SO89R, Wombourne, 2012
	SJ84T, Forge Lane, 2012
	SJ90G, Moseley, 1991
	SK04C, Harewood, 2003
<i>A. tuberosum</i>	SK04C, Harewood, 2003
<i>Althaea officinalis</i>	SO89Z, self-seeded, Bantock Park, 2004
<i>Amaranthus albus</i>	SJ84P, Westport Lake, 2013
<i>A. bouchonii</i>	SO99E, Wolverhampton, 2005
<i>A. crispus</i>	SO89R, Wombourne, 2006
<i>Ammi visnaga</i>	SJ84M, Grosvenor, 1993
	SP09G, Sandwell, 1996
	(now a regular constituent of amenity seed mixes sown on verges, waste ground, etc.)
<i>Amsinckia lycopsoides</i>	SK11D, Armitage, 2008
<i>Anchusa azurea</i>	SO99P, Bilston, 2008
<i>A. officinalis</i>	SO98T, Blackheath, 1987
<i>Anemone apennina</i>	SJ90G, E of Bushbury, 2008
<i>A. x hybrida</i> (hup x vit)	SO88M, The Hyde, Kinver, 2013
	SO88Y, Wordsley, 2007
	SP09K, E of Handsworth, 2005
<i>Anethum graveolens</i>	SP09G, Sandwell, 1996
\$ <i>Apium graveolens</i>	SJ80L, nr Oaken, 2003
<i>Arabis arenosa</i>	SO99J, Old Heath Road, Wolverhampton, 2004
\$ <i>Armeria maritima</i>	SJ84L, Northwood, 2005
	SO89R, Wombourne, 2012
	SO89L, Smestow Road, 2002
	SO99H, Coseley, 2008
<i>Artemisia dracunculus</i>	SO88Y, Wordsley, 2005
<i>Asarina procumbens</i>	SJ85G, Talke, 2014
	SO93I, Moddershall Oaks, 2016
<i>Astragalus odoratus</i>	SK22G, nr Shobnall Road, Burton 1987
	SK22M, Derby Road, Burton, 2008
<i>Astrantia major</i>	SJ90H, Wolverhampton, 1990
	SK05Y, near Ecton Bridge, 2009
	SK11A, Lichfield, 2017

<i>Atriplex hortensis</i>	SK13Q, Densy Lodge, 1992 SK20L, E of Amington, 2006 SJ95Y, Leek, 2014 SO95Y, Wombourne, 2012
<i>Aurina saxatilis</i>	
<i>Barbarea stricta</i>	SK22T, nr Clay Mills, 2004 SO99E, Broad Street to Railway Drive, 1988
<i>Bassia scoparia</i>	SP09G, Sandwell, 1996
<i>Berberis aggregata</i>	SJ84E, Miles Green, 2007 SP89R, Wombourne, 1991
<i>B. buxifolia</i>	SJ95T, Leek, 2017
<i>B. wilsoniae</i>	SJ85V, Whitfield Valley Nature Reserve, 2017 SJ91C, Longridge, 2007 SJ91J, Acton Gate, 1988 SJ91G, Bentley, 2007
<i>B. x frikartii</i>	SK00Q, Beacon View, 2009
<i>Bergenia cordifolia</i>	SJ92C, Creswell, SJ92C, 2010
<i>Berteroia incana</i>	SP09G, Forge Mill, 1992
\$ <i>Beta vulgaris</i> ssp. <i>maritima</i>	SJ94K, Blythe Bridge, 2007
<i>Bidens ferulifolia</i>	SK20A, Two Gates, 2008 SP09R, Perry, 2006
<i>Brassica elongata</i>	SO89R, Wombourne, 2010
<i>B. rapa</i> ssp. <i>oleifera</i>	SP09G, Sandwell, 1996
<i>B. tournefortii</i>	SO98S, Halesowen, 2005
<i>Bromus lepidus</i>	SO88I, nr Big Wood, 2000
<i>Bupleurum subovatum</i>	SJ85R, Turnhurst, 2010
<i>Calla palustris</i>	SK02K, Stockwell Heath, 1988
<i>Campanula carpatica</i>	SO89R, Wombourne, 2007
\$ <i>C. glomerata</i>	SK06I, Quarnford Churchyard, 1996 SK11P, disused garden, Yoxall, 1994 SO89R, Wombourne, 2000
<i>C. medium</i>	SO98C, Amblecote, 1998
<i>C. rapunculoides</i>	SP08E, West Smethwick, 1997 SJ80A, Patshull, 1993 SJ80R, Codsall, 1993 SO89Y, Penn, 2006
<i>Cardamine corymbosa</i>	SJ84H, shrub border, Keele University campus, 2016 SJ85Q, by main pool, Burslem Park, 2016 SJ85Z, three places in Biddulph Grange Gardens, 2013
<i>C. quinquefolia</i>	SJ73W, Ginger Lane, Croxtion, 2016
<i>Carex comans</i>	SK11F, Lichfield, 2016
<i>Ceanothus divergens</i>	SO88Z, Kingswinford, 2005
<i>Ceratochloa cathartica</i>	SJ85G, Talke, 2012
<i>Chaerophyllum aureum</i>	SO99Y, Wolverhampton, 2015
<i>Chenopodium hybridum</i>	SJ84X, Fenton Manor, 2002 SK22M, Burton, 2008
<i>Chionodoxa luciliae</i>	SK22A, Branson Bridge, 2009
<i>Choisya ternata</i>	SP09G, long established, Sandwell Valley, 2016
<i>Clarkia amoena</i>	SJ84X, Fenton, 2002 SO89N, Trescott, 1993 SO99Y, Pleck, 2001
<i>C. unguiculata</i>	SO89R, Wombourne, 2006
<i>Clematis tangutica</i>	SK11A, Lichfield, 2002 SO89R, Wombourne, 2000
\$ <i>Clinopodium calamintha</i>	SJ92V, S of Shugborough Hall, 2007
<i>Cocculus trilobus</i>	SJ91A, Rodbaston, 1987
<i>Conringia orientalis</i>	SJ93B, Stone, 2002
<i>Cordyline australis</i>	SK11F, Lichfield, 2007
<i>Corydalis solida</i>	SO88Y, Wordsley, 2002 SK10E, Lichfield, 2009
<i>Cosmos bipinnatus</i>	SO88T, N of Prestwood, 2004
<i>Cotinus coggygria</i>	SO88X, Wollaston Road, 2017
<i>Cotoneaster cochleatus</i>	SO88Z, Kingswinford, 2007 SO99L, Dixon's Green, 1998 SO99E, Dunstall Hill, 2016

<i>C. mairei</i>	SO98E, Bromley, 2006
<i>C. microphyllus</i>	SK15G, Hall Dale (north), 1993
<i>C. prostratus</i>	SO99C, nr Greenleighs, 2000
<i>C. splendens</i>	SJ90T, Cheslyn Hay, 1995
<i>Cotula squalida</i>	SJ84Z, E of Sneyd Green, 2015
	SJ80Q, Tettenhall, 1991
<i>Crambe hispanica</i>	SP08D, nr Warley Woods, 1998
	SJ92L, Baswich, 2006
<i>Crataegus crus-galli</i>	SJ92M, nr Hopton, 2014
	SO89R, Wombourne, 2010
	SO89W, Baggeridge, 2000
	SO99S, Moxley, 2011
<i>C. laciniata</i>	SJ84N, Cross Heath, 1996
<i>C. monogyna</i> ssp. <i>azarella</i>	SJ93P, Stallington, 2015
<i>C. orientalis</i>	SJ84N, Cross Heath, 1995
<i>C. x lavalleeii</i> (crus-g x pubescens)	SP09B, West Bromwich, 2017
<i>Crepis nicaeensis</i>	SJ92H, Astonfields, 1997
	SK11H, Alrewas Hayes Farm, 2005
	SP29E, Tamworth, 2008
<i>C. setosa</i>	SK08E, Doe buck Lane, 1991
<i>Crocosmia masoniorum</i> 'Lucifer'	SO98N, Old Hill, 1991 (two sites)
	SJ75V, Park End, 2017
	SJ85V, Ford Green, 2017
<i>Crocus biflorus</i>	SK01G, Hazelslade, 2015
<i>C. chrysanthus</i>	SO89R, Wombourne, 2007
	SO89K, Smestow, 2003
	SO89X, Penn Common, 2002
<i>C. speciosus</i>	SP09B, All Saint's Churchyard, 1996
<i>C. sieberi</i>	SJ73T, Ashley, 2003
<i>Cuscuta campestris</i>	SO89R, Wombourne, 2007
<i>Cyclamen persicum</i>	SP08G, Harborne, 2014
<i>C. repandum</i>	SJ89Y, Highfields School, 1988
<i>Cynodon dactylon</i>	SJ88T, Ashwood Nurseries/Garden Centre, 2015
	SJ84N, Newcastle, 2014
	SK90A, Gorsebrook Road sidings, 1994
<i>Daucus carota</i> ssp. <i>sativus</i>	SO89Q, nr Swindon, 2007
	SP09G, Sandwell, 1996
<i>Descuraria sophia</i>	SJ92P, nr Enson Farm, 1997
<i>Deutzia scabra</i>	SJ80Z, Brewood, 1991
	SO78Z, Arley Wood, 2002
<i>Dianthus plumarius</i>	SO99X, Wednesbury, 1997
	SJ92B, Castletown, 2003
	SO99A, nr Ruiton, 2001
<i>Diascia barberae</i>	SO88Y, Wordsley, 2007
<i>Dicentra formosa</i>	SJ85L, Kidsgrove, 2012
	SJ93J, Stallington Road, 2004
	SO89W, Baggeridge Country Park, 1998
<i>Digitaria ischaemum</i>	SO89R, Wombourne, 2006
<i>Dipsacus sativus</i>	SJ84J, Apedale Country Park, 1998
	SJ85M, Birchenwood Brickworks, 1998 (site destroyed in 2000)
<i>Disanthus cercidifolius</i>	SJ84H, Barnes Dell, Keele University, 2016
<i>Doronicum x excelsum</i>	SJ83I, Lower Hatton, 1999
	SJ92L, towpath, near Baswich
<i>D. x willdenowii</i>	SJ80A, Patshull Park, 1993
<i>Dorycnium hirsutum</i>	SP09L, Jayshaw Avenue, Great Barr, 2005
<i>Eccremocarpus scaber</i>	SJ84T, Shelton, 2001
<i>Echinochloa colona</i>	SP09G, Sandwell RSPB Reserve, 1996
<i>E. esculenta</i>	SJ84P, by Westport Lakes, 2010
	SJ84R, Levita Road, 1995
<i>E. frumentacea</i>	SK10E, Lichfield, 2010
<i>Echinops sphaerocephalus</i>	SJ94L, Caverswall, 1988 & 2004
	SO88S, Stourton, 2007
<i>Eragrostis curvula</i>	SO89R, Wombourne, 2015
<i>Erucastrum gallicum</i>	SO98J, Hart's Hill, 1992

<i>Erigeron glaucus</i>	SK01N, Brereton, 2008
<i>E. speciosus</i>	SO89R, Wombourne, 2000
<i>E. philadelphicus</i>	SO89R, Wombourne, 2000
<i>SP09R, N of Perry</i>	SP09R, N of Perry
<i>Erinus alpinus</i>	SJ84T, Hanley, 2009. Site now destroyed
<i>Erysimum x marshallii</i>	SO89R, Wombourne, 2000 & 2004
<i>Eryngium giganteum</i>	SK02F, Wolseley Hall, 1990
<i>Erythronium dens-canis</i>	SO98I, Saltwells NR, 1998
<i>Escallonia x langleyiensis</i>	SJ80A, Patshull Park, 1993
<i>Euonymus japonicus</i>	SO99H, Coseley, 2008
<i>Euphorbia esula</i>	SJ80V, St Michael's Churchyard, 1996
<i>E. stricta</i>	SJ84X, Stoke, 1995
<i>E. waldensteinii</i>	SJ90A, Dunstall Hill, 2005
<i>E. x pseudovirgata</i>	SO99E, Wolverhampton, 2016
<i>Fatsia japonica</i>	SK11I, King's Bromley, 2008
<i>Ferula communis</i>	SO98I, Mushroom Green, 1992
<i>Festuca glauca:</i>	SO98P, Blower's Green, 2004
<i>F. heterophylla</i>	SK01B, nr Hednesford, 2007
<i>F. longifolia</i>	SJ84Q, Trentham, 2013
<i>Filipendula camtschatica</i>	SO89XC, Penn, 2003
<i>Fraxinus angustifolia ssp. oxycarpa</i>	SJ91R, W of Huntington, 2014
<i>Fumaria officinalis ssp. wirtgenii</i>	SO99L, Birmingham Canal, 2004
<i>F. densiflora</i>	SJ84N, Wolstanton, 2017
<i>Galanthus elwesii</i>	SJ85T, Brown Lees, 2010
<i>G. nivalis x plicatus</i>	SO99K, planted at Dudley Zoo, 2017
<i>G. plicatus</i>	SJ80X, bank of M54, 2013
<i>G. woronowii x nivalis</i>	SO89R, Wombourne, 2015
<i>Galeopsis segetum</i>	SJ80A, Patshull churchyard, 1991
<i>Galium tricornutum</i>	doubtfully, SK00N, Anglesey Bridge, 1993
<i>Gaultheria mucronata</i>	SJ80K, nr Patshull Church, 1992
<i>Genista sagittalis</i>	SK22L, edge of Washlands, Burton, 2000
<i>Geranium dalmaticum</i>	SJ90A, planted street tree, Dunstall, 2015
<i>G. nodosum</i>	SJ91K, Hatherton, 2003
<i>G. psilostemon</i>	SJ91H, between The Whittamoors & Lower Drayton, 2007
<i>G. x oxonianum var. thurstoniana</i>	SP09J, Park Lime Pits, 1991
<i>Garrya elliptica</i>	SJ80V, Tettenhall, 2013
<i>Geum macrophyllum</i>	SO89R, Wombourne, 2006
<i>Glebionis coronaria</i>	SO99E, Wolverhampton, 2016
<i>Gnaphalium luteoalbum</i>	SP08H, St.. Peter's Churchyard, Harborne, 2011 & 2014
<i>Gunnera manicata</i>	SJ80V, Tettenhall, 2014
	SJ90C, Coven Heath, 1997
	SJ80P, nr Bishop's Wood, 2003
	SJ92F, Wildwood Park, Stafford, 2015
	SO89V, Himley Park, 2003
	SO88S, Coombeswood, 2002
	SO90C, Coven Lawn, 1992
	SJ74V, Baldwin's Gate, 2002
	SK01F, NW of Cuckoo Bank, 2015
	SJ74K, Willoughbridge, 1988
	SO88Y, Wordsley, 2007
	SJ82R, near Yarnfield, 2013
	SP09K, S of Handsworth Wood, 2003
	SJ05I, between Joiner's Square & Berry Hill, 2004
	SJ95I, W road verge, Gratton, 2016
	SJ95I, S. of Lea Laughton, 2016
	SO99P, Wednesfield, 2017
	SK01P, Rugeley, 2005
	SJ84F, N of Acton, 2005
	SJ84Y, Hanley, in seed mix, 2016
	SJ80Q, Woodthorne Road, 1995
	SJ80A, Patshull Park, 2002

<i>Helianthus petiolaris</i>	SO99R, Tipton, 1997 SO99V, Greets Green, 1997 SP09G, Sandwell Valley, 1996
<i>H. tuberosus</i>	SP09F, nr Handsworth, 1997 SP09F, Sandwell Valley, 1998 SJ90A, Aldersley, 1993
<i>Helichrysum angustifolia</i>	SO89R, Wombourne, 2002
<i>H. italicum</i>	SO89R, Wombourne, 1998
<i>Helleborus orientalis</i>	SO98D, Brierley Hill, 2016 SO89L, Heathmill Road, 1994
<i>H. viridis</i>	SO98S, S of Haden Cross, 2005 SJ80A, Patshull Park, 1992
<i>Hemerocallis fulva</i>	SJ82I, Eccleshall, 2004 SK12L, nr Yoxall Lodge, 1992
<i>H. lilioasphodelus</i>	SJ85F, Red Street, 2008 SJ91Y, nr White House, 2001 SK06T, Hollinsclough, 2004 SJ94H, Park Hall Pits NR, 2008
<i>Herniaria hirsuta</i>	SJ95D, Crowborough, 2002 SO88U, Wall Heath, 2007
<i>Hippocrepis emerus</i>	SK22G, Burton, c1991
<i>Holodiscus discolor</i>	SJ84U, between Etruria and Middleport, 2015
<i>Hydrocotyle sibthorpioides</i>	SK12W, Rangemoor, 1999 SO89R, Wombourne, 2000
<i>Hypericum forrestii</i>	SO89Y, Highfields School, c1970 to 1987+ (now thought to be gone)
<i>H. 'Hidcote'</i>	SO99P, Wednesfield, 2017 SJ84Q, Trentham, 2013 (destroyed in 2014) SK00Q, Beacon View, 2010
<i>Iberis sempervirens</i>	SJ91A, Gailey, 1988 SO89C, nr Shipley, 2007
<i>Impatiens walleriana</i>	SO99D, Jeffcock Road, 2008 SO88R, Kingswinford, 2005 SO89R, Womborne, 2004
<i>Iris laevigata</i>	SJ74L, Onneley Lane, 2002
<i>I. orientalis</i>	SK01B, near Rawnsley Hills, 2015
<i>I. reticulata</i>	SO99E, Wolverhampton, 2016
<i>I. sibirica</i>	SO89X, Penn Common, 2002
<i>Isotoma axillaris</i>	SO89R, Wombourne, 2007 SO99D, Wolverhampton, 2013
<i>Iva xanthiifolia</i>	SO99G, Sandwell, 1996
<i>Jasminum beesianum</i>	SJ85V, between Holden Lane & Milton, 2017
<i>J. nudiflorum</i>	SJ91G, Penkridge, 2003
<i>J. officinale</i>	SO99D, Penn, 2007 SO88Y, Wordsley, 2010
<i>Knautia macedonica</i>	SJ84X, Fenton, 2011
<i>Lactuca sativa</i>	SJ84U, Cobridge, 1997 SJ94M, Tickhill, 2001
<i>Lathyrus hirsutus</i>	SO99G, nr Woodsetton, 2004 SJ90S, nr Essington, 2007
<i>L. odoratus</i>	SK01P, Rugeley, 1993 SO88G, track verge, SW of Kinver, 2015 SP09I, by Rushall canal, E of Walsall, 2002
<i>Lavendula angustifolia</i>	SP09B, self-set in allotments, E of Charlemont, 1998
<i>Leonurus cardiaca</i>	SK01B, near Rawnsley Hills, 2015
<i>Lilium martagon</i>	SO98T, Blackheath, 1987 SP09A, West Bromwich, 1997
<i>L. pardalinum</i>	SJ74S, 2007, The Lum SJ80A, nr Patshull Church, 1992

<i>Linaria maroccana</i>	SJ84R, Trent Vale, 1995 SK00G, Petsall Ford Brook, 2004 SK03W, Uttoxeter, 2002 (Now a regular constituent of seed mixes sown on verges, waste ground and amenity areas)
<i>L. x dominii</i> (pur x rep) <i>Linum grandiflorum</i>	SO98P, Blower's Green, 2004 SO89U, Bushbury Hill, 2015 (Also in some seed mixes e.g at SJ84Y, Hanley, 2016)
<i>Liriodendron tulipifera</i>	SJ83U, by Trentham Lake, 2015 SJ84Q at Trentham Shopping Village, 2015
<i>Lonicera caprifolium</i>	SJ90H, Wolverhampton, 1990
<i>L. henryi</i>	SJ83W, Walton Heath, 1999
<i>L. tatarica</i>	SJ85V, Smallthorne, 2017 SJ90B, Fordhouses, 2015 SJ91G, nr Penkridge, 2007
<i>L. x italicica</i> (cap x etr) <i>Lunaria rediviva</i>	SO89V N. of Kingswinford, 2007 SK22I, Beam Hill, 1995 SP09M, Great Barr Park, 1997
<i>Lysimachia ciliata</i>	SJ84M, E of Keele University, 2016 SP08H, Peirera Road allotments, 2008
<i>Macleaya x kewensis</i>	SK01P, Rugeley, 2004
<i>Magnolia liliiflora</i> 'Nigra'	SJ84C, planted in the grounds of Keele University, 2016
<i>Mahonia x media</i> (lomariifolia x jap)	SJ84K, Ferndown Local Nature Reserve, 2017
<i>Malus baccata</i>	SJ92C, Creswell, 2004; street tree at another site, 2012
<i>Malva trimestris</i>	SJ94T, Blakeley Lane, 2002 SK00I, Brown Hills Nature Trail, 1991
<i>Matthiola longipetala</i>	SK20C, Tamworth, 2004
<i>Matteuccia struthiopteris</i>	SK15F, Ilam Park, 2002 SJ80A, Patsull Park, 2003
<i>Mauranthemum paludosum</i>	SJ95P, by Rudyard Reservoir, 2013
<i>Medicago sativa</i> nothossp. <i>varia</i>	SP08I, Bearwood, 2004
<i>Mentha x rotundifolia</i> (lon x sua)	SO99I, Monmore, 1995 SJ90E, Four Ashes, 2015
<i>M. x villosonervata</i> (lon x spi)	SK22L, Burton, 2010 SK05Z, nr Warslow, 2001 SO89M, Seisdon, 2007
<i>Mimulus luteus</i>	SK12W, Tatenhill Common, 1999
<i>Miscanthus sinensis</i>	SJ84X, Stoke-on-Trent, 2002 SO89R, Wombourne, 2007
<i>Narcissus x boutignyanus</i> (po x mo)	SP19U, Shirral Hall, 2017
<i>N. x medioluteus</i> (N. taz x poe)	SP19Z, Drayton Bassett, 2017
<i>Nectaroscordum siculum</i>	SO89R, Wombourne, 2002
<i>Nemesia strumosa</i>	SJ73Z, Maer, 2002 SJ84Q, Trentham, 2012 SJ84V, canal between Trentham and Hem Heath, 2012
<i>Nemophila menziesii</i>	SJ84N, Basford, 2013
<i>Nicotiana forgetiana</i>	SJ85F, High Carr, 2008
<i>N. x sanderae</i> (ala x for)	SJ84Y, Berry Hill, 2004 SO88S, Stourton, 2004 SO98M, Cradley Heath, 2005
<i>Onoclea sensibilis</i>	SK03R, Bramshall, 2002
<i>Osteospermum ecklonis</i>	SK22T, Stretton, 2007
<i>Oxalis rosea</i>	SJ91K, Hatherton, 2007 SK20L, E of Amington, 2006 SK20M, W of Alvecote, 2007
<i>Panicum capillare</i>	SK00B, Little Bloxwich, 2003 SO89R, Wombourne, 2005
<i>Peperomia pellucida</i>	SP09G, Sandwell RSPB Reserve, 1996
<i>Persicaria alpina</i>	SO89R, Wombourne, 2006 SO98Z, nr Tat Bank, 1998 (for at least 15 years)

<i>Petasites japonicus</i>	SJ84K, Trentham Park, c. 2000 SJ84Q, Trentham, 2014 & 2016
<i>Phalaris paradoxa</i>	SJ90U, Bridgtown, 2003
<i>Phlomis fruticosa</i>	SO99P, Wednesfield, 2017
<i>Phlox paniculata</i>	SK10H, E of Shenstone, 2007
<i>Phygelius capensis</i>	SP09L, nr Garden Grove, 1999 SJ85B, W of Talke, 2017
<i>Physalis alkekengi</i>	SO99E, Wolverhampton, 2016 SO98N, Dudley Wood, 2005 SJ95C, Brown Edge, 2011 SJ94B, nr Longton, 2015
<i>P. ixocarpa</i>	SJ92L, Walton-on-the-Hill, 2009 (1 st record since 1984)
<i>P. philadelphica</i>	SJ92G, Cotonfields Allotments, Stafford, 2011
<i>Physocarpus opulifolius</i>	SJ80Z, Brewood, 2003
<i>Phytolacca acinosa</i> group	SO89R, Wombourne, 2002
<i>Pilosella flagellaris</i> s.s.	SJ83M, Swynnerton Army Training Area, 1988 SJ85W, Whitfield Chatterley Country Park, SJ85W, 2013 SO98I, Saltwells, 1999
<i>P. praealta</i>	SJ85W, Whitfield Chatterley Country Park, SJ85W, 2013
<i>P. x floribunda</i>	SK01G, Cannock Wood, 2008 & 2015
<i>Plantago arenaria</i>	SK11D, Netherton, 2014
<i>Poa chaixii</i>	SJ80A, Patshull Park, 1993
<i>Pontederia cordata</i>	SK00J, NW of Chasetown, 2015
<i>Populus nigra</i> 'Gigantea'	SJ72M, S of Knighton, 2017
<i>Potentilla norvegica</i>	SJ80A, Patshull Church, 1988
<i>Prunus persica</i>	SO88Z, Kingswinford, 2005 SO99D, Penn, 2006
\$ <i>Pulmonaria longifolia</i>	SK04I, Frogshall Wharf, 1993
<i>P. 'Mawson's Blue'</i>	SJ80A, Patshull Church, 1994
<i>P. rubra</i>	SK14I, Stanton, 2017
<i>Pyracantha coccinea</i> x <i>rogersiana</i>	SJ85F, Red Street, 2009
<i>Rhododendron</i> x <i>kosteranum</i>	SJ84H, Barnes Dell, Keele University, 2016
<i>Ribes odoratum</i>	SO88Y, Wordsley, 1987
<i>Rosa gallica</i>	SK00L, Latham's Bridge, 1991
<i>R. moyesii</i>	SJ85M, Kidsgrove, 2017 SJ90A, Wolverhampton, 2015
<i>R. virginiana</i>	SJ90A, Wolverhampton Racecourse, 2007; another site nearby, 2013
<i>Rosmarinus officinalis</i>	SP09G, Sandwell Valley Country Park, 2013 SO99S, E of Gospel Oak, 2007
<i>Rubus loganobaccus</i>	SP09B, West Bromwich, 2000 SK22G, Shobnall Road, 1987
<i>R. parviflorus</i>	SO89L, W. of Wombourne, 2002 SJ70V, Patshull Park, 2002
<i>R. phoenicolasius</i>	SJ80A, nr Patshull Church, 2002 SJ84Q, Trentham, 2012, but destroyed soon thereafter
<i>Ruscus hypoglossum</i>	SO89R, Wombourne, 2007
<i>Ruta graveolens</i>	SO88F, Blakeshall Common, 2005 SO89R, Wombourne, 2007 SO89Y, Penn, 2007
<i>Sagittaria latifolia</i>	SJ84C, nr Keele University, 2000
<i>Salix acutifolia</i>	SK00B, Little Bloxwich, 2002 SO98E, nr Pensnett Church, 2007
<i>S. x forbyana</i> (cin x pur x vim)	SO99D, Penn, 2006 SJ72Z, Jackson's Marsh, 2004 SK22I, Alder Moor, Rolleston, 1995 SK22M, Burton, 2002
<i>S. udensis</i>	SJ74Z, bank of Minnie Lake, 2016
<i>S. x mollisma</i> var. <i>undulata</i>	SJ81T, near Church Eaton, 2016
<i>Salvia nemorosa</i>	SJ94B, Longton Railway Station, 2015 (last seen: SK22L, Wetmoor Road, 1938)
<i>S. reflexa</i>	SJ84M, Grosvenor, 1993
<i>S. glutinosa</i>	SJ94J, near Wetley Moor, 2010
<i>S. sclarea</i>	SJ84Y, Hanley, in seed mix, 2016 SO89R, Wombourne, 2005

<i>S. verticillata</i>	SO99L, Coseley, 1987
<i>Sambucus canadensis</i>	SP09F, Silvercroft Avenue, 1997
<i>Santolina chamaecyparissus</i>	SK00J, 'Lemon Queen', established by light railway, Chasewater, 2015
<i>Saponaria ocymoides</i>	SO99V, post industrial site, Union Road, Oldbury, 2009
	SJ92M, nr Hopton Pools Covert, 2004
	SK03W, Uttoxeter, 2002
	SO89R, Wombourne, site 2000
<i>Sasaella rimosa</i>	SP09A, nr Park Farm Country Park, 2000
<i>Saxifraga cuneifolia</i>	SK14M, Mayfield, 1997
<i>S. cymbalaria</i>	SJ82V, Wolverhampton, 2014
	SO89R, Wombourne, 2006
	SO99D, Allotments, Wolverhampton, 2009
<i>S. x arendsi</i>	SK0437, Fole, 2016
<i>Scilla siberica</i>	SJ80V, Tettenhall, 1997
	SO98P, Tansley Hill, 2008
	SO99J, Wednesfield, 1990
<i>Scorpiurus muricatus</i>	SP08E, Smethwick, 1989
<i>Scorzonera hispanica</i>	SJ80S, Watery Lane, 1996
<i>Scrophularia vernalis</i>	SO98T, Terrace Street, 1987
\$ <i>Sedum anglicum</i>	SJ83I, Upper Hatton, 1999
	SJ90J, Four Ashes Bridge, 2015
<i>S. confusum</i>	SJ90Q, N of Willenhall, 2015
<i>S. dasyphyllum</i>	SJ92H, Stafford, 2014
<i>S. hybridum</i>	SJ82V, near Newhaven Farm, 2006
<i>S. kamtschaticum</i>	SJ85G, Kidsgrove, 2017
	SO98D, Brierley Hill, 2013
<i>S. nicaeense</i>	SO88Y, Wordsley, 2007
	SO98E, Pensnett, 2008
<i>S. praelatum</i>	SO88Y, Wordsley, 2007
<i>S. saxatile</i>	SO89Q, Swindon, 2007
<i>Selaginella kraussiana</i>	SJ80A, Patshull Churchyard, 2003
	SJ81A, Weston Park, 2003
<i>Senecio x baxteri (squ x vul)</i>	SJ85H, Kidsgrove, 2003; another nearby site, 2013
<i>Setaria italica</i>	SO89R, Wombourne, 2009
	SO89V, Ham Lane, 2008
	SP09G, Sandwell Valley, 1996
<i>Sicyos angulatus</i>	SK12G, Hoar Cross, 1987
<i>Silene armeria</i>	SO98D, The Leys, 1991
	SO99P, Wolverhampton, 2008
	SO99Y, Wood Green, 1991
<i>S. chalcedonica</i>	SK12Z, Stonepit Hills, Fauld, 2004
	SK20G, Amington, 2008
<i>Silybum marianum</i>	SJ74P, Betley, 1996
	SJ91F, Peakridge, 1993
<i>Sisymbrium loeselii</i>	SJ84T, Hanley, 2009
	SK21E, N of Barton Turn, 2014
	SK22G, Shobnall, 2002 (1 st record since 1926)
<i>Sisyrinchium bermudiana</i>	SJ85W, Whitfield, 2007
	SO89X, Penn, 2003
<i>S. californica</i>	SP09T, NE of Pheasey, 2006
<i>Smyrnium perfoliatum</i>	SO99M, Coseley, 2016
<i>Solanum chenopodioides</i>	SO89L, Trysull, 2011
<i>S. rostratum</i>	SJ84X, Fenton Manor, 2002
	SO99Q, Rowley Regis, 1994
<i>S. sarachoides</i>	SJ84Q, Dairyfields, 1990
<i>S. villosum</i>	SJ84Q, Trentham, c.1998
	SJ92G, Stafford, 2009
	SO89R, Wombourne, 2000
<i>Sorbaria kirilowii</i>	SJ90K, Wednesfield, 2004
	SO89R, Common Lane, 1987
	SP09X, Banners Gate, 2006
<i>S. tomentosa</i>	SO89R, Wombourne, 2012
	SO99Q, Sandwell, 1999
	SO99R, Tipton, 1998

<i>S. thibetica</i>	SJ94Q, roadside, nr Blythe Bridge, 2015 SJ93E, planted, roadside, Hartwell, 2008 SJ93J, roadside tree, Hilderstone Road, W of Fulford, 2015 SJ74L, planted, Onneley, 2017 SO99E, planted, Wolverhampton, 1996
<i>Sorbus glabriuscula</i>	SJ85W, Whitfield, 2003 SJ85F, Red Street, 2009
<i>Spiraea alba</i>	SK00J, near Norton East, 2015
<i>S. canescens</i>	SJ92K, Walton-on-the-Hill, 2002
<i>S. douglasii</i> ssp. <i>menziesii</i>	SJ84C, planted, Keele University campus, 2016
<i>S. x vanhouttei</i>	SO78Q, Nash Elm Wood, 1989
<i>Staphylea pinnata</i>	SJ81F, Ivetsey Bank corner, 2003 SJ81V, Stretton, 2003
<i>Symphytum asperum</i>	SJ91F, Rodbaston, 1993
<i>S. caucasicum</i>	SJ74L, Onneley, 2017
<i>Tagetes erecta</i>	SK20A, Two Gates, 2006
<i>T. patula</i>	SO89J, near Pattingham, 2001 SO89R, Wombourne, 2004 SO99J, Wolverhampton, 2000
<i>Telekia speciosa</i>	SJ95G, Endon, 1999 SK15J, Beresford Dale, 2010 SO89V, Himley Hall, 2002
<i>Tiarella cordifolia</i>	SJ74W, SE of Madeley, 2017
<i>Trachystemon orientalis</i>	SJ84C, Barnes Dell, Keele University, 2016 SJ71R, Heath Hill, 2007
<i>Tradescantia virginiana</i>	SJ80A, Patshull Park, 2003 SJ81A, Weston Park, 2003 SO89R, Wombourne, 2002 SP09X, Kingstanley, 2006
<i>Tragopogon pratensis</i> ssp. <i>pratensis</i>	SO98I, Saltwells NR, 1998
<i>Trifolium alexandrinum</i>	SJ84Q, Trentham, 2008 SJ94M, Tickhill, 2001
<i>T. incarnatum</i>	SJ84Q, Trentham, 2008 SO89Y, Upper Penn, 1993 SO99L, nr Owen St. Station, 1998
\$ <i>T. scabrum</i>	SO89L, Wombourne, 2002 SO89R, Wombourne, 2012
<i>Trigonella foenum-graecum</i>	SP09F, nr Handsworth, 1997 SP09Q, Witton, 2005
<i>Tristagma uniflorum</i>	SO98P, Tansley Hill, 2008 SO98U, Dudley, 2008
<i>Triticum turgidum</i>	SO89R, Wombourne, 2005 SO98E, Brierley Hill, 2006
<i>Tulipa tarda</i>	SO99G, Sedgley, 2008 SJ94W, Brookhouses, 2003
\$ <i>Ulmus minor</i>	SJ74Z, Bateswood Open Space, 1999 SJ92L, E of Stafford, 1999 SJ95W, Cheddleton Heath, 1999
<i>Urtica membranacea</i>	SJ85V, Ford Green Road, Smallthorne, 2016
<i>Vaccaria hispanica</i>	SO89R, Wombourne, 2006
<i>Valeriana pyrenaica</i>	SK04H, Hawksmoor Wood, 2007
<i>Verbascum phoeniceum</i>	SK04S, Star Wood, c1997 & 2016 SO89L, Wombourne, 2015
<i>V. speciosum</i>	SK22L, Burton, 2010, 2011 & 2012 S099M, Coseley, 2004
<i>V. virgatum</i>	SJ95U, Sprink Wood, 1998 SO89M, Seisdon Sand Pit, 2002 SP09G, Sandwell Valley, 2004
<i>Veronica austriaca</i>	SK04U, Honey Holes, 1991
<i>V. crista-galli</i>	SO89Y, Highfields School, 1992 SO99D, Allotments SW of Wolverhampton, 2009 SP09S, Queslett, 2013

<i>V. pannonica</i>	SO98J, Holly Hall, 1991
\$ <i>V. spicata</i>	SJ91Y, White House Car Park, 2001
	SK04U, Cauldon, 2007 & 2011
<i>Viburnum trilobum</i>	SO89M, Trysull Sand Pit, 2002
	SJ84S, Hem Heath, 2007
	SJ84W, Mount Pleasant, 2007
<i>Viola labradorica</i>	SJ91H, Penkridge, 2007
	SO88Y, Wordsley, 2007
<i>Xanthophthalmum coronarium</i>	SJ84F, N of Acton, 2005
<i>Zantedeschia aethiopica</i>	SK03H, Withington, 2002
<i>Zea mays</i>	SP09W, S of Kingstanding, 2006 (Now widespread as a crop plant)

b) Pre-1987

<i>Acaena novae-zelandiae</i>	SK05Y, Wetton Mill, 1975
<i>Adonis aestivalis</i>	SK22-, Burton, 1931
<i>Aegilops triuncialis</i>	SK22-, Burton, 1929
<i>Agrostemma githago</i>	SJ83G, Nelson Hall, 1947 (several more recent records result from seed-sowing)
<i>Alkanna lutea</i>	SK22-, Burton, 1928
<i>Allium sativum</i>	SJ92-, Gayton Meadows, 1885
<i>Althaea hirsuta</i>	SK22-, Burton, 1931
<i>Alyssum alyssoides</i>	SK04X, Weaver Hills, 1903
<i>A. montanum</i>	SK22-, Burton, 1926
<i>Amaranthus quitensis</i>	SO89R, Giggetty, 1984
<i>Ambrosia trifida</i>	SO99-, West Bromwich, 1948
<i>Anacyclus clavatus</i>	SK22-, Burton, 1930
<i>A. radiatus</i>	SK22-, Burton, 1930
<i>A. valentinus</i>	SK22-, Burton, 1930
<i>Anemone coronaria</i>	SK22-, Burton, 1930
<i>A. ranunculoides</i>	SK22L, Stapenhill Vicarage, c1890
<i>Anisantha rubens</i>	SK22-, Burton, 1931
<i>A. tectorum</i>	SK22-, Burton, 1931
<i>Anthemis altissima</i>	SK22-, Burton, 1944
<i>Anthoxanthum aristatum ssp. puelii</i>	SK22-, Burton, 1929
<i>Arenaria balearica</i>	SJ84G, Shutlanehead, 1966
<i>Aristolochia clematitis</i>	SK04M, Oakamoor, 1903
<i>Artemisia biennis</i>	SJ84-, Stoke, 1932
<i>Asperugo procumbens</i>	SJ84T, North Street, Stoke, 1922
<i>Asperula arvensis</i>	SJ84G, Harrowby Drive, 1970
<i>Asphodelus fistulosus</i>	SK22-, Burton, 1929
<i>Astragalus boeticus</i>	SK22-, Burton, 1929
<i>A. cicer</i>	SK22-, Burton, 1940
<i>Atriplex portulacoides</i>	SK04M, Oakamoor, 1906
<i>A. tatarica</i>	SK22-, Burton, 1928
<i>Avena strigosa</i>	SO89M, Trysull, 1879
<i>Axyris amaranthoides</i>	SJ91-, Brocton Camp, 1914
<i>Bidens subalternans</i>	SO89Q, Himley, 1983
<i>Brachypodium distachyon</i>	SJ84G, Harrowby Drive, 1971
<i>Bromus arvensis</i>	SK22-, Burton, 1926
<i>B. hordeaceus ssp. molliformis</i>	SK22-, Burton, 1946
<i>B. squarrosum</i>	SK22-, Burton, 1931
<i>Bunias erucago</i>	SK22-, Burton, 1931
<i>B. orientalis</i>	SK22-, Burton, 1938
<i>Calendula arvensis</i>	SK22-, Burton, 1929
<i>Carduus tenuiflorus</i>	SK22-, Burton, 1930
<i>Carthamus lanatus</i>	SK22-, Burton, 1946
<i>C. tenuis</i>	SK22-, Burton, 1929
<i>Caucalis platycarpos</i>	SK22-, Burton, 1931
<i>Centaurea aspera</i>	SK22-, Burton, 1929

<i>C. calcitrapa</i>	SK22-, Burton, 1930
<i>C. diluta</i>	SJ84G, Harrowby Drive, 1970
<i>C. hyalolepis</i>	SK22-, Burton, 1937
<i>C. jacea</i>	SO99L, Tipton, 1923
<i>C. melitensis</i>	SK22-, Burton, 1944
<i>C. nicaeensis</i>	SK22-, Burton, 1930
<i>C. solstitialis</i>	SJ84K, Trentham, 1970
<i>C. triumfetti</i>	SK22-, Burton, 1928
<i>C. verutum</i>	SK22-, Burton, 1944
<i>Cerinthe glabra</i>	SK22-, Burton, 1907
<i>C. minor</i>	SK22-, Burton, 1930
<i>Chenopodium berlandieri</i>	SK22-, Burton, 1930
<i>C. desiccatum</i>	SK22-, Burton, 1926
<i>C. foliosum</i>	SJ80-, nr Patshull, 1917
<i>C. opulifolium</i>	SO99-, West Bromwich, 1948
<i>C. strictum</i>	SK22-, Burton, 1930
<i>C. suecicum</i>	SK22-, Burton, 1908
<i>C. vulvaria</i>	SK22-, Burton, 1930
<i>C. x borbasii</i>	SK22-, Burton, 1929
<i>Chorispora tenella</i>	SK22-, Burton, 1930
<i>Conringia austriaca</i>	SK22-, Burton, 1930
<i>Coronilla scorpioides</i>	SK22-, Burton, 1928
<i>Convolvulus althaeoides</i>	SK22-, Burton, 1944
<i>C. pentapetaloides</i>	SK22-, Burton, 1938
<i>C. tricolor</i>	SK22-, Burton, 1928
<i>Coriandrum tordylium</i>	SK22-, Burton, 1930
<i>Corydalis cava</i>	SO89-, Trysull, 1900
<i>Crambe cordifolia</i>	SO99J, Horseye Fields, 1975
<i>Crucianella angustifolia</i>	SJ84G, Harrowby Drive, 1970
<i>Cynosurus echinatus</i>	SK22-, Burton, 1935
<i>Diplotaxis erucoides</i>	SK00D, School Lane, 1971
<i>Dracocephalum parviflorum</i>	SK22-, Burton, 1929
<i>Echium italicum</i>	SK22-, Burton, 1928
<i>Emex spinosa</i>	SK22-, Burton, 1938
<i>Epimedium alpinum</i>	SJ93B, Stone, 1883
<i>Erucaria hispanica</i>	SK22-, Burton, 1929
<i>Falcaria vulgaris</i>	SK22-, Burton, 1944
<i>Fallopia x bohemica (jap x sac)</i>	SJ80A, Church Dell, 1984
<i>Fragaria moschata</i>	SK02A, Little Haywood, 1957
<i>Fumaria agraria</i>	SK22-, Burton, 1936
<i>Galium spurium</i>	SK22-, Burton, 1951
<i>G. verrucosum</i>	SK22-, Burton, 1930
<i>Gastridium ventricosum</i>	SK22-, Burton, 1946
<i>Geranium x monacense</i>	SJ83X, Meaford, 1920
<i>Geropogon hybridus</i>	SJ84G, Harrowby Drive, 1970
<i>Gilia achilleifolia</i>	SK22-, Burton, 1926
<i>G. capitata</i>	SK00-, Aldridge, 1929
<i>Glaucium corniculatum</i>	SK22-, Burton, 1941
<i>G. flavumarginatum</i>	SK22-, Burton, 1929
<i>Glycine max</i>	SJ84G, Harrowby Drive, 1970
<i>Gnaphalium undulatum</i>	SO89Q, Himley, 1983
<i>Hemizonia kelloggii</i>	SK22-, Burton, 1926
<i>H. pungens</i>	SK22-, Burton, 1945
<i>Hibiscus trionum</i>	SO89R, Common Lane, 1984 (destroyed by 1987)
<i>Hippocrepis unisiliquosa</i>	SK22-, Burton, 1938
\$ <i>Hordeum marinum</i>	SK22-, Burton, 1931
<i>Iberis odorata</i>	SK22-, Burton, 1929
<i>Ipomoea purpurea</i>	SK22-, Burton, 1944
<i>Lallemantia iberica</i>	SK22-, Burton, 1929

<i>Lappula squarrosa</i>	SK22-, Burton, 1926
<i>Lathyrus annuus</i>	SK22-, Burton, 1938
<i>L. gorgoni</i>	SK22-, Burton, 1944
<i>L. hierosolymitanus</i>	SK22-, Burton, 1939
<i>L. ochrus</i>	SK22-, Burton, 1930
<i>L. tuberosus</i>	SK22L, Wetmore Road, 1946
<i>Lavatera punctata</i>	SK22-, Burton, 1938
<i>Lepidium draba</i> ssp. <i>chalepense</i>	SK22-, Burton, 1947
<i>L. lasiocarpum</i>	SK22-, Burton, 1930
<i>L. perfoliatum</i>	SK22-, Burton, 1941
<i>L. virginicum</i>	SK22-, Burton, 1944
<i>Leucojum vernum</i>	SO99E, Wolverhampton, 1956
<i>Linum angustifolium</i>	SK04-, nr Denstone, 1876
\$ <i>L. perenne</i> ssp. <i>anglicum</i>	SK00K, Aldridge, 1901
<i>Lolium rigidum</i>	SJ84G, Harrowby Drive, 1970
<i>Lupinus albus</i>	SK22-, Burton, 1927
<i>Lythrum junceum</i>	SJ84G, Harrowby Drive, 1970
<i>Malva nicaeensis</i>	SK22-, Burton, 1939
<i>Mantisalca salmantica</i>	SK22-, Burton, 1929
<i>Matricaria aurea</i>	SK22-, Burton, 1929
<i>Matthiola incana</i>	SJ90W, Bloxwich, 1976
<i>Medicago blancheana</i>	SK22-, Burton, 1944
<i>M. laciniata</i>	SK22-, Burton, 1944
<i>M. truncatula</i>	SK22-, Burton, 1940
<i>M. turbinata</i>	SK22-, Burton, 1938
<i>Melilotus infestus</i>	SK22-, Burton, 1928
<i>M. sulcatus</i>	SJ84G, Harrowby Drive, 1971
<i>Mitella diphylla</i>	SJ84-, Stoke, 1844
<i>Myagrum perfoliatum</i>	SK22-, Burton, 1929
<i>Neslia paniculata</i>	SK00I, Brownhills, 1985
<i>Notobasis syriaca</i>	SK22-, Burton, 1937
<i>Oenothera laciniata</i>	SK22-, Burton, 1929
<i>O. sinuata</i>	SJ84-, Gipsy Lane, Stoke, 1933
<i>Omphaloïdes verna</i>	SK15F, Ilam, 1799
<i>Oncosiphon suffruticosum</i>	SK22-, Burton, 1930
<i>Onobrychis caput-galli</i>	SK22-, Burton, 1938
<i>O. crista-galli</i>	SK22-, Burton, 1946
<i>Onopordum illyricum</i>	SK22-, Burton, 1930
<i>O. tauricum</i>	SK22-, Burton, 1929
<i>Papaver bracteatum</i>	SP09E, Walsall, 1931
<i>Pennisetum glaucum</i>	SK08H, 26 St Mary's Road, 1942
<i>Petrorhagia prolifera</i>	SK04M, Oakamoor, 1906
<i>Phacelia ciliata</i>	SK22-, Burton, 1921
<i>P. parviflora</i>	SK22-, Burton, 1924
<i>Phalaris aquatica</i>	SK22-, Burton, 1931
<i>P. minor</i>	SK22-, Burton, 1931
<i>Physalis peruviana</i>	SK22-, Burton, 1946
<i>Plantago lagopus</i>	SK22-, Burton, 1928
<i>Polygonum bellardii</i>	SK22-, Burton, 1928
<i>Proboscidea louisianica</i>	SK22-, Burton, 1937
<i>Prunus dulcis</i>	SO99D, Merridale cemetery, 1981 (Sandon Hall, garden, SJ92P, 1991)
<i>Raphanus raphanistrum</i> ssp. <i>landra</i>	SK22-, Burton, 1930
<i>Rhagadiolus stellatus</i>	SK22-, Burton, 1946
<i>Ricinus communis</i>	SK22-, Burton, 1944
<i>Roemeria hybrida</i>	SK22-, Burton, 1930
<i>Rumex dentatus</i>	SK05-, Manifold Valley, 1925
<i>R. obovatus</i>	SK22-, Burton, 1930
<i>R. obtusifolius</i> ssp. <i>sylvestris</i>	SK22N, Rolleston, c1900
<i>R. patientia</i>	SK22-, Burton, 1929
\$ <i>R. pulcher</i>	SK22-, Burton, 1901

<i>R. salicifolius</i>	SK22-, Burton, 1929
<i>Salix x capreola</i> (cap x aur)	SK22-, Tatenhill, 1889
<i>Salvia aethiops</i>	SK22-, Burton, 1930
<i>Salsola kali</i>	SK22-, Burton, 1928
<i>Schkuhria pinnata</i>	SO89Q, Himley, 1983
<i>Scolymus hispanicus</i>	SK22-, Burton, 1944
<i>Scorpiurus vermiculatus</i>	SJ84G, Harrowby Drive, 1971
<i>Senecio pterophorus</i>	SO89Q, Himley, 1983
<i>S. sarracenicus</i>	SJ84P, Wolstanton, 1878
<i>S. x viscidulus</i> (syl x vis)	doubtfully at SK11D, King's Bromley, 1984
<i>Sideritis montana</i>	SK22-, Burton, 1929
<i>S. romana</i>	SJ84-, Stoke, 1932
<i>Silene conoidea</i>	SK22-, Burton, 1930
<i>S. dichotoma</i>	SK22-, Burton, 1928
<i>S. italica</i>	SK22-, Blanchford St., 1907
<i>S. muscipula</i>	SK22-, Burton, 1929
<i>Sisymbrium irio</i>	SK22-, Burton, 1928
<i>Stachys annua</i>	SK04-, Cheadle, 1839
<i>Sorghum halepense</i>	SO89R, Giggetty, 1984
<i>Tagetes minuta</i>	SO89Q, Himley, 1983
<i>Tetragonolobus purpureus</i>	SK22-, Burton, 1928
<i>Thelypodium lasiophyllum</i>	SK22-, Burton, 1946
<i>Torilis leptophylla</i>	SK22-, Burton, 1938 and, possibly, 1944
<i>Tribulus terrestris</i>	SK22-, Burton, 1937
<i>(Trifolium aureum</i>	SK04V, nr Denstone, 1876: a probable error)
<i>T. nigrescens</i>	SK22-, Burton, 1930
<i>Trigonella arabica</i>	SK22-, Burton, 1938
<i>T. aurantiaca</i>	SK22-, Burton, 1943
<i>T. procumbens</i>	SK22-, Burton, 1930
<i>Tripleurospermum decipiens</i>	SK22-, Burton, 1928
<i>T. disciformis</i>	SK22-, Burton, 1930
<i>Turgenia latifolia</i>	SK13E, Rocester, 1907
<i>Valerianella eriocarpa</i>	SK04B, Cheadle, 1844
 	SK10E, Lichfield, 1844
<i>Veronica peregrina</i>	SJ84Q, Trentham, 1982
<i>Vicia benghalensis</i>	SK22-, Burton, 1944
<i>V. hybrida</i>	SO99N, Bilston, 1977
<i>V. monantha</i>	SK22L, Burton, 1946
<i>V. narbonensis</i>	SK22-, Burton, 1944
<i>V. peregrina</i>	SK22-, Burton, 1930
<i>V. pubescens</i>	SK22-, Burton, 1930
<i>Vulpia ligustica</i>	SK22-, Burton, 1931
<i>Wiedemannia orientalis</i>	SK22-, Burton, 1928
<i>Xanthium spinosum</i>	SO89Q, Himley, 1983