

STACE EDITION 4: CHANGES

NOTES

Changes to the textual content of keys and species accounts are not covered.

"**Mention**" implies that the taxon is or was given summary treatment at the head of a family, family division or genus (just after the key if there is one).

"**Reference**" implies that the taxon is or was given summary treatment inline in the accounts for a genus.

"**Account**" implies that the taxon is or was given a numbered account inline in the numbered treatments within a genus.

"**Key**" means key at species / infraspecific level unless otherwise qualified.

"**Added**" against an account, mention or reference implies that no treatment was given in Edition 3.

"**Given**" against an account, mention or reference implies that this replaces a less full or prominent treatment in Stace 3.

"**Reduced to**" against an account or reference implies that this replaces a fuller or more prominent treatment in Stace 3.

GENERAL

Family order changed in the Malpighiales

Family order changed in the Cornales

Order Boraginales introduced, with families Hydrophyllaceae and Boraginaceae

Family order changed in the Lamiales

BY FAMILY

1 LYCOPODIACEAE

4 DIPHASIASTRUM

Key added.

D. complanatum => D. x issleri

D. tristachyum keyed and account added.

5 EQUISETACEAE

1 EQUISETUM

Key expanded.

E. x meridionale added to key and given account.

7 HYMENOPHYLLACEAE

1 HYMENOPHYLLUM

H. x scopulorum given reference.

11 DENNSTAEDTIACEAE

2 HYPOLEPIS added.

Genus account added.

H. ambigua: account added.

13 CYSTOPTERIDACEAE

Takes on Gymnocarpium, Cystopteris from Woodsiaceae.

2 CYSTOPTERIS

C. fragilis ssp. fragilis: account added.

C. fragilis ssp. huteri: account added.

14 ASPLENIACEAE

1 ASPLENIUM

A. obovatum ssp. lanceolatum => A. obovatum ssp. billotii.

16 WOODSIACEAE

Reduced to Woodsia.

17 ATHYRIACEAE

Added.

Takes on Athyrium from Woodsiaceae.

18 BLECHNACEAE

2 WOODWARDIA

Given genus account.

W. radicans given account.

20 DRYOPTERIDACEAE

1 POLYSTICHUM

P. polyblepharum given mention but not keyed.

3 DRYOPTERIS

Key simplified.

D. erythrosora: mention added.

D. borrieri => D. affinis ssp. borrieri.

D. cambrensis => D. affinis ssp. cambrensis.

D. cambrensis ssp. pseudocomplexa removed.

D. affinis ssp. paleaceolobata removed.

D. pseudodisjuncta => D. affinis ssp. pseudodisjuncta and given account.

22 GINKGOACEAE

Added.

1 GINKGO added.

G. biloba added.

23 PINACEAE

Genus order changed.

2 PINUS

P. muricata added to key and given account.

P. taeda: mention added.

P. pinea: mention added.

P. contorta ssp. contorta: reference added.

P. contorta ssp. latifolia: reference added.

3 PICEA

P. orientalis added to key and account added.

P. breweriana: mention added.

- 6 TSUGA
T. canadensis given account.
- 7 ABIES
A. delavayi: mention added.
A. homolepis: mention added.
A. amabilis added to key and account added.

25 CUPRESSACEAE

Genus key revised and expanded.

- 1 METASEQUOIA
Added to genus key and given genus account.
M. glyptostroboides given account.
- 5 TAXODIUM
Added to genus key and given genus account.
T. distichum given account.
- 6 THUJOPSIS
Added to genus key and genus account added.
T. dolobrata: account added.
- 7 THUJA
T. occidentalis: account added.
- 8 CUPRESSUS
Now subsumes Cupressus, Chamaecyparis, Xanthocyparis, X Cuprocyparis
C. sempervirens: mention added.
X Cuprocyparis leylandii => Cupressus x leylandii.
Xanthocyparis nootkatensis => Cupressus nootkatensis.
Chamaecyparis lawsoniana => Cupressus lawsoniana.
Chamaecyparis pisifera => Cupressus pisifera.
- 10 CALOCEDRUS
Added to genus key and genus account added.
C. decurrens added.
- 11 PLATYCLADUS
Added to genus key and genus account added.
P. orientalis: account added.

28 NYMPHAEACEAE

- 1 NYMPHAEA
N. x marliacea given account.

31 MAGNOLIACEAE

- Added.
- .. MAGNOLIA: mention added.
M. x soulangeana: mention added.
 - 1 LIRIODENDRON added without genus account.
L. tulipifera: account added.

34 PAPAVERACEAE

- Genus key revised.
- .. MECONOPSIS
Subsumed into Papaver
 - 1 PAPAVER
Subsumes Meconopsis.
Three spp. moved to Roemeria.
Key revised.

P. pseudoorientale => *P. setiferum*.
Meconoposis cambrica => *Papaver cambricum*.

2 ROEMERIA

Added to genus key and genus account added.
Key added.

Papaver bivalve ssp. *hybridum* => *Roemeria hybrida* and given full account.

Papaver hybridum => *Roemeria hispida*.

Papaver argemone => *Roemeria argemone*.

9 LAMPROCAPNOS

Added to genus key and genus account added.

L. spectabilis: given account.

13 FUMARIA

F. caroliana: reference added.

35 BERBERIDACEAE

Genus key expanded.

1 BERBERIS

B. x rubrostilla added to key and account added.

2 MAHONIA

Key added.

M. x wagneri keyed and given account.

M. x media: mention added.

M. x media 'Winter Sun': mention added.

M. x media 'Charity': mention added.

M. japonica: mention added.

M. repens: mention added.

(NOTE: the changes to circumscriptions entailed in these changes mean that some plants recorded as *M. x wagneri* are in fact *M. x media*.)

3 EPIMEDIUM

Added to genus key and given genus account.

E. alpinum given account.

36 RANUNCULACEAE

1 CALTHA

C. palustris var. *barthei*: mention added.

3 HELLEBORUS

H. x hybridus: reference added.

13 RANUNCULUS

R. acris ssp. *friesianus*: reference added.

R. arvensis var. *inermis*: reference added.

R. saniculifolius: mention added.

R. hederaceus x *omiophyllus*: reference added.

18 THALICTRUM

Key expanded.

T. simplex: mention added.

T. speciosissimum added to key and account added.

37 PLATANACEAE

1 PLATANUS

P. orientalis: account added.

40 PAEONIACEAE

- 1 PAEONIA
Key added.
P. lactiflora added to key and given account.

42 SAXIFRAGACEAE

Genus key expanded and revised.

- .. TIARELLA
Mention added.
T. cordifolia: mention added.
- 2 RODGERSIA
R, aesculifolia: mention added.
- 3 BERGENIA
Key added.
B. x media: mention removed.
B. x schmidtii added to key and given account.
- 5 SAXIFRAGA
Two spp. removed to Micranthes (but still all keyed together).
Key revised.
S. hostii: mention added.
S. 'Arendsii' added to key and account added.
- 6 MICRANTHES
Given genus account.
Saxifraga nivalis => Micranthes nivalis.
Saxifraga stellaris => Micranthes stellaris.
- 9 MITELLA
Added to genus key and genus account added.
M. ovalis: account added.

43 CRASSULACEAE

Genus key expanded and revised.

- 1 CRASSULA
Key expanded.
C. pubescens added to key and given account.
- 3 CHIASTOPHYLLUM
Added to genus key and genus account added.
C. oppositifolium: account added.
- 5 AEONIUM
A. canariense: mention added.
A. balsamiferum: account added.
- 6 RHODIOLA
Added to genus key and genus account added.
Sedum rosea => Rhodiola rosea.
R. pachyclados: mention added.
- 7 SEDUM
Split to Rhodiola, Sedum, Phedimus, Hylotelephium and Petrosedum.
Key revised for additions and name changes (but all except Rhodiola still keyed together).
S. cepaea: mention removed.
S. mexicanum: mention removed.
S. oreganum: mention added.
Sedum confusum => Sedum kimnachii.
- 8 PHEDIMUS
Genus account added.

Sedum kamtschaticum => Phedimus kamtschaticus
P. kamtschaticus var. ellacombeanus: reference added.
Sedum hybridum => Phedimus hybridus, added to key and given account.
Sedum spurium => Phedimus spurius.
Sedum stoloniferum => Phedimus stoloniferus.
Sedum stellatum => Phedimus stellatus.

9 HYLOTELEPHIUM

Genus account added.
Sedum anacampseros => Hylotelephium anacampseros, reduced to mention but retained in key.
Sedum spectabile => Hylotelephium spectabile.
Sedum 'Herbstfreude' => Hylotelephium 'Herbstfreude'.
Sedum telephium => Hylotelephium telephium.

10 PETROSEDUM

Genus account added.
Sedum nicaeense => Petrosedum sediforme.
Sedum rupestre => Petrosedum rupestre.
Sedum forsterianum => Petrosedum forsterianum.

44 HALORAGACEAE

- 1 HALORAGIS => GONOCARPUS
Haloragis micrantha => Gonocarpus micrantha.
2 MYRIOPHYLLUM
M. verrucosum: mention removed.

45 VITACEAE

- 2 PARTHENOCISSUS
P. vitacea => P. inserta.

46 FABACEAE

Tribe Psoraleae removed and Cullen reduced to mention but retained in genus key.
Tribe Dalbergiae added and Arachis given genus account.
Subfamily Caesalpinioideae and genus Senna removed.
Subfamily Cercidoieae, tribe Cercideae added.

- .. CULLEN
Reduced to mention.
C. americanum reduced to mention.
.. TETRAGONOLOBUS
subsumed under Lotus.
.. DORYCNIUM
subsumed under Lotus.
.. LENS
Subsumed under Vicia.
.. PISUM
Subsumed under Lathyrus.
.. SESBANIA
Removed.
.. SENNA
Removed.
7 ASTRAGALUS
A. cicer reduced to mention but retained in key.
A. boeticus: mention removed.

- 9 ARACHIS
Added to genus key.
A. hypogaea given account.
- 12 LOTUS
Subsumes Lotus, Tetragonolobus and Dorycnium.
Tetragonolobus maritimus => Lotus maritimus.
Dorycnium rectum => Lotus rectus.
Dorycnium pentaphyllum => Lotus dorycnium.
Dorycnium hirsutum => Lotus hirsutus, added to key and account added.
- 14 CORONILLA
C. scorpioides reduced to mention.
- 18 VICIA
Split to Vicia, Ervillia and Ervum but single key retained.
Lens culinaris => Vicia lens.
- 19 ERVILLA
Genus account added.
Vicia sylvatica => Ervillia sylvatica.
Vicia hirsuta => Ervillia hirsuta.
- 20 ERVUM
Genus account added.
Vicia parviflora => Ervum gracile.
Vicia tetrasperma => Ervum tetraspermum.
- 21 LATHYRUS
L. ochrus: mention removed.
L. vernus added to key and given account.
Pisum sativum => Lathyrus oleraceus.
- 23 ONONIS
O. natrix reduced to mention but retained in key.
O. baetica reduced to mention but retained in key.
O. mitissima reduced to mention but retained in key.
O. alopecuroides reduced to mention but retained in key.
- 25 TRIGONELLA
T. corniculata => T. esculenta.
- 26 MEDICAGO
M. arborea added to key and given account.
- 27 TRIFOLIUM
T. lappaceum reduced to mention but retained in key.
T. cernuum reduced to mention but retained in key.
- 35 CERCIS
Added to key.
C. siliquastrum: account added.
ALBIZIA => PARASERIANTHES (pro parte) but retained in key under earlier name (?)
Albizia lophantha => Paraserianthes lophantha.

48 ROSACEAE

- .. STEPHANANDRA
Subsumed in Neillia.
- .. WALDSTEINIA
Mention added.
- 3 SPIRAEA
S. x cinerea: mention added.
S. x brachybotrys removed from key and reduced to mention.

Stace edition 4 changes

- 8 PRUNUS
P. laurocerasus 'Otto Luyken': reference added.
- 11 CHAENOMELES
C. x superba given account.
Notes on cultivars added to all species accounts.
- 12 PYRUS
P. salicifolia added to key and given account.
- 13 MALUS
M. tschonoskii: mention added.
M. x robusta: mention removed.
M. pumila => M. domestica.
M. baccata added to key and given account.
M. floribunda added to key and given account.
- 14 SORBUS
S. vilmorinii: mention added.
S. aucuparia x S. minima: reference added.
S. x proctoris => S. x proctoriana.
S. austriaca added to key and account added.
S. aria x S. eminentiformis: reference added.
S. herefordensis added to key and account added.
S. richii added to key and account added.
S. porrigentiformis x S. torminalis: reference added.
S. evansii added to key and account added.
S. greenii added to key and account added.
S. spectans added to key and account added.
S. arvonicola added to key and account added.
S x tomentella => S. x decipiens.
S. decipiens => S. sellii.
- 15 ARONIA
A. x prunifolia given account.
- 16 STRANVAESIA => PHOTINIA
P. x fraseri: mention added. (Many records of P. davidiana may be this.)
Stranvaesia davidiana => Photinia davidiana.
- 17 COTONEASTER
C. salicifolius cv. 'Rothschildianus': reference added.
C. brickellii added to key and account added.
C. turbinatus added to key and account added.
C. vestitus added to key and account added.
C. procumbens added to key and account added.
C. ambiguus added to key and account added.
C. pseudoobscurus added to key and account added.
C. qungbixiensis added to key and account added.
- 18 PYRACANTHA
P. crenulata: mention added.
P. crenatoserrata: mention added.
P. coccinea x rogersiana given account.
- 21 CRATAEGUS
C. punctata: mention removed.
C. mollis: mention added.
C. pedicellata in key corrected to C. coccinea.
C. x lavalleyi added to key and account added.
C. rhipidophylla ssp. rhipidopylla: account added.
C. rhipidophylla ssp. lindmanii: account added.

- 22 FILIPENDULA
'F. rubra': mention added.
- 23 RUBUS
R. saxatilis x R. caesius: reference added.
R. x knappianus: account added.
- 24 POTENTILLA
Dasiphora split off.
P. rivalis reduced to mention but retained in key.
P. nepalensis: mention added.
P. tabernaemontani => P. verna
- 25 DASIPHORA
Potentilla fruticosa => Dasiphora fruticosa
Dasiphora davurica: mention added.
- 29 GEUM
G. x convallis: account added.
- 34 ACAENA
A. pusilla => A. anserinifolia ssp. pusilla.
- 35 ALCHEMILLA
Key expanded.
A. acutidens added to key and account added.
A. venosa added to key and account added.
- 37 ROSA
R. arvensis x R. corymbifera takes on the binomial R. x deseglisii with the raising of 'R. canina Group Pubescentes' to species R. corymbifera.
R. arvensis x R. squarrosa: reference added.
R. arvensis x R. vosagiaca: reference added.
R. spinosissima x R. canina (s.s.) becomes R. x grovesii.
R. spinosissima x R. corymbifera takes on the binomial R. x hibernica.
R. spinosissima x R. vosagiaca: reference added.
R. ferruginea => R. glauca.
R. x rufescens: reference added.
R. stylosa x R. squarrosa: reference added.
R. stylosa x R. vosagiaca: reference added.
R. canina: circumscription restricted to 'groups Lutetianae and Transitoriae'.
R. x semiglabra: reference added.
R. x insignis: reference added.
R. x dumalis => R. x subcollina (with a query).
R. canina 'group Pubescentes' => R. corymbifera: added to key and given account.
R. x hemitricha: reference added.
R. corymbifera x R. caesia: reference added, with query.
R. corymbifera x R. vosagiaca: reference added.
R. corymbifera x R. tomentella: reference added.
R. x aberrans: reference added.
R. corymbifera x R. sherardii: reference added.
R. corymbifera x R. mollis: reference added.
R. corymbifera x R. agrestis: reference added.
R. canina 'group Dumales' => R. squarrosa: added to key and given account.
R. squarrosa x R. vosagiaca => R. x dumalis: reference added.
R. squarrosa x R. tomentosa: reference added.
R. caesia ssp. caesia => R. caesia.
R. caesia ssp. vosagiaca => R. vosagiaca: added to key and given account.
R. x implexa: reference added.
R. x bakeri: reference added.

R. caesia x R. obtusifolia => R. vosagiaca x R. tomentella.
R. caesia x R. tomentosa => R. vosagiaca x R. tomentosa (with a query).
R. vosagiaca x R. sherardii: reference added, with query.
R. vosagiaca x R. mollis: reference added.
R. vosagiaca x R. rubiginosa: reference added, with query.
R. x longicolla: reference added.
R. obtusifolia => R. tomentella.
R. villosa added to key and account added.
R. x bigeneris => R. x gremlii.

51 ULMACEAE

1 ULMUS
U. wallichiana: mention added.
U. x hollandica 'Dampieri': reference added.
U. minor ssp. cornubiensis added to subspecies key and account.

54 URTICACEAE

1 URTICA
U. membranacea added to key and given account.

55 NOTHOFAGACEAE

1 NOTHOFAGUS
Key added.
N. dombeyi keyed and given account.

56 FAGACEAE

1 FAGUS
F. orientalis: mention added.
F. moesiaca: mention added.
3 QUERCUS
Key expanded.
Q. coccinea added to key and given account.

59 BETULACEAE

1 BETULA
B. populifolia reduced to mention but retained in key.
B. lenta: mention added.
B. pubescens: subspecies key added.
B. pubescens ssp. celtiberica: keyed and account added.
2 ALNUS
Key expanded.
A. x elliptica: reference added.
A. viridis added to key and given account.

60 CUCURBITACEAE

3 CUCUMIS
C. myriocarpus: mention removed.

64 HYPERICACEAE

1 HYPERICUM
Key expanded.
H. x hidcoteense added to key and given account.
H. olympicum added to key and given account.

H. perforatum x H. undulatum: reference added.
H. x caesariense: account added.

66 VIOLACEAE

1 VIOLA

V. canina ssp. montana => V. canina ssp. ruppii.
V. persicifolia => V. stagnina.
V. tricolor given ssp. key.
V. tricolor ssp. saxatilis added to key and given account.

67 PASSIFLORACEAE added.

1 PASSIFLORA

P. caerulea: account added.

68 SALICACEAE

1 POPULUS

Key revised.
P. 'Balsam Spire' => P. x hastata

2 SALIX

Key revised.
S. babylonica: mention extended to note f. pekinensis 'Tortuosa'.
S. fragilis var. decipiens => S. euxina.
S. x rubens => S. x fragilis.
S. triandra x S. purpurea removed.
S. purpurea x S. viminalis x S. caprea x S. cinerea removed.
S. x lintonii removed.
S. x strepida => S. x puberula.
S. aurita x S. arbuscula: reference added.

69 EUPHORBIACEAE

3 EUPHORBIA

Key expanded.
E. myrsinites: mention added.
E. mellifera added to key and given account.
E. x gayeri reduced to reference but retained in key.
E. x pseudolucida: reference added.

70 LINACEAE

.. RADIOLA

Subsumed in Linum.

1 LINUM

Key expanded.
L. grandiflorum added to key and account added.
Radiola linoides => Linum radiola and added to Linum key.

71 GERANIACEAE

Genus key expanded.

.. MONSONIA

Reduced to mention but retained in genus key.
M. brevirostrata reduced to mention.

1 GERANIUM

Key re-organised and expanded.

- G. procurrens: mention added.
- G. dalmaticum added to key and account added.
- 2 ERODIUM
- E. chium reduced to mention but retained in key.
- E. lebelii => E. aethiopicum.
- 3 PELARGONIUM
- Added to genus key, and genus account added.
- P. x hybridum given mention.
- P. tomentosum given account.
- P. inodorum: account added.

73 ONAGRACEAE

- 1 EPILOBIUM
- E. brachycarpum added to key and account added.
- 2 CHAMERION => CHAMAENERION.
- Chamerion dodonaei => Chamaenerion dodonaei.
- Chamerion angustifolium => Chamaenerion angustifolium.
- 3 LUDWIGIA
- L. grandiflora ssp. hexapetala: reference added.
- 4 OENOTHERA
- O. rubricaulis: mention removed.
- O. grandiflora: mention removed.
- O. renneri => O. villosa.

77 SAPINDACEAE

- 3 ACER
- Key expanded.
- A. pseudoplatanus var. villosum => A. villosum
- A. palmatum added to key and account added.

78 RUTACEAE

- Genus key added.
- 2 CORREA
- Added to genus key.
- Given genus account.
- C. backhouseana given account.
- 3 RUTA
- Added to genus key.
- Given genus account.
- R. graveolens given account.

80 MALVACEAE

- Genus key expanded.
- .. SIDA
- Reduced to mention but retained in genus key.
- S. spinosa reduced to mention.
- S. rhombifolia reduced to mention.
- 1 ANODA
- Added to genus key and given genus account.
- A. cristata: given account.
- 3 MALVA
- M. preissiana reduced to mention but retained in key.
- M. nicaeensis reduced to mention but retained in key.

M. moschata x *M. alcea*: reference added.

M. pseudolavatera => *M. multiflora*.

9 TILIA

Key enhanced.

T. americana: mention added.

T. tomentosa added to key and given account.

T. 'Petiolaris' referred to *T. tomentosa*.

T. x euchlora added to key and given account.

82 CISTACEAE

1 TUBERARIA

T. lignosa: account added.

83 TROPAEOLACEAE

1 TROPAEOLUM

Key added.

T. peregrinum given account.

86 CLEOMACEAE

1 CLEOME => TARENAYA

Cleome sesquiorgyalis => *Tarenaya hassleriana*

87 BRASSICACEAE

Genus key expanded.

.. CARRICHTERA

Mention removed.

.. ERUCARIA

Mention removed.

.. CALEPINA

Mention added.

C. irregularis: mention added.

1 ERYSIMUM

Key expanded.

E. rhaeticum: mention added.

E. linifolium: mention added.

E. repandum added to key and given account.

4 NESLIA

N. apiculata: mention removed.

12 LEPIDIUM

Key expanded.

L. divaricatum reduced to mention but retained in key.

L. heterophyllum ssp. *smithii*: reference added.

L. densiflorum added to key and given account.

21 ARABIS

Key expanded.

A. procurrens added to key and account added.

23 DRABELLA

Split from *Draba*, added to genus key and genus account added.

Draba muralis => *Drabella muralis*.

24 DRABA

Key reduced.

D. muralis removed to *Drabella*.

Stace edition 4 changes

- 28 BRASSICA
B. oleraceus x B. napus: reference added.
- 29 SINAPIS
S. flexuosa: mention removed.
- 31 ERUCASTRUM
E. nasturtiifolium: mention added.
- 51 COCHLEARIA
C. acaulis reduced to mention but retained in key.

91 PLUMBAGINACEAE

- .. CERATOSTIGMA
Mention added.
C. willmottianum: mention added.
- 2 ARMERIA
A. maritima ssp. miscella: mention added.

92 POLYGONACEAE

Bistorta, Reynoutria added.

Genus key revised in light of generic changes.

- 1 PERSICARIA
Key reduced in line with species reattribution.
Five species and one hybrid transferred to Koenigia.
Three species transferred to Bistorta.
- 2 KOENIGIA
Key added to deal with species reattribution.
Persicaria alpina => Koenigia alpina.
Persicaria x fennica => Koenigia x fennica.
Persicaria campanulata => Koenigia campanulata.
Persicaria weyrichii => Koenigia weyrichii.
Persicaria mollis => Koenigia mollis.
Persicaria wallichii => Koenigia polystachya.
- 3 BISTORTA
Added to genus key and given genus account.
Persicaria bistorta => Bistorta officinalis.
Persicaria amplexicaulis => Bistorta amplexicaulis.
Persicaria vivipara => Bistorta vivipara.
Bistorta affinis keyed and account added.
- 4 FAGOPYRUM
Key added.
F. dibotrys => F. cymosum.
F. tataricum keyed and given account.
- 5 POLYGONUM
P. arenastrum => P. depressum.
P. depressum subsumes P. microspermum, P. arenastrum, P. denudatum, P. parvulum, P. polycnemiforme as treated in Sell & Murrell.
P. aviculare subsumes P. aviculare, P. chamechyton, P. neolittorale, P. agrestinum, P. monspeliense as treated in Sell & Murrell.
P. patulum => P. bellardii.
- 6 FALLOPIA
Split into Fallopia and Reynoutria.
Key reduced.
- 6x8 X REYLLLOPIA
Added.

- 8 Fallopia x conollyana => X Reyllopia conollyana.
REYNOUTRIA
Added, with key.
Fallopia japonica => Reynoutria japonica.
R. japonica var. japonica: reference added.
Fallopia x bohémica => Reynoutria x bohémica.
Fallopia sachalinensis => Reynoutria sachalinensis.
- 10 RUMEX
R. brownii reduced to mention but retained in key.
R. subalpinus: mention added.
R. frutescens => R. cuneifolius.
R. patientia ssp. patientia: reference added.
R. crispus ssp. robustus: account added but not keyed.
R. crispus ssp. strictissimus: mention added.
R. crispus x R. rupestris given binomial R. x celticus.
R. x kloosii: reference added.

93 DROSERACEAE

- 1 DROSERA
D. x belezeana => D. x eloisiana.

94 CARYOPHYLLACEAE

- Myosoton sunk in Stellaria.
Minuartia split to Minuartia, Sabulina and Cherleria.
Genus key revised to reflect genus changes.
- .. TELEPHIUM
Mention removed.
- .. MYOSOTON
Sunk in Stellaria.
- 4 MINUARTIA
Four spp. removed to Sabulina.
One sp. removed to Cherleria.
Key removed.
- 5 SABULINA
Added to genus key and genus account added.
Key added.
Minuartia verna => Sabulina verna.
Minuartia rubella => Sabulina rubella.
Minuartia stricta => Sabulina stricta.
Minuartia hybrida => Sabulina tenuifolia.
- 6 CHERLERIA
Added to genus key and genus account added.
Minuartia sedoides => Cherleria sedoides.
- 7 STELLARIA
Key expanded.
Myosoton aquaticum => Stellaria aquatica.
- 20 SILENE
Key expanded.
S. muscipula added to key and given account.
S. dichotoma added to key and given account.
- 23 GYPSOPHILA
G. elegans reduced to mention.

- 24 **PETRORHAGIA**
 Key error corrected.

95 AMARANTHACEAE

Chenopodium split to Chenopodium, Lipandra, Chenopodiastrum, Oxybasis and Blitum (but single key retained).

- .. **AXYRIS**
 Mention removed.
- 1 **ATRIPLEX**
 A. suberecta reduced to mention but retained in key.
 A. prostrata x *A. patula*: account added.
 A. longipes x *A. littoralis*: mention added.
- 2 **CHENOPODIUM**
 One species removed to Lipandra.
 Two species removed to Chenopodiastrum.
 Four species removed to Oxybasis.
 Two species removed to Blitum.
 Single key retained.
 C. hircinum reduced to mention but retained in key.
 C. nitrariaceum reduced to mention but retained in key.
- 3 **LIPANDRA**
 Genus account added.
 Chenopodium polyspermum => Lipandra polysperma.
- 4 **CHENOPODIASTRUM**
 Genus account added.
 Chenopodium hybridum => Chenopodiastrum hybridum.
 Chenopodium murale => Chenopodiastrum murale.
- 5 **OXYBASIS**
 Genus account added.
 Chenopodium glaucum => Oxybasis glauca.
 Chenopodium rubrum => Oxybasis rubra.
 Chenopodium chenopodioides => Oxybasis chenopoioides.
 Chenopodium urbicum => Oxybasis urbica.
- 6 **BLITUM**
 Genus account added.
 B. virgatum: mention. added.
 Chenopodium capitatum => Blitum capitatum.
 Chenopodium bonus-henricus => Blitum bonus-henricus.
- 7 **DYSPHANIA**
 D. multifida reduced to mention but retained in key.
 D. carinata reduced to mention but retained in key.
 D. cristata reduced to mention but retained in key.
 D. pumilio reduced to mention but retained in key.
 D. x christii reduced to mention.
 D. x bontei reduced to mention.
 D. botrys added to key and given account.
- 13 **SALICORNIA**
 S. pusilla => *S. disarticulata*.
 S. disarticulata x *S. ramosissima* given binomial *S. x marshallii*.
- 15 **SALSOLA**
 S. kali ssp. *kali* => *S. kali*.
 S. kali ssp. *tragus* => *S. tragus*.

- 16 **AMARANTHUS**
A. crispus remains as mention but added to key.
A. standleyanus reduced to mention but retained in key.
A. capensis reduced to mention but retained in key.
A. quitensis reduced to mention but retained in key.
A. viridis remains as mention but added to key.

96 AIZOACEAE

- .. **MESEMBRYANTHEMUM**
Mention removed.
2 **DROSANTHEMUM**
D. candens: mention removed.
6 **DISPHYMA**
D. australe: mention removed.

97 PHYTOLACCACEAE

- 1 **PHYTOLACCA**
Key added.
P. americana added to key and given account.

101 HYDRANGEACEAE

- 3 **HYDRANGEA**
H. petiolaris reduced to mention.

102 CORNACEAE

- 1 **CORNUS**
Key expanded.
C. canadensis added to key and account added.

103 BALSAMINACEAE

- 1 **IMPATIENS**
I. walleriana: mention added.

104 POLEMONIACEAE

- Genus key expanded.
2 **GILIA**
Added to genus key and given genus account.
G. capitata given account.

105 PRIMULACEAE

- Glaux, Anagallis, Trientalis and Centunculus subsumed into Lysimachia.
Genus key reduced to reflect changes.
.. **GLAUX**
Subsumed in Lysimachia.
.. **ANAGALLIS**
Subsumed in Lysimachia.
.. **TRIENTALIS**
Subsumed in Lysimachia.
.. **CENTUNCULUS**
Subsumed in Lysimachia.
1 **PRIMULA**
P. bulleyana: mention added.
P. denticulata added to key and given account.

- 2 **LYSIMACHIA**
Subsumes *Lysimachia*, *Glaux*, *Anagallis*, *Trientalis* and *Centunculus*.
Key expanded.
Glaux maritima => *Lysimachia maritima*.
Centunculus minimus => *Lysimachia minima*.
Anagallis tenella => *Lysimachia tenella*.
Anagallis arvensis ssp. *arvensis* => *Lysimachia arvensis*.
Anagallis x *doerfleri* => *Lysimachia* x *doerfleri*.
Anagallis arvensis ssp. *foemina* => *Lysimachia foemina*.
Trientalis europaea => *Lysimachia europaea*.
Trientalis borealis => *Lysimachia borealis*.
- 4 **CYCLAMEN**
Key expanded.
C. graecum added to key and given account.

107 SARRACENIACEAE

- 1 **SARRACENIA**
S. flava given account.

108 ERICACEAE

- .. **PIERIS**
P. formosa: mention added.
- 4 **RHODODENDRON**
Key expanded.
R. x superponticum added to key and account added.
- 9 **ERICA**
Key expanded.
E. carnea added to key and given account.

110 RUBIACEAE

- .. **NERTERA**
Reduced to mention but retained in genus key.
- 5 **GALIUM**
Key expanded.
G. murale added to key and given account.
G. parisiense var. *leiocarpum*: reference added.
G. parisiense var. *parisiense*: reference added.

111 GENTIANACEAE

- 3 **CENTAURIUM**
C. scilloides => *C. portense*.
C. latifolium => *C. erythraea* var. *latifolium*
C. erythraea x *C. pulchellum* given the binomial *C. x ubsdellii*
C. tenuiflorum: Br plants now referred to ssp. *anglicum*.
- 5 **GENTIANELLA**
Key reduced through demotion of two spp. to subspecies.
G. amarella: subspecies key expanded.
G. anglica => *G. amarella* ssp. *anglica*.
G. uliginosa => *G. amarella* ssp. *occidentalis*.

113 HYDROPHYLLACEAE

- Split from Boraginaceae.

- 1 PHACELIA
Added to genus key.
P. ciliata: mention removed.
- 2 NEMOPHILA
Added to genus key and given genus account.
N. menziesii: given account.

114 BORAGINACEAE

Phacelia and Nemophila removed to Hydrophyllaceae.

Cerithe added.

Lithospermum split to Lithospermum, Aegonychon and Buglossoides.

Anchusa split to Anchusa and Lycopsis.

Genus key expanded.

- .. ASPERUGO
Reduced to mention but retained in genus key.
A. procumbens reduced to mention.
- .. HELIOTROPIUM
Mention removed.
- 1 LITHOSPERMUM
Loses one species each to Aegonychon and Buglossoides.
Key removed.
- 2 AEGONYCHON
Added to genus key and given genus account.
Lithospermum purpureocaeruleum => Aegonychon purpureocaeruleum.
- 3 BUGLOSSOIDES
Added to genus key and given genus account.
Lithospermum arvense => Buglossoides arvensis.
- 4 ECHIUM
Key expanded.
E. rosulatum added to key and given account.
- 5 CERINTHE
Added to genus key and genus account added.
C. major: account added.
- 9 ANCHUSA
Loses one sp. to Lycopsis.
Key reduced.
- 10 LYCOPSIS
Added to genus key and given genus account.
Anchusa arvensis => Lycopsis arvensis.
- 11 NONEA
Added to genus key and given genus account.
N. rosea: mention removed.
N. lutea given account.
- 18 MERTENSIA
M. virginica: mention removed.
M. ciliata: mention removed.
- 19 MYOSOTIS
M. secunda x M. stolonifera given binomial M. x bollandica.
M. discolor ssp. discolor and ssp. dubia given fuller treatment.
- 22 CYNOGLOSSUM
Key added.
C. amabile added to key and given account.

115 CONVULVULACEAE

- 1 CONVULVULUS
C. tricolor given account.
- 3 IPOMOEA
Key expanded.
I. lacunosa reduced to mention but retained in key.
I. batatas added to key and given account.
- 4 CUSCUTA
C. australis: mention removed.
C. suaveolens: mention removed.

116 SOLANACEAE

Physalis split to Physalis and Alkekengi.

Genus key expanded to reflect above.

- 7 PHYSALIS
One species removed to Alkekengi.
Key revised and expanded.
P. pubescens added to key and given account.
P. angulata added to key and given account.
- 8 ALKEKENGI
Added to genus key.
Physalis alkekengi => Alkekengi officinarum.
- 10 SOLANUM
Key expanded.
S. pygmaeum: mention removed.
S. abutiloides: mention removed.
S. americanum: mention removed.
S. physalifolium (var. nitidibaccatum) => S. nitidibaccatum.
S. sarachoides => S. sarrachoides.
S. diflorum => S. pseudocapsicum, added to key and given account.
- 11 NICOTIANA
N. goodspeedii: mention removed.

117 OLEACEAE

- 1 FORSYTHIA
F. suspensa given account.
- 5 LIGUSTRUM
Key removed.
L. x vicaryi => L. ovalifolium 'Vicaryi' and reduced to reference.

120 VERONICACEAE

- 3 VERONICA
V. austriaca ssp. teucrium => V. teucrium

124 SCROPHULARIACEAE

Genus key expanded.

- 1 VERBASCUM
V. sinuatum: mention removed.
V. x brockmuelleri: reference added.
V. nigrum x V. speciosum given binomial V. x angulosum.
- 2 SCROPHULARIA
Key expanded.
S. peregrina added to key and account added.

- 4 SUTERA => CHAENOSTOMA
Sutera cordata => Chaenostoma cordatum.
- 5 NEMESIA
Added to genus key and given genus account.
N. denticulata: mention added.
N. strumosa given account.

125 ACANTHACEAE

Strobilanthes added.

Genus key added.

- 2 STROBILANTHES
Keyed and genus account added.
S. pentastemonoides: account added.

127 VERBENACEAE

- 1 VERBENA
Key expanded.
V. x hybrida added to key and given account.

128 LAMIACEAE

- .. SIDERITIS
Mention removed.
- 9 PHLOMIS
P. samia: mention removed.
- 19 CLINOPODIUM
C. calamintha => C. nepeta.
- 22 THYMUS
Key expanded.
T. x citriodorus => T. x carolipaui, added to key and given account.
T. polytrichus => T. drucei.

129 PHRYMACEAE

- 1 MIMULUS => ERYTHRANTHE
Key expanded.
Mimulus moschatus => Erythranthe moschata.
Mimulus guttatus => Erythranthe guttata.
Mimulus guttatus x (Mimulus luteus x Mimulus cupreus) => Erythranthe guttata x (Erythranthe lutea x Erythranthe cuprea).
Mimulus x robertsii => Erythranthe x robertsii.
Erythranthe peregrina added to key and account added.
Mimulus x burnetii => Erythranthe x burnetii
Mimulus luteus => Erythranthe lutea.
Mimulus variegatus => Erythranthe variegata.
Mimulus x smithii => Erythranthe x smithii.
Mimulus x maculosus => Erythranthe x maculosa.

131 OROBANCHACEAE

Orobanche split to Orobanche and Phelipanche.

- 2 EUPHRASIA
E. septentrionalis: mention added.
E. officinalis x E. tetraquetra: reference added.
E. notata => E. x notata and given reference.
E. rivularis x E. scottica: reference added.

E. arctica x *E. pseudokernerii*: reference added.
E. arctica x *E. campbelliae*: reference added.
E. tetraquetra x *E. salisburgensis*: reference added.
E. confusa x *E. marshallii*: reference added.
E. foulaensis x *E. ostenfeldii*: reference added.
E. foulaensis x *E. campbelliae*: reference added.
E. rhumica => *E. x rhumica*.
E. marshallii x *E. heslop-harrisonii*: reference added.

9 OROBANCHE

Two spp. moved to *Phelipanche*.
Key reduced.

10 PHELIPANCHE

Added to genus key and genus account added.
Orobanche ramosa => *Phelipanche ramosa*.
Orobanche purpurea => *Phelipanche purpurea*.

133 CAMPANULACEAE

.. DOWNINGIA

Reduced to mention but retained in genus key.
D. elegans: reduced to mention.

1 CAMPANULA

Key enlarged.
C. garganica added to key and account added.

8 PRATIA

P. pedunculata: account added.

135 ASTERACEAE

Tribe and genus ordering changed.

Acroptilon => *Rhaponticum*.

Arctotis added.

Filago split to *Filago* and *Logfia*.

Gnaphalium split to *Omalotheca*, *Gnaphalium*, *Gamochaeta*, *Pseudognaphalium* and *Laphangium*.

Helichrysum split to *Helichrysum* and *Xerochrysum*.

Inula split to *Inula* and *Limbarda*.

Solidago split to *Solidago*, *Euthamia*.

Aster split to *Symphotrichum*, *Aster*, *Eurybia*, *Galatella* and *Tripolium*.

Felicia added.

Anthemis split into *Anthemis* and *Cota*.

Senecio split to *Senecio* and *Jacobaea* (but remain keyed together).

Iva => *Euphrosyne*.

Genus keys revised and expanded.

.. TOLPIS

Removed.

.. RHAGADIOLUS

Removed.

.. CNICUS

Removed.

.. MANTISALCA

Removed.

.. SPILANTHES

Removed.

.. VERBESINA

Removed.

Stace edition 4 changes

- .. ONCOSIPHON
Removed.
- .. ANACYCLUS
Removed.
- .. MADIA
Removed.
- .. HEMIZONIA
Removed.
- .. AETHEORHIZA
Reduced to mention but retained in genus keys.
- .. HEDYPNOIS
Reduced to mention but retained in genus keys.
H. cretica => H. rhagadioloides.
- .. GEROPOGON
Reduced to mention but retained in genus keys.
G. glaber => G. hybridus.
- .. CALOTIS
Reduced to mention but retained in genus keys.
- .. SCHKURIA
Reduced to mention but retained in genus keys.
- .. TELEKIA
Subsumed into Bupthalmum.
- .. CONYZA
Subsumed into Erigeron.
- .. SOLIVA
Subsumed into Cotula.
- 3 ARCTIUM
A. x ambiguum: given reference.
A. tomentosum added to key and given account.
- 5 CARDUUS
C. macrocephalus: mention removed.
C. thoermeri: mention removed.
- 6 CIRSIUM
C. erisithales: reduced to mention but retained in key.
C. x lanseriae: reference added.
- 7 GALACTITES
Added to keys and given genus account.
G. tomentosus given account.
- 8 ONOPORDUM
O. nervosum reduced to mention.
- 12 RHAPONTICUM
Acroptilon repens => Rhaponticum repens.
- 13 CENTAUREA
C. melitensis reduced to mention but retained in key.
C. hyalolepis: mention removed.
- 16 CICHORIUM
C. endivia given account.
- 25 SCORZONERA
S. hispanica given account.
- 33 PILOSELLA
P. x acutifolia: reference added.
- 34 HIERACIUM
Sect. Villosa added to key and account added.

- H. villosum: reference added.
- 36 ARCTOTIS
Added to genus key and genus account added.
A. stoechadifolia: mention added.
A. aspera: account added.
- 38 FILAGO
Two spp. moved to Logfia.
Key reduced.
F. vulgaris => F. germanica.
- 39 LOGFIA
Added to genus key and genus account added.
Filago minima => Logfia minima.
Filago gallica => Logfia gallica.
- 42 OMALOTHECA
Added to genus key and genus account added.
Gnaphalium norvegicum => Omalotheca norvegica.
Gnaphalium sylvaticum => Omalotheca sylvatica.
Gnaphalium supinum => Omalotheca supina.
- 43 GNAPHALIUM
Three spp. moved to Omalotheca.
One sp. moved to Gamochaeta.
One sp. moved to Pseudognaphalium.
One sp. moved to Laphangium.
Key removed.
- 44 GAMOCHAETA
Added to genus key and genus account added.
Gnaphalium purpureum => Gamochaeta purpurea.
- 45 PSEUDOGNAPHALIUM
Added to genus key and genus account added.
Gnaphalium undulatum => Pseudognaphalium undulatum.
- 46 LAPHANGIUM
Added to genus key and genus account added.
Gnaphalium luteoalbum => Laphangium luteoalbum,
- 47 HELICHRYSUM
Key added.
One sp. lost to Xerochrysum.
H. italicum: added to key and given account.
- 48 XEROCHRYSUM
Added to genus key and genus account added.
Helichrysum bracteatum => Xerochrysum bracteatum.
- 50 INULA
One sp. moved to Limbarda.
Key revised.
I. orientalis added to key and account added.
- 51 LIMBARDA
Added to genus key and genus account added.
Inula crithmoides => Limbarda crithmoides.
- 54 BUPHTHALMUM
Added to genus key (replacing Telekia) and genus account added.
Telekia speciosa => Buphthalmum speciosum.
B. salicifolium: given account.
- 56 SOLIDAGO
One sp. moved to Euthamia.

- Key revised.
S. canadensis ssp. canadensis: account removed.
S. canadensis ssp. altissima: account removed.
S. canadensis var. hargerii: reference added.
S. sempervirens added to key and account added.
- 57 EUTHAMIA
Added to genus key and genus account added.
Solidago graminifolia => Euthamia graminifolia.
- 58 SYMPHYOTRICHUM
Added to genus key and genus account added.
Key derived from former Aster and revised.
Aster dumosus => Symphyotrichum dumosum.
Aster novae-angliae => Symphyotrichum novae-angliae.
Aster puniceus => Symphyotrichum puniceum, added to key and given account.
Aster laevis => Symphyotrichum laeve.
Aster concinnus => Symphyotrichum laeve var. concinnum.
Aster x versicolor => Symphyotrichum x versicolor.
Aster novi-belgii => Symphyotrichum novi-belgii.
Aster x salignus => Symphyotrichum x salignum.
Aster lanceolatus => Symphyotrichum lanceolatum.
Aster pilosus => Symphyotrichum pilosum.
Aster squamatus => Symphyotrichum squamatum.
- ASTER
.. Given mention under Symphyotrichum.
A. amellus given mention under Symphyotrichum.
- .. EURYBIA
Given mention under Symphyotrichum.
E. schreberi given mention under Symphyotrichum.
- 59 GALATELLA
Added to genus key and genus account added.
Aster sedifolius => Galatella sedifolia.
Aster linosyris => Galatella linosyris.
- 60 TRIPOLIUM
Aster tripolium => Tripolium pannonicum.
- 61 CHRYSOCOMA
C. tenuifolia reduced to mention.
- 62 ERIGERON
Subsumes Erigeron and Conyza.
Key expanded.
E. speciosus added to key and given account.
X Conyzigeron huelsenii => Erigeron x huelsenii.
E. x stanleyi: account added.
Conyza canadensis => Erigeron canadensis.
Conyza canadensis x Conyza bonariensis given binomial Erigeron x foucaudii.
Conyza floribunda => Erigeron floribundus.
Conyza sumatrensis => Erigeron sumatrensis.
Conyza bonariensis => Erigeron bonariensis.
- 63 FELICIA
Added to genus key and genus account added.
F. bergeriana: account added.
- 71 ACHILLEA
Key revised.
A. ligustica reduced to mention but retained in key.

- A. millefolium ssp. sudetica: reference added.
A. nobilis added to key and given account.
- 73 ANTHEMIS
Two spp. moved to Cota.
Key reduced.
- .. X TRIPLEUROTHEMIS => X ANTHEPLEUROSPERMUM
- 74 COTA
Added to genus key and genus account added.
Anthemis tinctoria => Cota tinctoria.
Anthemis austriaca => Cota austriaca.
- 75 ISMELIA
Added to genus key and genus account added.
I. carinata given account.
- 82 COTULA
Subsumes Cotula and Soliva.
Key expanded.
C. turbinata: mention removed.
C. alpina added to key and account added.
Soliva pterosperma => Cotula sessilis.
- 83 SENECIO
Split into Senecio and Jacobaea (but keyed together).
S. x subnebrodensis => S. x londinensis.
- 84 JACOBAEA
Genus account added.
Senecio cinerea => Jacobaea maritima.
Senecio x albescens => Jacobaea x albescens.
Senecio x thuretii => Jacobaea x thuretii.
Senecio jacobaea => Jacobaea vulgaris.
Senecio x ostenfeldii => Jacobaea x ostenfeldii.
Senecio aquaticus => Jacobaea aquatica.
Senecio aquaticus ssp. aquaticus => Jacobaea aquatica ssp. aquatica.
Senecio aquaticus ssp. ornatus => Jacobaea aquatica ssp. ornata.
Senecio erucifolius => Jacobaea erucifolia.
Senecio paludosus => Jacobaea paludosa.
- 93 PETASITES
P. japonicus x P. pyrenaicus: reference added.
P. fragrans => P. pyrenaicus.
- 98 IVA => EUPHROSYNE
Replaces Iva in genus key.
Iva xanthiifolia => Euphrosyne xanthiifolia.
- 100 RUDBECKIA
R. fulgida: mention added.
- 102 GUIZOTIA
G. scabra: mention added.
- 103 SIGESBECKIA
S. orientalis reduced to mention.
- 106 COREOPSIS
C. tinctoria given account.
- 111 HELENIUM
H. autumnale => H. x clementii.

136 ESCALLONIACEAE

- 1 ESCALLONIA
E. macrantha => E. rubra var. macrantha.
E. x langleyensis given account.

137 ADOXACEAE

Gains Sambucus and Viburnum from Caprifoliaceae.

Genus key added.

- 2 SAMBUCUS
Transferred from Caprifoliaceae.
- 3 VIBURNUM
Transferred from Viburnum.
V. davidii: mention added.
V. bodnantense: mention added.

138 CAPRIFOLIACEAE

Loses Sambucus and Viburnum to Adoxaceae.

- .. ABELIA
Mention added.
A. x grandiflora: mention added.
- 5 LONICERA
L. x purpusii: mention added.

140 DIPSACACEAE

- 2 CEPHALARIA
C. syriaca: mention removed.
- 3 KNAUTIA
K. macedonica: mention added.

143 ARALIACEAE

- 1 HEDERA
H. x sepulcralis: reference added.

145 APIACEAE

Genus ordering radically changed.

X Beruladium added.

Helosciadium added.

Melanoselinum added.

Visnaga added.

Genus key expanded.

- .. BIFORA
Removed.
- 3 ERYNGIUM
Key expanded.
E. x tripartitum: mention removed.
E. variifolium added to key and account added.
- 8x9 X BERULADIUM
Added.
X B. procurrens: reference added.
- 9 HELOSCIADIUM
Split from Apium.
Added to genus key, and genus account added.
Apium nodiflorum => Helosciadium nodiflorum.

- Apium nodiflorum x Apium repens => Helosciadium nodiflorum x Helosciadium repens.
Apium x moorei => Helosciadium x moorei.
Apium repens => Helosciadium repens.
Apium inundatum => Helosciadium inundatum.
- 19 TORILIS
T. leptophylla: mention removed.
- 20 CAUCALIS
Added to genus key and given genus account.
C. platycarpus given account.
- 22 MELANOSELINUM
Added to genus key and genus account added.
M. decipiens: account added.
- 23 DAUCUS
D. glochidiatus reduced to mention.
- 24 PIMPINELLA
Key added.
P. peregrina keyed and account added.
- 33 SISON
Petroselinum segetum => Sison segetum.
- 35 CARUM
C. verticillatum goes to Trocdaris.
- 36 TROCDARIS
Added to genus key and genus account added.
C. verticillatum => Trocdaris verticillata.
- 39 APIUM
Three spp. removed to Helosciadium.
A. leptophyllum: mention removed.
- 40 AMMI
One sp. removed to Visnaga.
- 42 PETROSELINUM
One sp. removed to Sison.
- 44 FOENICULUM
F. vulgare cv. Purpureum: mention added.
- 46 VISNAGA
Added to genus key and genus account added.
Ammi visnaga => Visnaga daucoides.
- 53 THYSELIMUM => THYSSELINUM.
Thyselium palustre => Thysselinum palustre.
- 55 ANGELICA
A. archangelica ssp. archangelica: account added.
A. archangelica ssp. littoralis: account added.

147 ARACEAE subsumes LEMNACEAE.

- Orontium added.
Genus key expanded.
- .. COLOCASIA
Mention removed.
C. antiquorum: mention removed.
- 1 LYSICHITON
L. x hortorum: reference added.
- 4 ORONTIUM
Added to genus key and genus account added.
O. aquaticum: account added.

Stace edition 4 changes

- 8 PISTIA
Added to genus key and genus account added.
P. stratiotes: account added.
- 9 SPIRODELA
Added to genus key.
- 10 LEMNA
Added to genus key.
- 11 WOLFFIA
Added to genus key.

149 ALISMATACEAE

- 1 SAGITTARIA
Key expanded.
S. graminea added to key and account added.

156 POTAMOGETONACEAE

Potamogeton split to Potamogeton and Stuckenia.

Genus key expanded.

- 1 POTAMOGETON
Key C reduced.
P. x vepsicus: reference added.
- 2 STUCKENIA
Added to genus key, genus account added and key transferred.
Potamogeton filiformis => Stuckenia filiformis.
Potamogeton x suecicus => Stuckenia x suecica.
Potamogeton pectinatus => Stuckenia pectinata.
Potamogeton x bottnicus => Stuckenia x bottnica.
- 4 ZANNICHELLIA
Z. obtusifolia: account added.

157 RUPPIACEAE

- 1 RUPPIA
R. cirrhosa => R. spiralis.

163 LILIACEAE

- 2 ERYTHRONIUM
E. californicum: mention added.
- 3 TULIPA
Key added.
T. tarda: mention added.
T. praestans: mention added.
T. saxatilis keyed and given account.
- 4 FRITILLARIA
F. imperialis: mention added.
- 5 LILIUM
Key added.
L. regale: mention removed.
L. candidum keyed and given account.

164 ORCHIDACEAE

CALYPSOEAE => EPIDENDREAE

- .. X DACTYLODENIA
Gymnadenia densiflora x Dactylorhiza praetermissa given binomial X Dactylodenia ettlingeriana.
Gymnadenia densiflora x Dactylorhiza purpurella: reference added.
X D. lacerta: reference added.
X D. varia: reference added.
Gymnadenia borealis x Dactylorhiza traunsteinerioides: reference added.
- 16 DACTYLORHIZA
D. ebudensis sunk into D. traunsteinerioides.
Key reduced.
D. incarnata ssp. lobelii: reference added.
D. praetermissa ssp. schoenophila: reference added (under D. traunsteinerioides).
D. purpurella x D. ebudensis: reference removed.
D. traunsteinerioides ssp. francis-drucei: reference added.
- 21 SERAPIAS
S. lingua: given account.
- 22 OPHRYS
O. tenthredinifera: mention added.
O. insectifera x O. apifera given binomial O. x pietzschii.

165 IRIDACEAE

- Genus key reduced.
- .. HERMODACTYLIS
Sunk into Iris.
 - 4 IRIS
Hermodactylis tuberosa => Iris tuberosa and added to Iris key.
 - 7 CROCUS
C. serotinus reduced to mention (ssp. salzmannii) but retained in key.
C. vernus ssp. vernus => C. neapolitanus.
C. vernus ssp. albiflorus => C. vernus.
C. vernus x C. tommasinianus => C. neapolitanus x C. tommasinianus.
C. chrysanthus x C. biflorus => C. x hybridus (binomial confirmed).
C. x stellaris => C. x luteus.
 - 8 GLADIOLUS
G. gallaecicus: reference added to G. illyricus account.

166 XANTHORRHEACEAE => ASPHODELACEAE

- Aristaloe added.
Genus key expanded.
- 6 ARISTALOE
Added to genus key and genus account added.
A. aristata: account added.

167 ALLIACEAE => AMARYLLIDACEAE

- Genus key expanded.
- .. NECTAROSCORDIUM
Sunk into Allium.
 - .. NERINE
Mention added.
N. sarniensis: mention added.
N. bowdenii: mention added.
 - 1 ALLIUM
A. christophii: mention added.

A. trifoliatum: Added to key and account added.
A. oleraceum var. complanatum: reference added.
Nectaroscordium siculum => Allium siculum.
Nectaroscordium siculum ssp. siculum => Allium siculum ssp. siculum.
Nectaroscordium siculum ssp. bulgaricum => Allium siculum ssp. dioscoridis.

10 GALANTHUS

G. reginae-olgae reduced to mention but retained in key.
G. ikariae: mention added.
G. nivalis x G. plicatus given binomial G. x valentinei.
G. plicatus x G. elwesii given binomial G. x hybridus.

11 NARCISSUS

N. 'February Silver': reference added.

168 ASPARAGACEAE

Furcraea added.

Genus key expanded.

2 POLYGONATUM

P. biflorum: mention removed.

15 FURCRAEA

Added to genus key and genus account added.

F. parmentieri: account added.

169 ARECACEAE

1 PHOENIX

Given genus account.

P. dactylifera given account.

171 PONTEDERIACEAE

.. EICHHORNIA

Mention added.

E. crassipes: mention added.

172 TYPHACEAE

2 TYPHA

Key added.

T. minima keyed and account added.

175 JUNCACEAE

1 JUNCUS

Key expanded.

J. ensifolius: mention added.

J. xiphioides added to key and account added.

J. articulatus x J. bulbosus: reference added.

J. inflexus x J. pallidus: given separate (fuller) reference.

J. effusus x J. pallidus: given separate (fuller) reference.

2 LUZULA

Key expanded.

L. nivea added to key and given account.

176 CYPERACEAE

Genus key reduced.

.. KOBRESIA

Sunk into Carex.

- 3 BOLBOSCHOENUS
B. laticarpus: account added.
- 6 ELEOCHARIS
E. palustris ssp. vulgaris => E. palustris ssp. waltersii.
- 16 CAREX
Subsumes Kobresia.
Key expanded.
C. lepidocarpa x C. demissa: reference added.
C. x schatzii: reference added.
C. demissa x C. viridula: reference added.
C. oederi => C. viridula.
C. aquatilis x C. elata: reference added.
C. trinervis x C. nigra => C. x timmiana (binomial added).
C. cespitosa added to key and account added.
C. comans added to key and account added.
Kobresia simpliciuscula => Carex simpliciuscula.

177 POACEAE

Extensive reordering of genera.

Arundo added.

Stipa split to Stipa, Stipellula and Celtica.

Avenula split to Avenula and Helictochloa.

Deschampsia split into Deschampsia, Aristavena and Avenella.

Festuca split into Festuca and Drymochloa.

Key revised.

.. ELYTRIGIA

Subsumed into Elymus.

.. ARUNDO

Added to genus key and mention added.

A. donax: mention added.

.. TRAGUS

Reduced to mention and key removed, but retained in genus key.

T. racemosus reduced to mention.

T. australianus reduced to mention.

T. beteronianus reduced to mention.

.. CHLORIS

Reduced to mention and key removed, but retained in genus key.

C. truncata reduced to mention.

C. divaricata reduced to mention.

C. virgata reduced to mention.

.. ERIOCHLOA

Reduced to mention, but retained in genus key.

E. crebra: mention removed.

E. fatmensis: mention removed.

E. pseudoacrotricha: reduced to mention.

.. STIPA

One sp. moved to Stipellula.

S. aristiglumis: mention removed.

S. variabilis: mention removed.

S. verticillata: mention removed.

S. ambigua: mention removed.

.. STIPELLULA

Added to genus key and mention added.

- Stipa capensis => Stipellula capensis and reduced to mention.
- .. EHRHARTA
 - Reduced to mention but retained in genus key.
 - E. stipoides reduced to mention.
- .. RYTIDOSPERMA
 - Reduced to mention but retained in genus key.
 - R. racemosum reduced to mention.
- .. SCHISMUS
 - Reduced to mention but retained in genus key.
 - S. arabicus: mention removed.
 - S. barbatus reduced to mention.
- .. HAINARDIA
 - Reduced to mention but retained in genus key.
 - H. cylindrica reduced to mention.
- .. LEPTOCHLOA => DIPLACHNE
 - Reduced to mention.
 - L. muelleri: mention removed.
 - L. uninervia: mention removed.
 - Leptochloa fusca => Diplachne fusca and reduced to mention.
- .. CELTICA
 - Split from Stipa, added to genus key and mention added.
 - C. gigantea: mention added.
- .. HELICTOTRICHON
 - Added to genus key and mention added.
 - H. sempervirens: mention added.
- .. AMPHIBROMUS
 - Reduced to mention but retained in genus key.
 - A. neesii reduced to mention.
- BAMBUSEAE => ARUNDINARIEAE
- 12 NASSELLA
 - N. formicarum: mention removed.
 - N. trichotoma: mention removed.
 - N. neesiana: reduced to mention.
- 14 ORYZOPSIS => OLOPTUM
 - Oryzopsis miliaceum => Oloptum miliaceum.
- 16 MELICA
 - M. altissima: mention added.
- 17 BRACHYPODIUM
 - B. distachyon => B. hybridum and reduced to mention but retained in key.
- 19 LOLIUM
 - L. remotum reduced to mention but retained in key.
- 20 DRYMOCHLOA
 - Split from Festuca, added to genus key and genus account added.
 - Festuca altissima => Drymochloa sylvatica.
- 21 FESTUCA
 - Key revised.
 - F. glauca added to key and given account.
- 22 VULPIA
 - V. geniculata => V. ligustica.
- 23 DACTYLIS
 - D. glomerata x D. polygama: reference added.
- 36 AVENA
 - A. byzantina: mention removed.

- 41 PHALARIS
P. brachystachys: account removed.
P. angusta: mention removed.
P. coerulescens: mention removed.
- 43 DESCHAMPSIA
One sp. removed to Aristavena.
One sp. removed to Avenella.
Species key removed.
D. cespitosa ssp. cespitosa var. pseudalpina: reference added.
- 44 ARISTAVENA
Split from Deschampsia.
Added to genus key and genus account added.
Deschampsia setacea => Aristavena setacea.
- 45 AVENELLA
Split from Deschampsia.
Deschampsia flexuosa => Avenella flexuosa.
- 47 HELICTOCHLOA
Split from Avenula.
Added to genus key and genus account added.
Avenula pratensis => Helictochloa pratensis.
- 48 AGROSTIS
A. hyemalis reduced to mention but retained in key.
- 52 CALAMAGROSTIS
C. x acutiflora / C. x subulata: mention added.
- 54 GASTRIDIDIUM
G. phleoides: account removed.
- 55 POLYPOGON
Key added.
P. maritimus keyed and account added.
- 60 PHLEUM
P. subulatum: mention removed.
- 62 BROMUS
B. commutatus sunk into B. racemosus.
B. squarrosus: mention removed.
B. scoparius: mention removed.
B. alopecuros: mention removed.
B. pectinatus: mention removed.
B. briziformis: mention removed.
- 63 ANISANTHA
A. rubens reduced to mention but retained in key.
- 65 CERATOCHLOA
C. brevis reduced to mention but retained in key.
- 66 ELYMUS
Takes on Elytrigia.
Elytrigia campestris sunk in Elymus repens.
Key revised.
E. scabrus: reduced to mention.
Elytrigia repens => Elymus repens.
Elytrigia x drucei => Elymus x drucei.
Elytrigia x laxa => Elymus x laxus.
Elytrigia atherica => Elymus athericus.
Elytrigia atherica f. setigera => Elymus athericus f. setigerus.
Elytrigia x acuta => Elymus x obtusiusculus.

- Elytrigia juncea => Elymus junceiformis.
.. X ELYTRORDEUM => X ELYHORDEUM
Elymus caninus x Hordeum secalinum: mention added.
X Elytrordium langei => X Elyhordeum x langei.
- 69 HORDEUM
H. pusillum reduced to mention but retained in key.
H. euclaston reduced to mention but retained in key.
H. pubiflorum reduced to mention but retained in key.
- 72 TRITICUM
Key expanded.
T. monococcum added to key and account added.
T. dicoccon added to key and account added.
T. spelta added to key and account added.
T. compactum added to key and account added.
- 73 DIGITARIA
D. brownii: mention removed.
- 75 BRACHIARIA
B. eruciformis: mention removed.
- 78 CENCHRUS
C. incertus: mention removed.
C. pauciflorus: mention removed.
C. purpurascens: mention added.
- 80 PASPALUM
P. dilatatum: mention removed.
- ARUNDINEAE => MOLINIEAE
- 88 ERAGROSTIS
E. barrelieri: mention removed.
E. plana: mention removed.
E. virescens reduced to mention but retained in key.
E. parviflora reduced to mention but retained in key.
- CYNODONTIAE => ZOYSIEAE in part.
- 89 SPOROBOLUS
S. elongatus: mention removed.
S. indicus reduced to mention.
S. africanus given account.
- 92 ELEUSINE
Key removed.
E. multiflora reduced to mention.
E. tristachya reduced to mention.
- 93 CYNODON
C. incompletus reduced to mention.